Author Index to Volume 37

(References with (L) are to Letters to the Editor)

Abeledo, Carlos R. and P. W. Selwood. Chemisorption of hydrogen on cobalt—2709

Abowitz, G. and R. B. Gordon. Compressibility of liquid sodium-potassium alloys—125

Ackermann, R. J., E. G. Rauh, and R. J. Thorn. Effect of oxygen on the vapor pressure of uranium—2693

Adams, Ralph N. (see Ludwig, Peter)—828

Adams, William H. Hartree–Fock perturbation method—2507(L)

—— Orbital theories of electronic structure—2009

Agnew, John T. (see Dunn, Michael G.)—2445

Albrecht, A. C. (see Dolan, E.)—1149(L)

Aldrich, Elizabeth W. (see Bridgeman, Oscar C.)—195(L)

Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange—966

—— Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange—974

Allavena, M. (see Bratož, S.)—2138

Allen, Harry C., Jr., and W. Bruce Olson. Sum rules for vibrational-rotational energy levels including centrifugal distortion—212

Allen, Leland C. Gaussian orbitals for many-electron molecular wave functions—200(L)

Allen, Peter E. M., Sidney W. Benson, and Charles S. Copeland. Conductance of NaI—C_2H_5OH systems in the vicinity of the critical temperature—132

Allison, Rinda (see Rieke, Foster F.)—3011(L)

Amano, Akira (see Benson, Sidney W.)—197(L)

Ameer, George and William Benesch. Line strengths and widths in hydrogen iodide—2699

Anbar, M. and P. Neta. Formation of F^{18}-labeled fluoro-organic compounds by the $F^{19}(n,2n)$ reaction—2757

—— **and P. Neta.** Retention of F^{18} produced by the $F^{19}(n,2n)$ reaction in fluoro-organic compounds—1877(L)

Anderson, Jay Martin and John D. Baldeschwieler. Use of spin inversion operators to describe properties of nuclear magnetic double-resonance spectra—39

Anderson, Weston A. High-resolution nuclear magnetic double resonance by modulation through the spin coupling—1373(L)

—— **and R. Freeman.** Influence of a second radiofrequency field on high-resolution nuclear magnetic resonance spectra—85

—— (see Freeman, R.)—2053

Andresen, H. G. (see Möller, K. D.)—1800

Arai, S., S. Shida, K. Yamaguchi, and Z. Kuri. ESR spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical—1885(L)

Armington, A. (see Dillon, G.)—1163(L)

Arnheim, William (see Kwei, T. K.)—1900(L)

Arnstein, Rodolphe (see Light, John C.)—2240

Arvia, A. J. (see Cracco, Francis)—2449

Asprey, Larned B. (see McDowell, Robin S.)—165

Ausloos, P. (see Lias, Sharon G.)—877

—— (see Rebbert, R. E.)—1158(L)

Axe, J. D. and G. H. Dieke. Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing—2364

Azarraga, L. (see Kleinerman, M.)—1825

Azumi, T. and S. P. McGlynn. Polarization of the luminescence of phenanthrene—2413

Babb, Stanley E., Jr. Melting curves of tin and selenium to 10 000 bar—922(L)

—— (see McDaniel, Marvin L.)—822

Babrov, Harold J. (see Tourin, Richard H.)—581

Back, R. A. and D. C. Walker. Photochemistry in the photoionization region. I. Apparatus and techniques—2348

Baird, James C. Oxygen-17 hyperfine structure in electron paramagnetic resonance—1879(L)

Bak, Børge, Daniel Christensen, William B. Dixon, Lise Hansen-Nygaard, and John Rastrup-Andersen. Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile—2027

Baker, C. E., J. M. McGuire, and E. E. Muschlitz, Jr. Low-energy collision cross sections of H^- and OH^- ions in oxygen—2571

Baker, Edward B. Two synthesizer nuclear spin decoupling; INDOR spectra of $C^{13}F_3COOH$ and $CF_3C^{13}OOH$, $N^{14}H_4^+$, and $(CH_3)_4Si^{29}$—911(L)

Baker, Forrest S. and Gilbert O. Brink. Adsorption of potassium beams on surfaces—1012

Balchan, A. S. (see Stager, R. A.)—1154(L)

Baldeschwieler, John D. (see Anderson, Jay Martin)—39

—— (see Flynn, George W.)—2907

—— (see Noggle, Joseph H.)—182

—— (see Rao, B. D. Nageswara)—2473, 2480

Barger, R. L. and H. P. Broida. Absorption spectrum of carbon vapor in solid argon at 4° and 20°K—1152(L)

Barker, J. A. Structure of simple fluids: tunnel model—1061

Barnes, R. G. and S. L. Segel. Nuclear magnetic resonance of Cl^{35} in paramagnetic $FeCl_3$—1895(L)

Barry, Jeremiah H. (see Tanaka, Tomoyasu)—1397

Bartell, L. S. and Kozo Kuchitsu. Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey–Bradley analysis—691

Basu, Gobinda and R. Linn Belford. Nature of the visible charge transfer bands of $K_3Fe(CN)_6$—1933

Batt, Leslie (see Flowers, Michael)—2662

Baur, M. E. and L. H. Nosanow. Phase transitions in one-dimensional order–disorder systems: application to helix–random-coil transition in polymers—153

Bayer, R. W. and W. F. Edgell. ν_1 band of methylacetylene—2502(L)

Bayes, K. D., D. Kivelson, and S. C. Wong. Measurement by cyclotron resonance of molecular cross sections for elastic collisions with 295°K electrons—1217

Bearman, Richard J. (see Horne, Frederick H.)—2842,2857

Beaudet, Robert A. Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene—2398

—— **and E. Bright Wilson, Jr.** Microwave spectrum and barrier to internal rotation of *cis*-1-fluoropropylene—1133

Beck, D. Wide angle scattering in molecular beams. Rainbow effect—2884

——, **E. F. Greene, and J. Ross.** Study of the reaction of K with HBr in crossed molecular beams—2895

Author Index to Volume 37

(References with (L) are to Letters to the Editor)

Abeledo, Carlos R. and P. W. Selwood. Chemisorption of hydrogen on cobalt—2709

Abowitz, G. and R. B. Gordon. Compressibility of liquid sodium-potassium alloys—125

Ackermann, R. J., E. G. Rauh, and R. J. Thorn. Effect of oxygen on the vapor pressure of uranium—2693

Adams, Ralph N. (see Ludwig, Peter)—828

Adams, William H. Hartree–Fock perturbation method—2507(L)

—— Orbital theories of electronic structure—2009

Agnew, John T. (see Dunn, Michael G.)—2445

Albrecht, A. C. (see Dolan, E.)—1149(L)

Aldrich, Elizabeth W. (see Bridgeman, Oscar C.)—195(L)

Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange—966

—— Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange—974

Allavena, M. (see Bratož, S.)—2138

Allen, Harry C., Jr., and W. Bruce Olson. Sum rules for vibrational-rotational energy levels including centrifugal distortion—212

Allen, Leland C. Gaussian orbitals for many-electron molecular wave functions—200(L)

Allen, Peter E. M., Sidney W. Benson, and Charles S. Copeland. Conductance of NaI—C_2H_5OH systems in the vicinity of the critical temperature—132

Allison, Rinda (see Rieke, Foster F.)—3011(L)

Amano, Akira (see Benson, Sidney W.)—197(L)

Ameer, George and William Benesch. Line strengths and widths in hydrogen iodide—2699

Anbar, M. and P. Neta. Formation of F^{18}-labeled fluoro-organic compounds by the $F^{19}(n,2n)$ reaction—2757

—— **and P. Neta.** Retention of F^{18} produced by the $F^{19}(n,2n)$ reaction in fluoro-organic compounds—1877(L)

Anderson, Jay Martin and John D. Baldeschwieler. Use of spin inversion operators to describe properties of nuclear magnetic double-resonance spectra—39

Anderson, Weston A. High-resolution nuclear magnetic double resonance by modulation through the spin coupling—1373(L)

—— **and R. Freeman.** Influence of a second radiofrequency field on high-resolution nuclear magnetic resonance spectra—85

—— (see Freeman, R.)—2053

Andresen, H. G. (see Möller, K. D.)—1800

Arai, S., S. Shida, K. Yamaguchi, and Z. Kuri. ESR spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical—1885(L)

Armington, A. (see Dillon, G.)—1163(L)

Arnheim, William (see Kwei, T. K.)—1900(L)

Arnstein, Rodolphe (see Light, John C.)—2240

Arvia, A. J. (see Cracco, Francis)—2449

Asprey, Larned B. (see McDowell, Robin S.)—165

Ausloos, P. (see Lias, Sharon G.)—877

—— (see Rebbert, R. E.)—1158(L)

Axe, J. D. and G. H. Dieke. Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing—2364

Azarraga, L. (see Kleinerman, M.)—1825

Azumi, T. and S. P. McGlynn. Polarization of the luminescence of phenanthrene—2413

Babb, Stanley E., Jr. Melting curves of tin and selenium to 10 000 bar—922(L)

—— (see McDaniel, Marvin L.)—822

Babrov, Harold J. (see Tourin, Richard H.)—581

Back, R. A. and D. C. Walker. Photochemistry in the photoionization region. I. Apparatus and techniques—2348

Baird, James C. Oxygen-17 hyperfine structure in electron paramagnetic resonance—1879(L)

Bak, Børge, Daniel Christensen, William B. Dixon, Lise Hansen-Nygaard, and John Rastrup-Andersen. Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile—2027

Baker, C. E., J. M. McGuire, and E. E. Muschlitz, Jr. Low-energy collision cross sections of H^- and OH^- ions in oxygen—2571

Baker, Edward B. Two synthesizer nuclear spin decoupling; INDOR spectra of $C^{13}F_3COOH$ and $CF_3C^{13}OOH$, $N^{14}H_4^+$, and $(CH_3)_4Si^{29}$—911(L)

Baker, Forrest S. and Gilbert O. Brink. Adsorption of potassium beams on surfaces—1012

Balchan, A. S. (see Stager, R. A.)—1154(L)

Baldeschwieler, John D. (see Anderson, Jay Martin)—39

—— (see Flynn, George W.)—2907

—— (see Noggle, Joseph H.)—182

—— (see Rao, B. D. Nageswara)—2473, 2480

Barger, R. L. and H. P. Broida. Absorption spectrum of carbon vapor in solid argon at 4° and 20°K—1152(L)

Barker, J. A. Structure of simple fluids: tunnel model—1061

Barnes, R. G. and S. L. Segel. Nuclear magnetic resonance of Cl^{35} in paramagnetic $FeCl_3$—1895(L)

Barry, Jeremiah H. (see Tanaka, Tomoyasu)—1397

Bartell, L. S. and Kozo Kuchitsu. Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey–Bradley analysis—691

Basu, Gobinda and R. Linn Belford. Nature of the visible charge transfer bands of $K_3Fe(CN)_6$—1933

Batt, Leslie (see Flowers, Michael)—2662

Baur, M. E. and L. H. Nosanow. Phase transitions in one-dimensional order–disorder systems: application to helix–random-coil transition in polymers—153

Bayer, R. W. and W. F. Edgell. ν_1 band of methylacetylene—2502(L)

Bayes, K. D., D. Kivelson, and S. C. Wong. Measurement by cyclotron resonance of molecular cross sections for elastic collisions with 295°K electrons—1217

Bearman, Richard J. (see Horne, Frederick H.)—2842,2857

Beaudet, Robert A. Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene—2398

—— **and E. Bright Wilson, Jr.** Microwave spectrum and barrier to internal rotation of *cis*-1-fluoropropylene—1133

Beck, D. Wide angle scattering in molecular beams. Rainbow effect—2884

——, **E. F. Greene, and J. Ross.** Study of the reaction of K with HBr in crossed molecular beams—2895

—— **and A. Niehaus.** Reactions of excited butane molecules—2705
Becka, L. N. Frequency distribution of hexamethylenetetramine crystals—431
Beckel, Charles L. (see Shafi, Mohammad)—2732(L)
Beeson, Edward L., T. L. Weatherly, and Quitman Williams. Molecular constants of chlorodifluoromethane from microwave spectrum analysis—2926
Begun, G. M. (see Palko, A. A.)—552
Belford, Geneva G. and R. Linn Belford. Sedimentation in chemically reacting systems. II. Numerical calculations for dimerization—1926
Belford, R. Linn (see Basu, Gobinda)—1933
—— (see Belford, Geneva G.)—1926
—— (see Blankenship, Floyd A.)—675(L)
—— (see Ferguson, J.)—1569(L)
Benesch, William (see Ameer, George)—2699
Benson, D. K. (see Gravitt, J. C.)—2783
Benson, R. E. (see Eaton, D. R.)—347
Benson, Sidney W. and Akira Amano. Thermodynamic properties of tertiary iodides—197(L)
——, **George C. Berend, and James C. Wu.** Classical model for vibrational and rotational excitation of diatomic molecules by collision. II. Interaction with arbitrary potential functions—1386
—— **and A. N. Bose.** Kinetics of the gas-phase addition of HI to C_2H_4 and the pyrolysis of ethyl iodide—2935
—— (see Allen, Peter E. M.)—132
—— (see Bose, A. N.)—1081
—— (see Flowers, Michael.)—2662
—— (see Hershenson, Harold)—1889(L)
—— (see Newton, Peter)—339
—— (see O'Neal, H. Edward)—540
Berend, George C. (see Benson, Sidney W.)—1386
Berg, Robert A. (see Strickler, S. J.)—814
Bergmann, Klaus (see O'Konski, Chester T.)—1573(L)
Berkowitz, J. and J. R. Marquart. Mass spectrometric study of the magnesium halides)—1853
—— **and S. Wexler.** On the ionization potential of the CH_2 radical—1476
Berlad, A. L. Crystalline-phase transformation rates and flame propagation in cryogenic solids—2157(L)
Berlman, I. B. and T. A. Walter. Fluorescence quenching of a scintillation solution by oxygen—1888(L)
Bernal, Ivan, Philip H. Rieger, and George K. Fraenkel. Electron spin resonance of azulene anion radicals—1489
Bernstein, H. J. and N. Sheppard. Sign of geminal HH coupling constants in methanes and the effect of substitution —3012(L)
—— (see Frei, K.)—1891(L)
—— (see Petrakis, L.)—2731(L)
Bernstein, Richard B. Extrema in velocity dependence of total elastic cross sections for atomic beam scattering: relation to di-atom bound states—1880(L)
—— (see Morse, Fred A.)—2019
Berry, R. Stephen, Curt W. Reimann, and G. Neil Spokes. Absorption spectra of gaseous halide ions and halogen electron affinities: chlorine, bromine, and iodine—2278
Biondi, Manfred A. (see Courville, G. E.)—616
Bjorkstam, J. L., E. D. Jones, H. B. Silsbee, and E. A. Uehling. Absence of a linewidth transition for the protons in KH_2PO_4-type crystals—469
Blais, Normand C. and Don L. Bunker. Monte Carlo calculations. II. Reactions of alkali atoms with methyl iodide—2713
Blakely, J. M. and K. A. Jackson. Growth of crystal whiskers —428
Blaker, J. Warren, Miriam Sidran, and Arthur Kaercher. Table of reduced energies for asymmetric top molecules—684(L)
Blander, Milton. Excess free energies and heats of mixing in certain molten salt mixtures—172
Blankenship, Floyd A. and R. Linn Belford. Erratum: VCl_4 vapor spectrum and Jahn–Teller splitting—675(L)
Blume, M., A. J. Freeman, and R. E. Watson. Neutron magnetic form factors and x-ray atomic scattering factors for rare-earth ions—1245
Boato, G., G. Casanova, and A. Levi. Isotope effect in phase equilibria—201(L)
Boesman, Etienne and Dirk Schoemaker. Paramagnetic resonance of the I_2^- center in KCl doped with KI—671(L)
Boggs, J. E. (see Porte, A. L.)—2318
Bonamico, M., G. A. Jeffrey, and R. K. McMullan. Polyhedral clathrate hydrates. III. Structure of the tetra *n*-butyl ammonium benzoate hydrate—2219
Bond, R. A. (see Saxton, J. A.)—2132
Bonera, G., P. De Stefano, and A. Rigamonti. Study of vinyl polymerization by proton magnetic relaxation—1226
Bose, A. N. and Sidney W. Benson. Kinetics of the reaction of HI with propylene—1081
—— (see Benson, Sidney W.)—2935
Bovey, F. A. (see Tiers, G. V. D.)—1564(L)
Boyd, Marjorie E. Molecular-orbital study of the geometry of HO_2—1317
Boyer, R. F. (see Simha, Robert)—1003
Brady, G. W. (see Frisch, H. L.)—1514
Brandenberger, John R. (see Reitz, Robert A.)—1893(L)
Brandon, Roy W., Gerhard L. Closs, and Clyde A. Hutchison, Jr. Paramagnetic resonance in oriented ground-state triplet molecules—1878(L)
—— **Roger E. Gerkin, and Clyde A. Hutchison, Jr.** Electron magnetic resonance of triplet states and the detection of energy transfer in crystals—447(L)
Branscomb, Lewis M. (see Steiner, Bruce)—1200
Bratož, S. and M. Allavena. Electronic calculation on NH_3. Harmonic force constants, infrared and ultraviolet spectra —2138
Braun, Charles L. (see Kato, Shunji)—190(L)
Bredig, M. A. Molten salt solutions of electropositive metals: electronic conductance and metal halide stoichiometry——914(L)
—— New evidence for tetrahalide complex ions in cadmium halide metal halide melts—451(L)
—— (see Bronstein, H. R.)—677(L)
Brewer, Richard G. Rubidium spin relaxation induced by hydrogen—2504(L)
Bridgeman, Oscar C. and Elizabeth W. Aldrich. Linear form of the Antoine vapor-pressure equation—195(L)
Brink, Gilbert O. (see Baker, Forrest S.)—1012
Brock, E. G., D. Stirpe, and E. I. Hormats. Paramagnetic resonance spectrum of Fe^{3+} in guanidinium aluminum sulfate hexahydrate)—2735
Brodale, G. E. (see Giauque, W. F.)—2952
Broida, H. P. (see Barger, R. L.)—1152(L)
—— (see Garvin, David)—193(L)

Bronstein, H. R., A. S. Dworkin, and M. A. Bredig. Electrical conductance of solutions of salts in liquid metals. II. Potassium fluoride and bromide in potassium—677(L)
Broyles, A. A., S. U. Chung, and H. L. Sahlin. Comparison of radial distribution functions from integral equations and Monte Carlo—2462
Brown, Harmon W. and Robert C. Jones. Erratum: EPR spectrum of an azulene free-radical anion—1571(L)
—— (see Hyde, James S.)—368
Brown, R. G. and T. H. Edwards. Infrared spectra of the methyl halides. II. Methyl bromide near 4450 cm^{-1}—1029
—— **and T. H. Edwards.** Infrared spectra of the methyl halides. III. Methyl iodide near 4400 cm^{-1}—1035
Brown, Thomas H. (see Schug, John C.)—330
Brown, W. Byers and Erich Steiner. Classical and continuum contributions to polarizability and force constants—461(L)
Bruin, F., F. W. Heineken, and M. Bruin. Narrow ESR hyperfine structure lines for a free radical dissolved in water—682(L)
—— (see Bruin, M.)—135
—— (see Heineken, F. W.)—452(L), 1479
—— (see Zahlan, A.)—683(L)
Bruin, M., F. Bruin, and F. W. Heineken. ESR study of thioindigo and related free radicals—135
—— (see Bruin, F.)—682(L)
—— (see Heineken, F. W.)—452(L), 1479
—— (see Zahlan, A.)—683(L)
Brumage, William H. (see Quade, C. Richard)—1368(L)
Bryant, James I. and George C. Turrell. Infrared spectra of the azide ion in alkali-halide lattices—1069
Bube, Richard H. (see Lind, Edward L.)—2499(L)
Buff, Frank P. (see Stillinger, Frank H., Jr.)—1
Bunker, Don L. Monte Carlo calculations of triatomic dissociation rates. I. N_2O and O_3—393
—— (see Blais, Normand C.)—2713
Burnelle, Louis (see Roux, Monique)—933
Burns, Gerald. NQR and ESR in $AlCl_3 \cdot 6H_2O$—1165(L)
Burr, J. G. (see Scarborough, J. M.)—1890(L)
Burton, Milton (see Kropp, John L.)—1742, 1752
—— (see Yguerabide, Juan)—1757
Butler, William A. (see Reitz, Robert A.)—1893(L)

Carpenter, F. G. (see Little, R. C.)—1896(L)
Carr, E. F. Dielectric loss in the liquid crystal *p*-azoxyanisole—104
Carroll, P. K. Note on the $^5\Sigma_g^+$ state of N_2—805
Casanova, G. (see Boato, G.)—201(L)
Casassa, Edward F. Statistical thermodynamics of polymer solutions. III. Second virial coefficient for branched star molecules—2176
Cashion, K. (see Secrest, Don)—830
Cassidy, Eugene P. (see Curry, James)—2154(L)
Castellano, S. and J. S. Waugh. Proton magnetic resonance spectra of tetravinylsilicon, methyl- and ethylvinylketone—1951
Chaiken, R. F., D. J. Sibbett, J. E. Sutherland, D. K. Van de Mark, and A. Wheeler. Rate of sublimation of ammonium halides—2311
Chan, Sunney I. and T. P. Das. Simple evaluation of the paramagnetic part of the proton magnetic shielding constant—1527
Charette, J. J. Absorption spectra of type I and type II synthetic diamonds—3014(L)
Charles, Stuart W. (see Milligan, Dolphus E.)—2302
Cher, Mark. Rate of dissociation of N_2O_4 by ultrasonic absorption measurements—2564
Christensen, Daniel (see Bak, Børge)—2027
Christodouleas, N. (see McGlynn, S. P.)—1818
Chung, Harold S. and John S. Dahler. "Improved" free volume theory of liquids. III. Approximate theory of molecular correlations in liquids—1620
Chung, S. U. (see Broyles, A. A.)—2462
Cipollini, Ernesto and Walter Gordy. Electron spin resonance of a γ-irradiated single crystal of *N*-acetyl methionine—13
Clarke, H. C. and B. G. Hogg. Positron annihilation in solid cyclohexane as a function of temperature—1898(L)
Clements, T. C. and E. W. Müller. Occurrence of H_3^+ in the field ionization of hydrogen—2684
Cleveland, Forrest F. (see Daykin, P. N.)—1087
Cloney, Robert D. (see Fallon, Robert J.)—1097
Closs, Gerhard L. (see Brandon, Roy W.)—1878(L)
Coats, G. T. (see Saxton, J. A.)—2132
Coggeshall, Norman D. Studies of metastable ion transitions with a 180° mass spectrometer—2167
Colburn, Charles B. (see Noggle, Joseph H.)—182
Cole, G. H. A. Fourth virial coefficient for a square-mound-potential gas—1631
Cole, T. (see Heller, C.)—243
Colin, R. and J. Drowart. Thermodynamic study of tin sulfide and lead sulfide using a mass spectrometer—1120
Collins, Kenneth E. and John E. Willard. Szilard-Chalmers chemistry and radiation chemistry of solid hexabromoethane. Thermal annealing and radiation annealing effects—1908
Connick, Robert E. (see Swift, T. J.)—307
Constabaris, G., J. R. Sams, Jr., and G. D. Halsey, Jr. Adsorption isotherms of neon, argon, krypton, xenon, hydrogen, deuterium, methane, and tetradeuteromethane on the highly graphitized carbon black P33 (2700°)—915(L)
Copeland, Charles S. (see Allen, Peter E. M.)—132
—— (see Newton, Peter)—339
Cormia, R. L., F. P. Price, and D. Turnbull. Kinetics of crystal nucleation in polyethylene—1333
Cornille, Marguerite (see Roux, Monique)—933
Cornwell, C. D. (see Nugent, Leonard J.)—523
Cottrell, T. L. and A. W. Read. Temperature dependence of relaxation time in nitrogen—2733(L)
Cotts, R. M. (see Gendell, Julien)—220
Coulson, C. A. and A. C. Hurley. Comment on "Hellmann-Feynman wave functions"—448(L)
Courville, G. E. and Manfred A. Biondi. Temperature dependence of ionic mobilities in gas mixtures—616
Cracco, Francis, A. J. Arvia, and Malcolm Dole. ESR studies of free radical decay in irradiated polyethylene—2449
Craig, D. P. and C. Zauli. *d* orbitals in compounds of second-row elements. I. SF_6—601
—— **and C. Zauli.** *d* orbitals in compounds of second-row elements. II. Comparison of H, C, F, and Cl as ligands—609
Cramer, R. M. R. (see Yager, W. A.)—1148(L)
Crawford, Bryce, Jr. (see St. Louis, Robert V.)—2156(L)
Crawford, Victor A., Kee H. Rhee, and M. Kent Wilson. Vibrational spectrum of digermane—2377

Crews, J. C. Scattering of helium and argon from the cleavage plane of lithium fluoride—2004
Crowell, A. D., and A. L. Norberg, Jr. Work function changes produced by chemisorption on surfaces with different types of adsorption sites—714
Culvahouse, J. W. Erratum: Paramagnetic resonance of nickel ions in double-nitrate crystals—2724(L)
Curl, R. F., Jr. Microwave spectrum of chlorine dioxide. III. Interpretation of the hyperfine coupling constants obtained in terms of the electronic structure—779
—— (see Pillai, M. G. Krishna)—2921
—— (see Tolles, W. M.)—927
Curry, James and Eugene P. Cassidy. Effect of halogens on the resistance of single crystals of copper phthalocyanine —2154(L)
Cutler, M. and C. E. Mallon. Thermoelectric study of liquid semiconductor solutions of tellurium and selenium—2677
Cvetanović, R. J. and L. C. Doyle. Molecular rearrangement in the mercury photosensitized reaction of butene-1—543

Dahler, John S. (see Chung, Harold S.)—1620
—— (see Sather, Norman F.)—1947
Dailey, B. P. (see Martin J.)—2594
Dalby, F. W. (see Paul, D. E.)—592
Darley, H. C. H. (see Hight, R., Jr.)—502
Darwent, B. deB. (see Jackson, W. M.)—1610, 2256
Das, T. P. (see Chan, Sunney I.)—1527
Davidson, Ernest R. Natural expansions of exact wave functions. I. Method—577
—— **and Leon L. Jones.** Correlation splitting in the hydrogen molecule—1918
—— **and Leon L. Jones.** Direct-product representation of wavefunctions—1616
—— **and Leon L. Jones.** Natural expansion of exact wavefunctions. II. Hydrogen-molecule ground state—2966
Davis, H. L. Application of configuration interaction to the 2^3S state of helium—1508
Davis, H. Ted, Stuart A. Rice, and Lothar Meyer. On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr, and Xe—947
——, **Stuart A. Rice, and Lothar Meyer.** Kinetic theory of dense fluids. XII. Electronic and ionic motion in liquid He^4I and liquid He^3—1521
——, **Stuart A. Rice, and Lothar Meyer.** On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, and Xe—2470
Davis, Robert C. and David J. Wilson. Pressure dependence of fluorescence spectra. IV. Effects of vibrational energy transfer between fluorescing molecules—848
Dawson, P. H. and A. W. Tickner. Detection of H_5^+ in the hydrogen glow discharge—672(L)
Day, P. and R. J. P. Williams. Spectra and photoconduction of phthalocyanine complexes (I)—567
Daykin, P. N., S. Sundaram, and Forrest F. Cleveland. Potential energy constants, rotational distortion constants, and thermodynamic properties of methylacetylenes—1087
Dearman, H. H. (see Hanna, M. W.)—361
de Bruyn, P. L. (see Devereux, O. F.)—2147
Deck, Joseph C. (see Schug, John C.)—2618
de Heer, J. Studies on the alternant molecular orbital method. III. A many-parameter energy expression for systems with closed shell structure—2080
Dehn, James T. Varying orbital exponents in molecular orbital theory—2549
Deitz, V. R. (see Little, R. C.)—1896(L)
de Kowalewski, Dora G. and Valdemar J. Kowalewski. Long-range coupling in the NMR spectra of aldehydic protons in aromatic compounds—1009
—— (see Kowalewski, Valdemar J.)—2603
de Moraes, R. J. (see Gross, Bernhard)—710
DeMore, W. and O. F. Raper. Reaction of $O(^1D)$ with nitrogen—2048
De Stefano, P. (see Bonera, G.)—1226
Devereux, O. F. and P. L. de Bruyn. Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies—2147
De Voe, Howard. Effect of weak coupling on the absorption spectrum of an aggregate of chromophores—1534
Dickens, Brian and William N. Lipscomb. Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl—2084
Dickinson, R. M. (see Saxton, J. A.)—2132
Dieke, G. H. (see Axe, J. D.)—2364
—— (see Magno, M. S.)—2354
Dillon, G. and A. Armington. Purification of ammonium alum —1163(L)
Dimitriades, B. (see Keenan, A. G.)—1583
Dixon, William B. (see Bak, Børge)—2027
Dobrott, Robert D. and William N. Lipscomb. Structure of $Cu_2B_{10}H_{10}$—1779
Doering, John P. and Bruce H. Mahan. Erratum: Photoionization of nitric oxide—2724(L)
Dolan, E. ESR signals observed in ultraviolet irradiated glasses of organic solutions—2508(L)
—— **and A. C. Albrecht.** Stimulated emission in a photosensitized rigid-glass solution—1149(L)
Dole, Malcolm (see Cracco, Francis)—2449
Douslin, D. R. (see Scott, D. W.)—867
Dows, David A. (see Hollenberg, J. Leland)—1300
—— (see Wieder, Grace M.)—2990
Doyle, L. C. (see Cvetanović, R. J.)—543
Drickamer, H. G. (see Riggleman, B. M.)—446(L)
—— (see Samara, G. A.)—408, 471, 474, 1159(L), 1482
—— (see Stager, R. A.)—1154(L)
—— (see Tischer, R. E.)—1554
Drinkard, William C. (see Holmes, John R.)—150
Drowart, J. (see Colin, R.)—1120
—— (see Verhaegen, G.)—1367(L)
Dunn, Michael G., Kenneth Wark, Jr., and John T. Agnew. Determination of the equilibrium constant for the gas-phase dissociation of nitrogen tetroxide by infrared absorption techniques—2445
Durbin, Leo and Riki Kobayashi. Diffusion of krypton-85 in dense gases—1643
Dworkin, A. S. (see Bronstein, H. R.)—677(L)

Eaton, D. R., A. D. Josey, W. D. Phillips, and R. E. Benson. Spin-density distributions in conjugated ligands of paramagnetic chelates from NMR contact interaction shifts— —347
Eby, R. K. Empirical relations of thermodynamic "constants" to the activation parameters of polymer relaxations—2785
Edelson, D., J. E. Griffiths, and K. B. McAfee, Jr. Autodetachment of electron sulfur hexafluoride—917(L)

Edgell, W. F. (see Bayer, R. W.)—2502(L)
Edie, J. W. and F. Rohrlich. Erratum and Addendum: Negative atom ions. II—1151(L)
Edwards, T. H. (see Brown, R. G)—1029, 1035
Eggers, D. F., Jr. (see Emerson, M. T.)—251
Ehrenson, S. Photo- and spectroscopic ionization potentials in the ω-technique framework—455(L)
ElKomoss, S. G. (see Lorquet, J. C.)—1991
Ellison, Frank O. Approximating two-electron atomic energies using scaled eigenfunctions: semiempirical Coulomb-repulsion integrals—1414
El-Sayed, M. A. Intramolecular resonance interaction between fundamental vibrations in polyatomic molecules—680(L)
—— Proposed effect of high pressures on the radiationless processes—1568(L)
Ember, G., J. R. Ferron, and K. Wohl. Self-diffusion coefficients of carbon dioxide at 1180°–1680°K—891
Emerson, M. T. and D. F. Eggers, Jr. Effect of centrifugal distortion on the shape of the hydrogen sulfide fundamental infrared bands—251
Espinosa, G. P. Crystal chemical study of the rare-earth iron garnets—2344
Ewing, George E. Infrared spectra of liquid and solid carbon monoxide—2250

Fallon, Robert J., Joseph T. Vanderslice, and Robert D. Cloney. Potential curves and rotational perturbations of CN—1097
Ferguson, J., R. Linn Belford, and T. S. Piper. Crystal spectrum of copper acetylacetone—1569(L)
——, **K. Knox, and D. L. Wood.** Erratum: Effect of next-nearest neighbor ions on the crystal field splitting of transition-metal ions in crystals—193(L)
Ferriso, Carmine C. High temperature spectral absorption of the 4.3-micron CO_2 band—1955
Ferron, J. R. (see Ember, G)—891
Fessenden, Richard W. Second-order splittings in the ESR spectra of organic radicals—747
—— **and J. S. Waugh.** Temperature dependence of spin-spin splitting in the hindered rotator $CHCl_2$–CF_3Cl—1466
Field, F. H. (see Munson, M. S. B.)—1790
Fine, Joseph (see Scheer, Milton D.)—107
Fischer, E. W. (see Peterlin, Anton)—1403
Fischer, Hanns. Spin densities in the cyclohexadienyl free radical—1094
Fisher, R. A. (see Giauque, W. F.)—2952
Fite, Wade L. (see Smith, Joe N., Jr.)—898
Flournoy, John M. (see Judeikis, Henry S.)—2272
Flowers, Michael, Leslie Batt, and Sidney W. Benson. HCl-catalyzed decomposition of di-tertiary butyl peroxide in the gas phase—2662
Flynn, George W. and John D. Baldeschwieler. NMR and double resonance spectra of CH_2F_2 and CH_3CHF_2 in the gas phase—2907
Foner, S. N. and R. L. Hudson. Mass spectrometric studies of metastable nitrogen atoms and molecules in active nitrogen—1662
Forster, E. O. Electric conduction in liquid hydrocarbons. I. Benzene—1021
Foster, M. R. (see Roberts, E. M.)—485
Fraenkel, George K. (see Bernal, Ivan)—1489
—— (see Freed, Jack H.)—1156(L), 1881(L)
—— (see Gendell, Julien)—2832
—— (see Rieger, Philip H.)—2795, 2811
Fraga, Serafin and Bernard J. Ransil. Studies in molecular structure. VIII. He_2^{++} in the single- and many-configuration LCAO MO SCF approximation—1112
Francis, W. E. (see Rapp, Donald)—2631
Frank, V. Energy moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines—148
Franklin, J. L. (see Munson, M. S. B.)—1790
Fredericks, William J. (see Sancier, Kenneth M.)—854, 860, 865
Freed, Jack H. and George K. Fraenkel. Anomalous alternating linewidths in ESR spectra—1156(L)
——, **Philip H. Rieger, and George K. Fraenkel.** Alternating linewidths in the ESR spectra of dinitrobenzene anion radicals—1881(L)
—— (see Gendell, Julien)—2832
Freeman, A. J. (see Blume, M)—1245
Freeman, R. and W. A. Anderson. Use of weak perturbing radio-frequency fields in nuclear magnetic double resonance—2053
—— (see Anderson, W. A.)—85
Frei, K. and H. J. Bernstein. Method for determining magnetic susceptibilities by NMR—1891(L)
Friedman, L. (see Reuben, B. G.)—1636
Fries, R. J. Vaporization behavior of niobium carbide—320
Frisch, H. L. Anomalous polymer-penetrant permeation—2408
—— **and G. W. Brady.** On small-angle critical scattering—1514
Frosch, R. P. (see Robinson, G. W.)—1962
Frost, Arthur A. Three dimensional effective electron-density function—1147(L)
Fujiwara, Shizuo (see Shimizu, Hiroshi)—675(L), 1565(L)
Fukushima, Kunio (see Miyazawa, Tatsuo)—2764
Furst, Milton and Hartnut P. Kallmann. Quenching and energy transfer by the same substance—2159
Futrell, Jean H. and Thomas O. Tiernan. Rare-gas sensitized radiolysis of propane—1694
—— (see Roquitte, B. C.)—378
Fyfe, W. S. Pressure effects on some charge-transfer and transition metal ion spectra in aqueous solution—1894(L)

Gans, Paul J. (see Wall, F. T.)—1461
Gardner, A. L. (see Kunkel, W. B)—1785
Garvin, David, H. P. Broida, and H. J. Kostkowski. Errata: Chemically induced vibrational excitation: Hydroxyl radical emission in the 1–3-micron region produced by the $H+O_3$ atomic flame—193(L)
Gatz, Carole (see King, A. Bruce)—1566(L)
Gaven, J. V., W. H. Stockmayer, and J. S. Waugh. Self-diffusion and impurity-controlled proton relaxation in liquid ethane—1188
Gendell, Julien, R. M. Cotts, and M. J. Sienko. Magnetic-resonance studies of lithium vanadium bronze—220
—— **Jack H. Freed, and George K. Fraenkel.** Solvent effects in electron spin resonance spectra—2832
Genusa, Vincent A. and Paul M. Parker. Computation of asymmetric rotator constants from energy moments. IV—2615

George, T. H., and P. M. Stier. Chemisorption of oxygen on ordered tungsten surfaces—1935
Gerkin, Roger E. (see Brandon, R. W.)—447(L)
Germer, L. H. and A. U. MacRae. Adsorption of hydrogen on a (110) nickel surface—1382
Gerstein, B. C., L. D. Jennings, and F. H. Spedding. Thermal and magnetic study of crystal field splittings in thulium ethylsulfate—1496
——, **C. J. Penney, and F. H. Spedding.** Thermal study of crystal field splittings in erbium ethylsulfate—2610
Ghosh, Sabita. Dielectric behavior of some Bentonites—199(L)
Giauque, W. F., E. W. Hornung, R. A. Fisher, and G. E. Brodale. Measurement of magnetic induction in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$—2952
——, **D. N. Lyon, E. W. Hornung, and T. E. Hopkins.** Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$—1446
Giese, Clayton (see Roellig, Leonard O.)—114
Gillespie, R. J. Structure of sulfur tetrafluoride and related molecules—2498(L)
Gold, L. Peter (see Wharton, Lennard)—2149(L)
Goldfarb, Theodore D. Infrared spectrum and structure of germyl cyanide—642
Goldfinger, Paul (see Johnston, Harold S.)—700
Gomer, R. (see Utsugi, H.)—1706, 1720
Goodman, Lionel and V. G. Krishna. Role of ground state in singlet–triplet transition probabilities—2721(L)
—— (see Krishna, V. G.)—912(L)
Gordon, R. B. (see Abowitz, G.)—125
Gordon, R. G. Lattice combination bands in infrared spectra of molecular solids—2587
Gordy, Walter (see Cipollini, Ernesto)—13
—— (see Lontz, Robert J.)—1357
Gouterman, Martin and Philip E. Stevenson. Porphyrin charge-transfer complexes with *sym*-trinitrobenzene—2266
—— **and Lubert Stryer.** Fluorescence polarization of some porphyrins—2260
Gravitt, J. C., G. E. Gross, D. K. Benson, and A. B. Scott. Motion of *F* centers in KCl and KI—2783
Graybeal, Jack D. and Donald W. Roe. Microwave spectrum and dipole moment of monofluoroacetonitrile—2503(L)
Green, LeRoy G. (see Gunn, Stuart R.)—2724(L)
Green, M. S. (see McIntyre, D)—3019(L)
Green, Mino and Ruth Seiwatz. Model for the (100) surfaces of silicon and germanium—458(L)
Greene, E. F. (see Beck, D.)—2895
Greenler, Robert G. Infrared study of the adsorption of methanol and ethanol on aluminum oxide—2094
Grenier, George and David White. λ anomaly in the heat capacity of para enriched solid deuterium—1563(L)
Griffiths, J. E. (see Edelson, D.)—917(L)
Gross, Bernhard and R. J. de Moraes. Polarization of the electret—710
Gross, G. E. (see Gravitt, J. C)—2783
Gryder, J. W. Effect of inert salts on equilibrium and rate constants for ionic reactions—718
Guentert, O. J. X-ray study of pyrolytic graphites—884
Gunn, Stuart R. and LeRoy G. Green. Erratum: Heat of formation of deuterated diborane—2724(L)
Gunning, Harry E. (see Rousseau, Yves)—2722(L)
Gutowsky, H. S. NMR splittings due to molecular asymmetry—2196
—— **and Cynthia Juan.** Electron coupling of nuclear spins. VI. Relative signs of $Jgem^{HH}$, $J_0{}^{HH}$, and $J_t{}^{HH}$ in (2.2)metacyclophane—120
—— (see Johnson, C. S., Jr.)—1580(L)
—— (see Juan, Cynthia)—2198
—— (see Porte, A. L.)—2318
Gwinn, William D. (see Kim, Hyunyong)—2748

Halsey, G. D., Jr. (see Constabaris, G.)—915(L)
Hameka, H. F. Angular distribution of intensity and polarization in the triplet–singlet emission of benzene—1085
——. Note on the theory of singlet–triplet transitions—328
—— On Pople's molecular-orbital theory of diamagnetism—3008(L)
—— Theory of singlet–triplet transitions in magnetic rotation spectra—2209
—— (see Pitzer, R. M.)—2725(L)
Hamrick, Phillip (see Shields, Howard)—202(L)
Hand, Clifford W. and G. B. Kistiakowsky. Ionization accompanying the acetylene-oxygen reaction in shock waves—1239
Hanna, Melvin W. ESR study of the triphenylphosphine anion—685(L)
—— **and Harden M. McConnell.** Erratum and further Comments: Radiation damage in organic crystals. III. Long polyene radicals—3008(L)
——, **A. D. McLachlan, H. H. Dearman, and H. M. McConnell.** Radiation damage in organic crystals. III. Long polyene radicals—361
Hansen-Nygaard, Lise (see Bak, Børge)—2027
Hardwick, E. R. (see Mosher, Harry S.)—904
Hardy, S. C. (see Parker, R. L.)—1606
Harmony, Marlin D. and Rollie J. Myers. Infrared spectrum and thermodynamic functions of the NF_2 radical—636
Harrington, R. E. (see Kubin, R. F.)—937
Harrison, Halstead. Total collision cross sections for scattering of thermal beams of hydrogen, hydrogen atoms, and helium by hydrogen and helium—1164(L)
Harrison, Patrick G. Experimental investigation of the effect of irradiation intensity on the production of *F* centers in NaCl—388
Hartley, A. M. (see Johnson, C. S., Jr.)—1580(L)
Hatchett, James L. (see Sancier, Kenneth M.)—860
Havens, W. W., Jr. (see Rush, J. J.)—234
Hawksworth, W. A., H. H. E. Nourse, and C. J. G. Raw. High-temperature gas viscosities. III. NO–N_2O mixtures—918(L)
Hayman, H. J. G. Spectrophotometric and partition methods of determining association constants of 1:1 charge-transfer complexes—2290
Hearst, John E. Effect of partial draining on the intrinsic viscosity of flexible macromolecules—2547
—— **and Walter H. Stockmayer.** Sedimentation constants of broken chains and wormlike coils—1425
Hecht, Charles E. Lennard-Jones pseudo single component potential for binary fluid mixtures—679(L)
Heidelberg, Robert F. (see Tolles, W. M.)—927

Heineken, F. W., M. Bruin, and F. Bruin. Effect of the solvent on the ESR spectrum of a free radical—452(L)
——, **M. Bruin, and F. Bruin.** ESR investigation of some thiazine and oxazine dye radicals—1479
—— (see Bruin, M.)—135, 682(L)
—— (see Zahlan, A.)—683(L)
Helfand, Eugene and Frank H. Stillinger, Jr. Pair distribution in the rigid-sphere system by the method of particle scaling—2646
Heller, C. and T. Cole. Electron magnetic resonance of an oriented allyl-type free radical—243
Henderson, Douglas. Hole theory of liquids and dense gases. I. Equation of state—631
Henriksen, Thormod. Radiation-induced free radicals in sulfur compounds. ESR studies in the polycrystalline state—2189
Herber, R. H. (see Wertheim, G. K.)—687
Herschbach, Dudley R. and Victor W. Laurie. Influence of vibrations on molecular structure determinations. I. General formulation of vibration-rotation interactions—1668
—— (see Laurie, Victor W.)—1687
Hershenson, Harold and Sidney W. Benson. Decomposition of the *t*-butoxy radical; evidence for pressure dependence—1889(L)
Hesse, James E. (see Truby, Frank K.)—2777
Hexter, R. M. Evaluation of lattice sums in the calculation of crystal spectra—1347
Higdon, W. T. and J. D. Robinson. Diffusion of water in a sodium carboxymethyl cellulose gel—1161(L)
—— (see Hight, R., Jr.)—502
Hight, R., Jr., W. T. Higdon, H. C. H. Darley, and P. W. Schmidt. Small angle x-ray scattering from montmorillonite clay suspensions. II—502
Hirota, Eizi. Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride—
—— Rotational isomerism and microwave spectroscopy. II. Microwave spectrum of butyronitrile—2918
Hirota, Noboru. Spin distribution in ketyl radicals—1884(L)
Hirschfelder, Joseph O. (see Secrest, Don)—830
Hirth, J. P. (see Winterbottom, W. L.)—784
Hoch, Robert and Francis S. Manning. Derivation of second-order Jacobinas for three-dimensionsl systems—1903
Hoffman, John D. and James J. Weeks. Rate of spherulitic crystallization with chain folds in polychlorotrifluoroethylene—1723
Hoffmann, Roald and William N. Lipscomb. Boron hydrides: LCAO–MO and resonance studies—2872
—— **and William N. Lipscomb.** Sequential substitution reactions on $B_{10}H_{10}^{-2}$ and $B_{12}H_{12}^{-2}$—520
Hogg, B. G. (see Clarke, H. C.)—1898(L)
Hollenberg, J. Leland and David A. Dows. Absolute infrared intensities in crystalline benzene—1300
Holmes, John R., Daniel Kivelson, and William C. Drinkard. Proton magnetic resonance spectrum of HDO—150
——, **Burch B. Stewart, and James S. Mackenzie.** ^{19}F chemical shift of nitrosyl fluoride—2728(L)
Hoover, William G. and Jacques C. Poirier. Determination of virial coefficients from the potential of mean force—1041
Hopkins, T. E. (see Giauque, W. F.)—1446
Hormats, E. I. (see Brock, E. G.)—2735
Horne, Frederick H. and Richard J. Bearman. Thermogravitational thermal diffusion in liquids. I. The formal theory—2842
—— **and Richard J. Bearman.** Thermogravitational thermal diffusion in liquids. II. Experimental thermal diffusion factors for carbon tetrachloride–cyclohexane at 25°C—2857
Hornung, E. W. (see Giauque, W. F.)—1446, 2952
Hossenlopp, I. A. (see Scott, D. W.)—867
Hougen, Jon T. Classification of rotational energy levels for symmetric-top molecules—1433
—— Fermi resonance in linear triatomic molecules in π electronic states—403
Hoyland, J. R. and F. W. Lampe. Single-center single-determinant calculation of the relative energies of CH_3^+, CH_3, CH_4, and CH_5^+. The proton affinity of methane—1066
Hudson, R. L. (see Foner, S. N.)—1662
Hur, David Ben (see Mosher, Harry S.)—904
Hurley, A. C. Virial theorem for polyatomic molecules—449(L)
—— (see Coulson, C. A.)—448(L)
Hurst, R. P. (see Sidwell, T. W.)—203(L)
Hutchison, Clyde A., Jr., Tung Tsang, and Bernard Weinstock. Magnetic susceptibility of neptunium hexafluoride in uranium hexafluoride—555
—— (see Brandon, Roy W.)—447(L), 1878(L)
Hwang, Jenn-Lin and Chen-Show Wang. Frequency counting in lattice dynamics—1655
Hyde, James S. and Harmon W. Brown. EPR study of tetracene positive ion—368

Ibers, James A. (see Swalen, J. D.)—17
Ideguchi, Yoshiko (see Miyazawa, Tatsuo)—2764
Iida, S. (see Van Uitert, L. G.)—986
Innes, F. R. and O. Oldenberg. Metastable atoms and the auroral afterglow of nitrogen—2427
Inokuti, Mitio. Erratum: Note on Magee-Funabashi's theory of excitation migration—1571(L)
—— Ionization of the methane molecule by electron impact—2387
Irish, D. E. (see Walrafen, G. E.)—662
Ishikawa, H. and W. Albert Noyes, Jr. Photosensitization by benzene vapor: biacetyl. The triplet state of benzene—583
Ishikawa, Toshihide (see Nagai, Kazuo)—496

Jackson, K. A. (see Blakely, J. M)—428
Jackson, Robert H. (see Laurie, Victor W.)—2995
Jackson, W. M., J. R. McNesby, and B. deB. Darwent. Reaction of methyl-d_3 radicals with isobutane, isobutane-2-*d*, and propane—1610
——, **J. R. McNesby, and B. deB. Darwent.** Thermal reactions of isobutyl radicals—2256
Jacobs, B. E. (see Smith, W. V.)—141
Jacox, Marilyn E. (see Milligan, Dolphus E.)—2302
Janninck, R. F. and D. H. Whitmore. Electrical conduction in nonstoichiometric α-Nb_2O_5—2750
Jeffrey, G. A. and R. K. McMullan. Polyhedral clathrate hydrates. IV. Structure of the tri *n*-butyl sulfonium fluoride hydrate—2231
—— (see Bonamico, M.)—2219
Jefimenko, Oleg. Semiclassical model of atomic interactions—2125

Jelinek, George (see Slutsky, L. J.)—2727
Jenč, František (see Read, Shirley M.)—205(L)
Jennings, D. A. and W. H. Tanttilla. Interruption of nuclear spin diffusion—1874
Jennings, L. D. (see Gerstein, B. C.)—1496
Jobory, M. I. Al (see Turner, D. W.)—3007(L)
Johnson, C. S., Jr., R. E. Visco, H. S. Gutowsky, and A. M. Hartley. ESR spectrum and spin densities for the biquaternary bipyridyl radical cation—1580(L)
Johnston, Harold S. and Paul Goldfinger. Theoretical interpretation of reactions occurring in photochlorination—700
—— (see Sharp, Terry E.)—1541
Johnston, William H. (see Vestal, Marvin)—1276
Jones, E. D. (see Bjorkstam, J. L.)—469
Jones, Leon L. (see Davidson, Ernest R.)—1616, 1918, 2966
Jones, Robert C. (see Brown, Harmon W.)—1571(L)
Jordan, Truman H. (see Streib, William E.)—2962
Jorgensen, Paul J. Effect of an electric field on silicon oxidation—874
Jortner, Joshua, Michael Ottolenghi, Joseph Rabani, and Gabriel Stein. Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions—2488
—— **and Benjamin Sharf.** Evidence for electron binding in frozen aqueous solutions—2506(L)
Josey, A. D. (see Eaton, D. R.)—347
Joshi, R. K. (see Saxena, S. C.)—1160(L)
Joshi, S. K. Resonance absorption in solid cyclohexane—2725(L)
Joy, Hubert W. Integrals of products of associated Legendre functions—3018(L)
Juan, Cynthia and H. S. Gutowsky. Valence-bond studies of the dependence upon substituents of C^{13}–H and Si^{29}–H couplings—2198
—— (see Gutowsky, H. S.)—120
Judeikis, Henry S., John M. Flournoy, and Seymour Siegel. Isotope effects and the mechanism of atom production in gamma-irradiated ice at 4.2°K—2272

Kaercher, Arthur (see Blaker, J. Warren)—684(L)
Kallmann, Hartmut P. (see Furst, Milton)—2159
Karplus, Martin. Variation-perturbation approach to the interaction of radiation with matter—2723(L)
—— (see Schug, John C.)—330
Kasai, Paul H. and Yoshiro Otomo. Electron paramagnetic resonance studies of the ZnS-*A* and -*B* centers—1263
Katayama, Mikio Electron spin resonance of gamma-irradiated single crystal of acetyl-L-glutamic acid—2143
—— (see Rao, D. V. G. L. Narasimha)—382
Kato, Shunji, Sanford Lipsky, and Charles L. Braun. Variation with exciting wavelength of the fluorescence efficiencies of some alkyl benzenes—190(L)
Katti, M. R. (see Tawde, N. R.)—674(L)
Kaufman, Allan N. and Toshio Soda. Microscopic basis of macroscopic magnetostatic energy—1988
Kaufman, Joyce J. Some theoretical aspects of bonding N—F compounds—759
Kaufman, M. (see Wharton, L.)—621
Keenan, A. G. and B. Dimitriades. Mechanism for the chloride-catalyzed thermal decomposition of ammonium nitrate—1583
Keller, Joseph B. Reaction kinetics of a long chain molecule—2584
Keller, R. (see Kim, Hyunyong)—2748
Kellogg, R. E. Valence-bond structures and matrix elements for any multiplicity—2950
Kempter, C. P. (see Roof, R. B., Jr.)—1473
Kenty, Carl. Evidence for a long-lived metastable state of N_2 at about 8 eV—1567(L)
Kern, C. William and William N. Lipscomb. Magnetic shielding in some diatomic molecules—260
—— **and William N. Lipscomb.** Proton shielding in diborane—275
—— (see Pitzer, Russell M.)—267
—— (see Stevens, Richard M.)—279
Kevan, Larry and W. F. Libby. Chemistry of positive ions. II. Ion–molecule reactions in radiolysis of *n*-hexane at low temperatures—2496(L)
Keyes, Robert W. Trends in the lattice "combination bands" of zincblende-type semiconductors—72
Kim, Hyunyong, R. Keller, and William D. Gwinn. Dipole moment of formic acid, HCOOH and HCOOD—2748
King, A. Bruce and Carole Gatz. Comment on a Letter by Kenty: "Evidence for a long-lived metastable state of N_2 at about 8 eV"—1566(L)
King, A. D., Jr., and W. W. Robertson. Solubility of naphthalene in compressed gases—1453
King, I. R. Recombination of ions in flames—74
King, W. T. (see Levin, Ira W.)—1375
Kingery, W. D. (see Paladino, A. E.)—957
Kingston, W. R. (see Wertheim, G. K.)—687
Kinsey, James L. (see Tolles, W. M.)—927
Kirtman, Bernard. Interactions between ordinary vibrations and hindered internal rotation. I. Rotational energies—2516
—— (see Yaris, Robert)—1775
Kistiakowsky, G. B. (see Hand, Clifford W.)—1239
Kivelson, Daniel (see Bayes, K. D.)—1217
—— (see Holmes, John R.)—150
Kleinerman, Marcos, L. Azarraga, and S. P. McGlynn. Emissivity and photoconductivity of organic molecular crystals—1825
—— **and. S. P. McGlynn.** Photoconductivity of organic molecular crystals and the triplet state—1369(L)
Klemperer, William (see Wharton, Lennard)—621, 2149(L)
Klug, Harold P. (see Sears, D. Richard)—3002
Knewstubb, P. F. and A. W. Tickner. Mass spectrometry of ions in glow discharges. III. Nitrogen and its mixtures with hydrogen and oxygen—2941
Knight, Robert E. and Charles W. Scherr. Helium atom: a fifth-order wavefunction—2503(L)
Knobler, Charles (see Schoen, L. J.)—1146(L)
Knox, K. (see Ferguson, J.)—193(L)
Kobayashi, Riki (see Durbin, Leo)—1643
Korobkin, I. and Z. I. Slawsky. Effects of electronic exchange on the efficiency of vibrational excitation by molecular collisions. Part I. Interaction potential—226
Kostkowski, H. J. (see Garvin, David)—193(L)
Kowalewski, Valdemar J. and Dora G. de Kowalewski. Proton magnetic resonance spectra of 2-pyridines. Strong-coupled *AA'KL* system—2603
—— (see de Kowalewski, Dora G.)—1009
Kramer, J. J. and W. A. Tiller. Determination of the atomic kinetics of the freezing process. I. Theory—841

Kramer, W. E. (see Mazelsky, R.)—45
Kreye, W. C. and R. A. Marcus. Photolysis of diborane at 1849 Å—419
Krishna, Bal and Amar Nath Srivastava. Electric dipole moment of *n*-amylamine and hydrogen bonding in amines—1574(L)
Krishna, V. G. and Lionel Goodman. Polarization of triplet→singlet transitions in polyacenes—912(L)
—— (see Goodman, L.)—2721(L)
Kronick, P. L. (see Mainthia, S. B.)—2509(L)
Kropp, John L. and Milton Burton. Effect of added quenchers in organic scintillator solutions: aromatic halides—1742
—— **and Milton Burton.** Effect of added quenchers in organic scintillator solutions: organometallics—1752
Kubin, R. F., B. S. Rabinovitch, and R. E. Harrington. Unimolecular decomposition of chemically activated *sec*-butyl and *sec*-butyl-d_1 radicals. The reaction of H and D atoms with *trans*-butene-2 and butene-1—937
Kuchitsu, Kozo (see Bartell, L. S.)—691
Kuebler, N. A. (see Nelson, L. S.)—47
Kunkel, W. B. and A. L. Gardner. Free electrons in active nitrogen—1785
Kuppermann, Aron and Lionel M. Raff. Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy—2497(L)
Kuri, Z. (see Arai, S.)—1885(L)
Kwei, T. K. and William Arnheim. Linear free-energy relationship in the diffusion of gases through polymer films—1900(L)
Kydd, Paul H. Total scattering cross sections of H_2O and NH_3—931

Labes, M. M. (see Mainthia, S. B.)—2509(L)
Lafferty, Walter J. and Earle K. Plyler. Molecular parameters of ethane—2688
——, **Earle K. Plyler, and Eugene D. Tidwell.** Infrared spectrum of acetylene-d_1—1981
Lampe, F. W. (see Hoyland, J. R.)—1066
Landau, L. (see Palko, A. A.)—552
Lander, J. J. and J. Morrison. Low-energy electron diffraction study of silicon surface structures—729
La Paglia, S. R. On the near ultraviolet absorption bands of nitric oxide solutions—457(L)
Laurie, Victor W. and Dudley R. Herschbach. Influence of vibrations on molecular structure determinations. II. Average structures derived from spectroscopic data—1687
——, **Dallas T. Pence, and Robert H. Jackson.** Microwave spectrum, structure, and dipole moment of carbonyl fluoride—2995
—— (see Herschbach, Dudley R.)—1668
Lawson, A. W. (see Weil, Raoul)—2730(L)
LeBlanc, Oliver H., Jr. Electronic transport in crystalline and liquid pyrene—916(L)
Lee, Kenneth (see Zalkin, Allan)—697
Leies, Gerard M. Theoretical vibrational energy levels of H_2 associated with various combinations of molecular-orbital configurations—1418
Lever, R. F. Multiple reaction vapor transport of solids—1078
—— Transport of solid through the gas phase using a single heterogeneous equilibrium—1174
Levi, A. (see Boato, G.)—201(L)
Levin, Ira W. and W. T. King. Infrared intensities of silane—1375
Li, James C. M. Stable steady state and the thermokinetic potential—1592
Liang, C. Y., E. G. Scalco, and G. Oneal, Jr. Temperature dependence of photoconductivity of metal-free phthalocyanine—459(L)
Lias, Sharon G. and P. Ausloos. Vapor-phase radiolysis of propane-d_8 in the presence of other hydrocarbons—877
Libby, W. F. (see Kevan, Larry)—2496(L)
Lichten, William. Some new metastable states of molecules—2152(L)
Lide, David R., Jr. Microwave studies of butadiene derivatives. I. Spectrum of fluoroprene—2074
Light, John C. and Rodolphe Arnstein. Dissociation of gaseous diatomic molecules. II. Effect of anharmonicities—2240
Lin, Chun C. (see Quade, C. Richard)—1368(L)
Lind, Edward L. and Richard H. Bube. Photoconductivity in cubic cadmium sulfide—2499(L)
Linde, Peter F. and Jarue S. Manning. On the critical properties of dimethyl oxalate—1372(L)
Linder, Bruno. Generalized form for dispersion interaction—963
Lippincott, E. R. (see Shorb, A. M.)—1043
Lipscomb, William N. (see Dickens, Brian)—2084
—— (see Dobrott, Robert D.)—1779
—— (see Hoffmann, Roald)—520, 2872
—— (see Kern, C. William)—260, 275
—— (see Pitzer, Russell M.)—267
—— (see Stevens, Richard M.)—279
—— (see Streib, William E.)—2962
Lipsky, Sanford (see Kato, Shunji)—190(L)
Litovitz, T. A. (see McDuffie, G. E., Jr.)—239, 1699
Little, R. C., F. G. Carpenter, and V. R. Deitz. Heat transfer in intensively outgassed powders—1896(L)
Livingston, Ralph (see Zeldes, Henry)—3017(L)
Lontz, Robert J. and Walter Gordy. Electron spin resonance of a γ-irradiated single crystal of trifluoroacetamide—1357
Lorquet, J. C., S. G. ElKomoss, and John L. Magee. Energy-transfer phenomena and dissociation processes in electronically excited molecules—1991
Low, W. Absorption spectrum of ytterbium in single crystal of calcium fluoride—30
Lubell, M. S. (see Mazelsky, R.)—45
Ludwig, Peter and Ralph N. Adams. Exchange interaction with electrolytically generated benzonitrile negative ion—828
Lustig, Ernest. Relative signs of proton spin–spin coupling constants—2725(L)
Lykos, Peter G. (see Miller, Robert L.)—993
Lynden-Bell, Ruth M. and Harden M. McConnell. Theory of paramagnetic excitons in solid free radicals—794
Lyon, D. N. (see Giauque, W. F.)—1446

MacCallum, Crawford (see Truby, Frank K.)—2777
Mackenzie, J. K. Sequential filling of a line by intervals placed at random and its application to linear adsorption—723
Mackenzie, James S. (see Holmes, John R.)—2728(L)
MacRae, A. U. (see Germer, L. H.)—1382
Magee, John L. (see Lorquet, J. C.)—1991
Magno, M. S. and G. H. Dieke. Absorption and fluorescence spectra of hexagonal $SmCl_3$ and their Zeeman effects—2354

Mahan, Bruce H. and Robert Mandal. Vacuum ultraviolet photolysis of methane—207
—— **and Richard B. Solo.** Carbon monoxide–oxygen atom reaction—2669
—— (see Doering, John P.)—2724(L)
Mainthia, S. B., P. L. Kronick, and M. M. Labes. Electrical measurements on polyvinylene and polyphenylene—2509(L)
Maki, A., E. K. Plyler, and Robert Thibault. Infrared spectrum of carbon tetrafluoride—1899(L)
Maki, August H. (see Stone, Ellery W.)—1326
Mallon, C. E. (see Cutler, M.)—2677
Man, D. E. (see Schoen, L. J.)—1146(L)
Mandal, Robert (see Mahan, Bruce H.)—207
Mandel, G. Multiple reactions and the vapor transport of solids—1177
Mannella, Gene G. Reaction of nitrogen and hydrogen in a low-temperature plasma—678(L)
Manning, Francis S. (see Hoch, Robert)—1903
Manning, Jarue S. (see Linde, Peter F.)—1372(L)
Marcus, R. A. (see Kreye, W. C.)—419
—— (see Wieder, Grace M.)—1835
Marquart, J. R. (see Berkowitz, J.)—1853
Marram, E. P. and J. L. Ragle. Pure quadrupole resonance in 1,2-dichloroethane-d_4—3015(L)
Marshall, Thomas. Surface recombination of nitrogen atoms upon quartz—2501(L)
Martin, J. and B. P. Dailey. Proton NMR spectra of disubstituted benzenes—2594
Mason, E. A. (see Weissman, Stanley)—1289
Matsen, F. A. (see Pandres, Dave, Jr.)—1008
Mazelsky, R., M. S. Lubell, and W. E. Kramer. Phase studies of the group IV-A tellurides—45
Mazo, Robert M. (see Weissmann, Mariana)—2930
McAfee, K. B., Jr. (see Edelson, D.)—917(L)
McClure, Donald S. Erratum: Optical spectra of transition-metal ions in corundum—1571(L)
McConnell, Harden M. (see Hanna, Melvin W.)—361, 3008(L)
—— (see Lynden-Bell, Ruth M.)—794
—— (see Wood, David E.)—1150(L)
McCullough, J. P. (see Scott, D. W.)—867
McDaniel, Marvin L., Stanley E. Babb, Jr., and Gene J. Scott. Melting curves of five metals under high pressure—822
McDowell, Robin S. and Larned B. Asprey. Infrared spectrum of bromine pentafluoride—165
McDuffie, G. E., Jr., and T. A. Litovitz. Dielectric relaxation in associated liquids—1699
——, **R. G. Quinn, and T. A. Litovitz.** Dielectric properties of glycerol-water mixtures—239
McGarvey, B. R. ESR and optical spectrum of potassium perchromate—2001
—— Spin Hamiltonian of chromium (III) in a cubic field—3020(L)
McGarvey, J. J. (see McGrath, W. D.)—1574(L)
McGlynn, S. P., R. Sunseri, and N. Christodouleas. External heavy-atom spin-orbital coupling effect. I. The nature of the interaction—1818
—— (see Azumi, T.)—2413
—— (see Kleinerman, Marcos)—1369(L), 1825
McGrath, J. W. and A. A. Silvidi. Protonic spin–lattice relaxation in barium bromide dihydrate—194(L)
McGrath, W. D. and J. J. McGarvey. Absorption spectrum and dissociation energy of the SO radical—1574(L)
McGuire, J. M. (see Baker, C. E.)—2571
McIntyre, D., A. Wims, and M. S. Green. Critical opalescence of polystyrene solutions—3019(L)
McLachlan, A. D. (see Hanna, M. W.)—361
McLean, A. D. Structure of the ground state of HCN—627
McMullan, R. K. (see Bonamico, M.)—2219
—— (see Jeffrey, G. A.)—2231
McNeal, Robert J. Disorientation cross sections in optical pumping—2726(L)
McNesby, J. R. (see Jackson, W. M.)—1610, 2256
—— (see Okabe, H.)—1340
Mead, Darwin J. (see Scheiber, Donald J.)—81
Meijer, Paul H. E. (see Tanaka, Tomoyasu)—1397
Melton, Charles E. Ionization and excitation processes in argon, krypton, and the C_2 hydrocarbons produced by various means—562
Messerly, J. F. (see Scott, D. W.)—867
Meyer, Beat. Vibration spectrum of tapped S_2—1577(L)
Meyer, Lothar (see Davis, H. Ted)—947, 1521, 2470
Meyerson, Seymour and R. W. Vander Haar. Multiply charged organic ions in mass spectra—2458
Mies, Frederick H. Continuum radiation from ionized rare gases in reflected shock waves—1101
—— **and Kurt E. Shuler.** Quantum-mechanical calculation of harmonic oscillator transition probabilities. II. Three-dimensional impulsive collisions—177
Miller, Robert L. and Peter G. Lykos. Distortion of atomic orbitals in molecular orbitals. II. Charge shift and charge deformation of the hydrogen atom in H_2^+—993
Milligan, Dolphus E., Marilyn E. Jacox, Stuart W. Charles, and George C. Pimentel. Infrared spectroscopic study of the photolysis of HN_3 in Solid CO_2—2302
—— (see Redington, Richard L.)—2162
Mitchell, George R. X-ray K-absorption edges of three-planar nickel compounds—216
Miyazawa, Tatsuo, Kunio Fukushima, and Yoshiko Ideguchi. Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol—2764
Moccia, Roberto. One-center expansion self-consistent field molecular orbital electronic wave functions for XH_n molecules—910(L)
Möller, K. D. and H. G. Andresen. Theory of torsion vibrations of $(CH_3)_2X$-type molecules—1800
Monahan, J. E. and H. E. Stanton. Mass spectra resulting from high-energy electron impact on some hydrocarbon molecules—2654
Monse, E. U. and W. Spindel. Carbon and oxygen isotope exchange between CO and $Ni(CO)_4$—2393
Montgomery, D. J. and K. F. Yeung. On the analysis of spectra in transmission through thin films—1056
Moore, Emmett, B., Jr. Molecular orbitals in $B_{10}H_{14}$—675(L)
Morantz, D. J., B. G. White, and A. J. C. Wright. Phosphorescence and stimulated emission in organic molecules—2041
Morino, Yonezo (see Shimizu, Hiroshi)—1565(L)
Morrison, J. (see Lander, J. J.)—729

Morse, Fred A. and Richard B. Bernstein. Velocity dependence of the differential cross sections for the scattering of atomic beams of K and Cs by Hg—2019

Mosher, Harry S., E. R. Hardwick, and David Ben Hur. Flash-photolysis studies of α- and γ-(2,4-dinitrobenzyl)-pyridine—904

Mosher, Helene P. (see Parks, George S.)—919(L)

Müller, E. W. (see Clements, T. C.)—2684

Muller, Norbert. Nonbonded C^{13}–H spin–spin couplings in substituted ethylenes—2729(L)

—— **and William C. Tosch.** Anomalous chemical shifts in the proton magnetic resonance spectra of the dimethylcyclohexanes and related hydrocarbons—1167

Mulliken, Robert S. Low-energy $^5\Sigma_g^+$ states of the nitrogen molecule—809

Munson, M. S. B., F. H. Field, and J. L. Franklin. High-pressure mass spectrometric study of reactions of rare gases with N_2 and CO—1790

Murrell, J. N. Relative importance of exciton delocalization and electron delocalization in polyene spectra—1162(L)

Muschlitz, E. E., Jr. (see Baker, C. E.)—2571

Musher, Jeremy I. Critical Comment and Erratum: Long-range nuclear magnetic shielding in molecules—192(L)

—— Effects of intramolecular electric fields in molecules: EQR coupling constants—2372

—— Linear variation of proton magnetic shielding with electric field—34

—— (see Rao, B. D. Nageswara)—2480

Myers, Rollie J. (see Harmony, Marlin D.)—636

Nagai, Kazuo. Local steric hindrances and conformations of linear polymer molecules in solutions. II. Generalization—490

—— **and Toshihide Ishikawa.** Local steric hindrances and conformations of linear polymer molecules in solutions. III. Polyethylene—496

Nardi, Eran and Shaul Yatsiv. Temperature dependence and decay times of Eu^{3+} emission lines in Eu dibenzoylmethane—2333

Nelson, L. S. and N. A. Kuebler. Absorption spectra of gaseous species formed at flash-heated solid surfaces—47

Nelson, R. C. (see Petruzzella, N.)—3010(L)

Neta, P. (see Anbar, M.)—1877(L), 2757

Newmark, Richard A. (see Thompson, Douglas S.)—411

Newton, Peter, Charles S. Copeland, and Sidney W. Benson. Dielectric constant of ethanol in the neighborhood of the critical temperature—339

Niehaus, A. (see Beck, D.)—2705

Nieman, G. C. and G. W. Robinson. Rapid triplet excitation migration in organic crystals—2150(L)

Nitta, Isamu (see Ohnishi, Shun-ichi)—1283, 2402

Noggle, Joseph H., John D. Baldeschwieler, and Charles B. Colburn. Analysis of the NMR and double-resonance spectra of the isomers of N_2F_2—182

Nolle, A. W. (see Wakim, Fahd G.)—3000

Norberg, A. L., Jr. (see Crowell, A. D.)—714

Nosanow, L. H. (see Baur, M. E.)—153

Nourse, H. H. E. (see Hawksworth, W. A.)—918(L)

Noyes, W. Albert, Jr. (see Ishikawa, H.)—583

Nugent, Leonard J. and C. D. Cornwell. Microwave spectrum of methyldifluoroarsine—523

Ofelt, G. S. Intensities of crystal spectra of rare-earth ions—511

Ohnishi, Shun-ichi, Shun-ichi Sugimoto, and Isamu Nitta. Temperature dependence of the ESR spectrum of irradiated oriented polyethylene—1283

——, **Tadayoshi Tanei, and Isamu Nitta.** ESR study of free radicals produced by irradiation in benzene and its derivatives—2402

Okabe, H. and J. R. McNesby. Vacuum ultraviolet photochemistry. IV. Photolysis of propane—1340

O'Konski, Chester T. and Klaus Bergmann. New electro-optic effect: color change produced by an electric field—1573(L)

Oldenberg, O. (see Innes, F. R.)—2427

Olson, W. Bruce (see Allen, Harry C., Jr.)—212

Oneal, G., Jr. (see Liang, C. Y.)—459(L)

O'Neal, H. Edward and Sidney W. Benson. Kinetics of the reaction between acetyl iodide and HI and the heat of formation of the acetyl radical—540

Oriel, Patrick (see Schellman, John A.)—2114

Otomo, Yoshiro (see Kasai, Paul H.)—1263

Ottolenghi, Michael (see Jortner, Joshua)—2488

Overton, William C., Jr. Conversion of $C_v[T, V(T)]$ to $C_v[T, V(0°K)]$ with application to Na and Cu—2975

—— Relation between ultrasonically measured properties and the coefficients in the solid equation of state—116

Paladino, A. E. and W. D. Kingery. Aluminum ion diffusion in aluminum oxide—957

Palko, A. A., G. M. Begun, and L. Landau. Equilibrium constant for boron isotope exchange between BF_3 and $BF_3 \cdot O(CH_3)_2$—552

Pandres, Dave, Jr., and F. A. Matsen. Interaction of degenerate configurations—1008

Panish, Morton B. and Liane Reif. Vaporization of ruthenium and osmium—128

Parker, Paul M. Symmetry properties of the asymmetric rotator centrifugal-distortion constants—1596

—— (see Genusa, Vincent A.)—2615

Parker, R. L. Growth rates of potassium crystal from the vapor phase—1600

—— **and S. C. Hardy.** Vapor-phase growth kinetics of potassium whiskers by field emission—1606

Parks, George S. and Helene P. Mosher. Heats of combustion and formation of seven organic compounds containing oxygen—919(L)

Parsonage, N. G. and R. L. Scott. Contribution of octopole-octopole interactions to the excess properties of mixtures of tetrahedral molecules—304

Paul, D. E. and F. W. Dalby. Kinetics of disappearance of the CN radical formed from C_2N_2—592

Pauncz, Ruben. Studies on the alternant molecular orbital method. IV. Generalization of the method to states with different multiplicities—2739

Pence, Dallas T. (see Laurie, Victor W.)—2995

Penney, C. J. (see Gerstein, B. C.)—2610

Peterlin, Anton, E. W. Fischer, and Chr. Reinhold. Thermodynamic stability of polymer crystals. II. Torsional vibrations of chain molecules—1403

Peticolas, Warner L. Order–disorder theory for linear colloids—2323

Petrakis, L. and H. J. Bernstein. Medium effects in nuclear magnetic resonance. II. Proton resonance of gaseous CHF_3—2731(L)
Petruzzella, N. and R. C. Nelson. Sign of the charge carrier in ionic photoconductive dyes—3010(L)
Phillips, L. F. and H. I. Schiff. Mass spectrometric studies of atomic reactions. III. Reactions of hydrogen atoms with nitrogen dioxide and with ozone—1233
—— **and H. I. Schiff.** Vibrationally excited O_2 molecules from the reactions of O atoms with NO_2 and with O_3—924(L)
Phillips, W. D. (see Eaton, D. R.)—347
Piermarini, G. J. and C. E. Weir. High-pressure transition in RbF—1887(L)
Pillai, M. G. Krishna and R. F. Curl, Jr. Microwave spectrum of chlorine dioxide. IV. Determination of centrifugal distortion effects and potential constants—2921
Pimentel, George C. (see Milligan, Dolphus E.)—2302
Piper, T. S. (see Ferguson, J.)—1569(L)
Pitzer, Russell M. and H. F. Hameka. Evaluation of the spin–spin interaction in benzene—2725(L)
——, **C. William Kern, and William N. Lipscomb.** Evaluation molecular integrals by solid spherical harmonic expansions—267
Plass, Gilbert N. (see Stull, V. Robert)—1442
Platas, Oscar R. Atomic electric field gradients of five-electron ions—2755
Plyler, Earle K. (see Lafferty, Walter J.)—1981, 2688
—— (see Maki, A.)—1899(L)
Poindexter, Edward H. Double resonance and proton relaxation in asphalt solutions—463
Poirier, Jacques C. (see Hoover, William G.)—1041
Pope, Martin. Electrostatic determination of photo-ionization potentials of solids and liquids—1001
Pople, J. A. Molecular-orbital theory of diamagnetism. I. An approximate LCAO scheme—53
—— Molecular-orbital theory of diamagnetism. II. Calculation of Pascal constants for some noncyclic molecules—60
—— Reply to Letter by H. F. Hameka—3009(L)
Porte, A. L., H. S. Gutowsky, and J. E. Boggs. Proton magnetic resonance studies of polycrystalline uranium oxides hydrates. III. $UO_4 2H_2O$—2318
Porter, Richard F. and William P. Sholette. Stabilities of gaseous boroxine and its fluoro derivatives—198(L)
Prager, Stephen (see Schrader, David M.)—1456
Price, F. P. (see Cormia, R. L.)—1333

Quade, C. Richard, William H. Brumage, and Chun C. Lin. Magnetic susceptibilities of vanadium-doped corundum crystals—1368(L)
Quinn, R. G. (see McDuffie, G. E., Jr.)—239

Rabani, Joseph and Gabriel Stein. Yield and reactivity of electrons and H atoms in irradiated aqueous solutions—1865
—— (see Jortner, Joshua)—2488
Rabinovitch, B. S. (see Kubin, R. F.)—937
Raff, Lionel M. (see Kuppermann, Aron)—2497(L)
Ragle, J. L. (see Marram, E. P.)—3015(L)
Rajan, R. Electron spin resonance in copper(II) malonate—460(L)
—— Electron spin resonance in ethylene diamine copper(II) nitrate—1901(L)
Rajnak, Katheryn. Approximate excited eigenfunctions for Pr^{3+} and Tm^{3+}—2440
Rank, D. H., B. S. Rao, and T. A. Wiggins. Absorption spectra of hydrogen halide–rare gas mixtures—2511
Ransil, Bernard J. (see Fraga, Serafin)—1112
Rao, B. D. Nageswara and John D. Baldeschwieler. Nuclear magnetic double resonance spectra of three spin systems—2473
——, **John D. Baldeschwieler, and J. I. Musher.** Relative signs of geminal and vicinal coupling constants in 1,1,4,4-tetramethylcyclohexyl-*cis*-2,6-diacetate—2480
Rao, B. S. (see Rank, D. H.)—2511
Rao, D. V. G. L. Narasimha and Mikio Katayama. Electron spin resonance of an irradiated single crystal of *N*-carbamyl glycine—382
Raper, O. F. (see DeMore, W.)—2048
Rapp, Donald and W. E. Francis. Charge exchange between gaseous ions and atoms—2631
Rastrup-Andresen, John (see Bak, Børge)—2027
Rauh, E. G. (see Ackermann, R. J.)—2693
Raw, C. J. G. (see Hawksworth, W. A.)—918(L)
Ray, D. K. (see Rosset, J.)—1017
Read, A. W. (see Cottrell, T. L.)—2733(L)
Read, Shirley M., Joseph T. Vanderslice, and František Jenč. Potential curves for BeH^+ and CH^+—205(L)
Rebbert, R. E. and P. Ausloos. Intramolecular rearrangements in the solid phase photolysis of 4-methyl-2-hexanone and *sec*-butyl acetate—1158(L)
Redington, Richard L. and Dolphus E. Milligan. Infrared spectroscopic evidence for the rotation of the water molecule in solid argon—2162
Reeves, R. Bruce (see Robinson, Dean W.)—2625
Reid, Charles E. Electronic energy of HF as a power series in the internuclear distance—914(L)
Reif, Liane (see Panish, Morton B.)—128
Reilly, C. A. NMR parameters in *cis* and *trans* 2-fluoro-3-chloropropene-2—456(L)
—— (see Swalen, J. D.)—21
Reimann, Curt W. (see Berry, R. Stephen)—2278
Reinhold, Chr. (see Peterlin, Anton)—1403
Reitz, Robert A., William A. Butler, and John R. Brandenberger. *F* bands in KBr—KI mixed crystals—1893(L)
Resing, Henry A. NMR relaxation times in solid white phosphorus: diffusion and rotation—2575
Reuben, B. G. and L. Friedman. Isotopic hydrogen–ion–molecule reactions—1636
Rhee, Kee H. (see Crawford, Victor A.)—2377
Rhodes, William. Symmetry of helical polymers. Electronic states of double-stranded polynucleotides—2433
Rice, Stuart A. (see Davis, H. Ted)—947, 1521, 2470
Richman, Isaac and Eugene Y. Wong. Absorption spectrum of Nd^{3+} in $LaBr_3$—2270
—— (see Wong, E. Y.)—2498(L)
Rieger, Philip H. and George K. Fraenkel. Electron spin resonance spectra of carbonyl anion radicals—2811
—— **and George K. Fraenkel.** Spin-density distribution on nitrile anion radicals—2795
—— (see Bernal, Ivan)—1489
—— (see Freed, Jack H.)—1881(L)
Rieke, Foster F. and Rinda Allison. Fluorescence spectra and lifetimes of some rare-earth compounds—3011(L)
Rigamonti, A. (see Bonera, G.)—1226

Riggelman, B. M. and H. G. Drickamer. Temperature coefficient of resistance of iodine and selenium at high pressure—446(L)
—— (see Samara, G. A.)—1482
Roberts, E. M., M. R. Foster, and F. F. Selig. On the theory of spin-orbit and hyperfine interactions in molecules. Application to the hydrogen molecule-ion—485
Robertson, W. W. (see King, A. D., Jr.)—1453
Robinson, Dean W. and R. Bruce Reeves. Infrared spectrum of methylsilylacetylene—2625
Robinson, G. W. and R. P. Frosch. Theory of electronic energy relaxation in the solid phase—1962
—— (see Nieman, G. C.)—2150(L)
Robinson, J. D. (see Higdon, W. T.)—1161(L)
Roe, Donald W. (see Graybeal, Jack D.)—2503(L)
Roebber, John L. Photolysis of the phenoxy radical in a nitrogen matrix—1974
Roellig, Leonard O. and Clayton Giese. Solubility of helium in liquid hydrogen—114
Rohrlich, F. (see Edie, J. W.)—1151(L)
Ron, Arza and O. Schnepp. Electronic spectrum of 2,2′-paracyclophane—2540
Roof, R. B., Jr., and C. P. Kempter. New orthorhombic phase in the Ru—B and Os—B systems—1473
Roquitte, B. C. and J. H. Futrell. Flash photolysis of azoethane—378
Rosenberg, Barnett. Some Comments on the "Photoconductivity of organic molecular crystals and the triplet state"—1371(L)
Ross, J. (see Beck, D.)—2895
Rosset, J. and D. K. Ray. Magnetic susceptibility of ruthenium-yttrium oxide ($Ru_2O_4 \cdot Y_2O_3$) powder—1017
Roth, Walter. Charge transfer cross section for electronically excited N_2^+ with O atoms at low energy—925(L)
Rousseau, Yves, George N. C. Woodall, and Harry E. Gunning. Large deuterium isotope effect in the reaction of propane with Hg $6(^3P_1)$ atoms—2722(L)
Roux, Monique, Marguerite Cornille, and Louis Burnelle. Study of the electron density distribution in the simpler hydrocabons—933
Runciman, W. A. Erratum: Electrostatic energy matrices of the f^7 configuration—914(L)
—— **and C. V. Stager.** Effect of uniaxial stress on the spectrum of CaF_2 (Sm^{2+})—196(L)
Rush, J. J., T. I. Taylor, and W. W. Havens, Jr. Rotational freedom of ammonium ions and methyl groups by cross-section measurements with slow neutrons—234
Russell, Allan M. Paramagnetic term of the susceptibility and its shift with isotope in LiF—214

Sahlin, H. L. (see Broyles, A. A.)—2462
St. Louis, Robert V. and Bryce Crawford, Jr. Solid-oxygen absorption at 1550 cm^{-1}—2156(L)
Saito, Nobufusa (see Shinohara, Kenichi)—173, 2791
Salem, Lionel. Attractive forces between long saturated chains at short distances—2100
Salsburg, Z. W. and W. W. Wood. Equation of state of classical hard spheres at high density—798
Samara, G. A. and H. G. Drickamer. Effect of pressure on the resistance of fused-ring aromatic compounds—474
—— **and H. G. Drickamer.** Effect of pressure on the resistance of PbS and PbTe—1159(L)
—— **and H. G. Drickamer.** Effect of pressure on the resistance of pyrolytic graphite—471
—— **and H. G. Drickamer.** Effect of pressure on the resistance of three thallous halides—408
——, **B. M. Riggleman, and H. G. Drickamer.** Effect of pressure on cyanine spectra—1482
Sams, John R., Jr. Third-order interaction of xenon with graphitic carbon—1883(L)
—— (see Constabaris, G.)—915(L)
—— (see Yaris, Robert)—571
Sancier, Kenneth M., William J. Fredericks, and Henry Wise. Luminescence of solids excited by surface recombination of atoms. I. Luminescence spectra—854
——, **William J. Fredericks, James L. Hatchett, and Henry Wise.** Luminescence of solids excited by surface recombination of atoms. II. Recombination coefficients—860
——, **William J. Fredericks, and Henry Wise.** Luminescence of solids excited by surface recombination of atoms. III. Measurement of absolute energies released as luminescence and heat—865
Sandsmark, R. A. (see Schlag, E. W.)—168
Sather, Norman F. and John S. Dahler. Molecular friction in dilute gases. III. Rotational relaxation in polyatomic fluids—1947
Saturno, Antony F. Useful integral for one-center calculations—921(L)
Saunders, V. I., R. W. Tyler, and W. West. Displacement of photoelectrons and positive holes in sheet crystals of silver bromide as shown by development techniques—1126
Saxena, S. C. and R. K. Joshi. Thermal diffusion measurements by trennschaukel—1160(L)
Saxton, J. A., R. A. Bond, G. T. Coats, and R. M. Dickinson. Dispersion at millimeter wavelengths in methyl and ethyl alcohols—2132
Scalso, E. G. (see Liang, C. Y.)—459(L)
Scarborough, J. M. and J. G. Burr. Effect of liquid–solid phase transition upon the yield of hydrogen from biphenyl, biphenyl-d_{10}, and mixtures of these two substances—1890(L)
Scheer, Milton D. and Joseph Fine. Kinetics of Cs^+ desorption from tungsten—107
Scheiber, Donald J. and Darwin J. Mead. Effect of absorbed water upon the dielectric properties of certain acrylic ester polymers—81
Schellman, John A. and Patrick Oriel. Origin of the cotton effect of helical polypeptides—2114
Scherr, Charles W. and Jeremiah N. Silverman. Perturbation analysis of two- to four-electron variational wave functions—1154(L)
—— (see Knight, Robert E.)—2503(L)
Schiavello, M. and G. G. Volpi. Reactions of hydrogen atoms with hydrazine, ammonia, and nitrous oxide—1510
Schiff, H. I. (see Phillips, L. F.)—924(L), 1233
Schlag, E. W. and R. A. Sandsmark. Computation of statistical complexions as applied to unimolecular reactions—168
Schmidt, P. W. (see Hight, R., Jr.)—502
Schnepp, O. (see Ron, Arza)—2540
Schoemaker, Dirk (see Boesman, Etienne)—671(L)
Schoen, L. J., D. E. Man, Charles Knobler, and David White. Rotation–vibration spectrum of matrix-isolated hydrogen chloride—1146(L)

Schoen, Richard I. Absorption, ionization, and ion-fragmentation cross sections of hydrocarbon vapors under vacuum-ultraviolet radiation—2032
Schrader, David M. and Stephen Prager. Use of electrostatic variation principles in molecular energy calculations—1456
Schroeder, Keith A. Optical spectrum of K_2IrCl_6—2553
—— Spin-orbit matrices of the d^5 configuration—1587
Schroeder, R. (see Shorb, A. M.)—1043
Schug, John C., Thomas H. Brown, and Martin Karplus. Spin resonance spectra of substituted aromatic ions; superposition model—330
—— **and Joseph C. Deck.** Proton chemical shifts and pi-electron distributions in the hydroxy-benzenes—2618
Scott, A. B. (see Gravitt, J. C.)—2783
Scott, D. W., J. F. Messerly, S. S. Todd, I. A. Hossenlopp, D. R. Douslin, and J. P. McCullough. 4-fluorotoluene: chemical thermodynamic properties, vibrational assignment, and internal rotation—867
Scott, Gene J. (see McDaniel, Marvin L.)—822
Scott, R. L. (see Parsonage, N. G.)—304
Sears, D. Richard and Harold P. Klug. Density and expansivity of solid xenon—3002
Sears, G. W. Evaporation of naphthalene crystals—2155(L)
Secrest, Don, K. Cashion, and Joseph O. Hirschfelder. Power-series solutions for energy eigenvalues—830
Sederholm, Charles H. (see Thompson, Douglas S.)—411
Segel, S. L. (see Barnes, R. G.)—1895(L)
Seiwatz, Ruth (see Green, Mino)—458(L)
Selig, F. F. (see Roberts, E. M.)—485
Selwood, P. W. (see Abeledo, Carlos R.)—2709
Seman, Michael L. (see Steiner, Bruce)—1200
Shafi, Mohammad and Charles L. Beckel. Vibrational constants for the ground state of H_2—2732(L)
Shapiro, B. L. (see Tiers, G. V. D.)—1564(L)
Sharf, Benjamin (see Jortner, Joshua)—2506(L)
Sharp, Terry E. and Harold S. Johnston. Hydrogen–deuterium kinetic isotope effect, and experimental and theoretical study over a wide range of temperature—1541
Sheppard, N. (see Bernstein, H. J.)—3012(L)
Shida, S. (see Arai, S.)—1885(L)
Shida, Tadamasa (see Shinohara, Kenichi)—173, 2791
Shields, Howard and Phillip Hamrick. X-irradiation damage of sucrose single crystal—202(L)
Shimizu, Hiroshi. Effect of molecular shape on nuclear magnetic relaxation—765
—— **and Shizuo Fujiwara.** Erratum: Nuclear relaxation processes of a nonequivalent two-spin system—675(L)
——, **Shizuo Fujiwara, and Yonezo Morino.** Comment on "Molecular structure of diphenylethers"—1565(L)
Shinohara, Kenichi, Tadamasa Shida, and Nobufusa Saito. Photolysis of aqueous azide solutions—2791
——, **Tadamasa Shida, and Nobufusa Saito.** Radiation decomposition of aqueous azide solution—173
Sholette, William P. (see Porter, Richard F.)—198(L)
Shorb, A. M., R. Schroeder, and E. R. Lippincott. Wave functions for anharmonic oscillators by perturbation methods—1043
Shuler, Kurt E. (see Mies, Frederick H.)—177
Sibbett, D. J. (see Chaiken, R. F.)—2311
Sidran, Miriam (see Blaker, J. Warren)—684(L)
Sidwell, T. W. and R. P. Hurst. Magnetic susceptibilities of some first-row atoms and ions—203(L)
Siegel, Seymour (see Judeikis, Henry S.)—2272
Sienko, M. J. (see Gendell, Julien)—220
Silsbee, H. B. (see Bjorkstam, J. L.)—469
Silverman, Jeremiah N. (see Scherr, Charles W.)—1154(L)
Silvidi, A. A. (see McGrath, J. W.)—194(L)
Simha, Robert and R. F. Boyer. On a general relation involving the glass temperature and coefficients of expansion of polymers—1003
Sinanoğlu, Oktay. Bonds and intramolecular forces—191(L)
Singer, L. S. and G. Wagoner. Electron spin resonance in polycrystalline graphite—1812
Slawsky, Z. I. (see Korobkin, I.)—226
Slutsky, L. J. and George Jelinek. Low-frequency lattice vibrational spectrum of indium—2727(L)
Smaller, Bernard. Electron and nuclear magnetic interaction in triplet states of various organic phosphors—1578(L)
Smith, Joe N., Jr., and Wade L. Fite. Reflection and dissociation of H_2 on tungsten—898
Smith, W. V. and B. E. Jacobs. Kinetics of disappearance of radicals trapped in irradiated polyethylene—141
Snyder, Lawrence C. One-center integrals of extraordinary functions—2986
Soda, Toshio (see Kaufman, Allan N.)—1988
Sohma, Junkichi. Effect of lifetime of free radicals in chemical reactions on ESR relaxation—2151(L)
Solo, Richard B. (see Mahan, Bruce H.)—2669
Spedding, F. H. (see Gerstein, B. C.)—1496, 2610
Spindel, W. (see Monse, E. U.)—2393
Spokes, G. Neil (see Berry, R. Stephen)—2278
Srb, I. and A. Vaško. Remark on the infrared spectrum of rhombic sulfur—1892(L)
Srivastava, Amar Nath (see Krishna, Bal)—1574(L)
Stager, C. V. (see Runciman, W. A.)—196(L)
Stager, R. A., A. S. Balchan, and H. G. Drickamer. High-pressure phase transition in metallic tin—1154(L)
Stanton, H. E. (see Monahan, J. E.)—2654
Stein, Gabriel (see Jortner, Joshua)—2488
—— (see Rabani, Joseph)—1865
Steiner, Bruce, Michael L. Seman, and Lewis M. Branscomb. Electron affinity of atomic iodine—1200
Steiner, Erich. Stark effect in hydrogen—454(L)
—— (see Brown, W. Byers)—461(L)
Stevens, Richard M., C. William Kern, and William N. Lipscomb. Proton chemical shift in $HCo(CO)_4$—279
Stevenson, Philip E. (see Gouterman, Martin)—2266
Stewart, Burch B. (see Holmes, John R.)—2728(L)
Stier, P. M. (see George, T. H.)—1935
Stillinger, Frank H., Jr., and Frank P. Buff. Equilibrium statistical mechanics of inhomogeneous fluids—1
—— (see Helfand, Eugene)—2646
Stirpe, D. (see Brock, E. G.)—2735
Stockmayer, Walter H. (see Gaven, J. V.)—1188
—— (see Hearst, John E.)—1425
Stokes, C. S. and A. G. Streng. Miscibility of liquid ozone with fluorine and oxygen—920(L)
Stone, Ellery W. and August H. Maki. Hindered internal rotation and ESR spectroscopy—1326
Stratton, R. Theory of surface specific heats of solids—2972
Streib, William E., Truman H. Jordan, and William N. Lipscomb. Single-crystal x-ray diffraction study of β nitrogen—2962

Streng, A. G. (see Stokes, C. S.)—920(L)
Strickler, S. J. and Robert A. Berg. Relationship between absorption intensity and fluorescence lifetime of molecules—814
Strieter, Frederick J. and David H. Templeton. Crystal structure of the carbon tetrabromide *p*-xylene complex—161
Stroud, Jackson S. Color centers in a cerium-containing silicate glass—836
Stryer, Lubert (see Gouterman, Martin)—2260
Stull, V. Robert, Philip J. Wyatt, and Gilbert N. Plass. Vibrational energies of the CO_2 molecule—1442
Sugimoto, Shun-ichi (see Ohnishi, Shun-ichi)—1283
Sundaram, S. (see Daykin, P. N.)—1087
Sunseri, R. (see McGlynn, S. P.)—1818
Sutherland, J. E. (see Chaiken, R. F.)—2311
Swalen, J. D. and James A. Ibers. Chemical bonding in the perchromate ion—17
—— **and C. A. Reilly.** Analysis of complex NMR spectra. An iterative method—21
Swift, T. J. and Robert E. Connick. NMR-relaxation mechnisms of O^{17} in aqueous solutions of paramagnetic cations and the lifetime of water molecules in the first coordination sphere—307
Swinehart, J. H. and H. Taube. Determination of the solvation number of the magnesium ion in methanol by NMR techniques—1579(L)
Szász, Levente. Single substitution configurations—193(L)

Tamura, Naoyuki. Temperature dependence of ESR spectra of irradiated polytetrafluoroethylene—479
Tanaka, Tomoyasu, Paul H. E. Meijer, and Jeremiah H. Barry. Theory of relaxation phenomena near the second-order phase-transition point—1397
Tanei, Tadayoshi (see Ohnishi, Shun-ichi)—2402
Tanttilla, W. H. (see Jennings, D. A.)—1874
Taube, H. (see Swinehart, J. H.)—1579(L)
Tawde, N. R. and M. R. Katti. Comments on "Potential energy function for diatomic molecules"—674(L)
Taylor, T. I. (see Rush, J. J.)—234
Templeton, David H. (see Strieter, Frederick J.)—161
—— (see Zalkin, Allan)—697
Thibault, Robert (see Maki, A.)—1899(L)
Thompson, Douglas S., Richard A. Newmark, and Charles H. Sederholm. Potential energy as a function of internal rotation in CFClBr—CFClBr by NMR measurements—411
Thompson, Herbert M. (see Wurster, Walter H.)—2560
Thorn, R. J. (see Ackermann, R. J.)—2693
Thorson, Walter R. Quantum-mechanical transition-complex theory of rearrangement collisions—433
Tickner, A. W. (see Dawson, P. H.)—672(L)
—— (see Knewstubb, P. F.)—2941
Tidwell, Eugene D. (see Lafferty, Walter J.)—1981
Tiernan, Thomas O. (see Futrell, Jean H.)—1694
Tiers, G. V. D., F. A. Bovey, and B. L. Shapiro. Proton NMR spectroscopy. XIII. Molecular structure of diphenylethers: an erroneous conclusion—1564(L)
Tietz, T. Analytical method for determining the eigenvalues and eigenfunctions in the statistical theory of atoms—453(L)
Tiller, W. A. (see Kramer, J. J.)—841
Tischer, R. E. and H. G. Drickamer. Use of pressure to investigate local symmetry and compressibility in glass—1554
Tobin, Marvin C. Calculated electron mobility and electrical conductivity in crystals of linear polyenes—1156(L)
Tobolsky, Arthur V. Physics of semicrystalline polymers—1139
—— Relaxation times and normal mode distribution—1575(L)
Todd, S. S. (see Scott, D. W.)—867
Tolles, W. M., James L. Kinsey, R. F. Curl, and Robert F. Heidelberg. Microwave spectrum of chlorine dioxide. V. The Stark and Zeeman effect—927
Tosch, William C. (see Muller, Norbert)—1167
Tourin, Richard H. and Harold J. Babrov. Note on absorption coefficients of hot CO_2 at 4.40 μ—581
Treanor, Charles E. (see Wurster, Walter H.)—2560
Tripathi, B. B. Vibration spectrum of copper by Dayal's secular determinant—1576(L)
Truby, Frank K., Crawford MacCallum, and James E. Hesse. ESR studies of γ-irradiated *n*-octadecyl disulfide—2777
Truesdell, C. Mechanical basis of diffusion—2336
Tsang, Tung (see Hutchison, Clyde A., Jr.)—555
Turnbull, D. (see Cormia, R. L.)—1333
Turner, D. W. and M. I. Al Jobory. Determination of ionization potentials by photoelectron energy measurement—3007(L)
Turrell, George C. (see Bryant, James I.)—1069
Tyler, R. W. (see Saunders, V. I.)—1126

Uehling, E. A. (see Bjorkstam, J. L.)—469
Utsugi, H. and R. Gomer. Field desorption of barium from tungsten—1706
—— **and R. Gomer.** Field desorption of cesium from tungsten—1720

Valletta, R. Electrical properties of heavily doped niobium pentoxide—67
Van de Mark, D. K. (see Chaiken, R. F.)—2311
Vander Haar, R. W. (see Meyerson, Seymour)—2458
Vanderslice, Joseph T. Modification of the Rydberg–Klein–Rees method for obtaining potential curves for doublet states intermediate between Hund's cases (a) and (b)—384
—— **and Stanley Weissman.** On the theory of vibrational energy exchange—2247
—— (see Fallon, Robert J.)—1097
—— (see Read, Shirley M.)—205(L)
Vanderslice, T. A. and N. R. Whetten. Cleavage of alkali halide single crystals in high vacua. Analysis of evolved gases—535
Van Holde, K. E. Sedimentation in chemically reacting systems. I. The isomerization reaction—1922
Van Uitert, L. G. Factors controlling the intensity of emission of Eu^{3+} and Tb^{3+} in scheelites—981
—— **and S. Iida.** Quenching interactions between rare-earth ions—986
Vaško, A. (see Srb, I.)—1892(L)
Verhaegen, G. and J. Drowart. Mass spectrometric determination of the heat of sublimation of boron and of the dissociation energy of B_2—1367(L)
Vestal, Marvin, Austin L. Wahrhaftig, and William H. Johnston. Improved rate expression in the quasi-equilibrium theory of mass spectra—1276
Vincow, Gershon. Electron spin resonance of the thioxanthone *S,S*-dioxide mononegative ion. Conjugation in sulfones—2484
Visco, R. E. (see Johnson, C. S., Jr.)—1580(L)
Viswamitra, M. A. Crystal structure of copper ammonium oxalate dihydrate, $Cu(NH_4)_2(C_2O_4)_2 \cdot 2H_2O$—1408
Volpi, G. G. (see Schiavello, M.)—1510

Wagner, E. L. Bond character in XY_M-type molecules: chlorine-oxygen compounds—751
Wagoner, G. (see Singer, L. S.)—1812
Wahrhaftig, Austin L. (see Vestal, Marvin)—1276
Wakim, Fahd G. and A. W. Nolle. Paramagnetic resonance of glassy $Mn(H_2O)_6^{2+}$—3000
Walker, D. C. (see Back, R. A.)—2348
Wall, F. T., Stanley Windwer, and Paul J. Gans. Monte Carlo procedures for generation of nonintersecting chains—1461
Walrafen, G. E. Raman spectral studies of molten selenious acid—1468
——, **D. E. Irish, and T. F. Young.** Raman spectral studies of molten potassium bisulfate and vibrational frequencies of S_2O_7 groups—662
Walsh, Patrick N. (see Weltner, William, Jr.)—1153(L)
Walter, T. A. (see Berlman, I. B.)—1888(L)
Walton, D. Nucleation of vapor deposits—2182
Wang, Chen-Show (see Hwang, Jenn-Lin)—1655
Ware, William R. Location of the lowest triplet level in azulene—923(L)
Wark, Kenneth, Jr. (see Dunn, Michael G.)—2445
Warn, J. R. W. (see Weltner, W., Jr.)—292
Wasserman, Edel (see Yager, W. A.)—1148(L)
Watson, R. E. (see Blume, M.)—1245
Waugh, J. S. (see Castellano, S.)—1951
—— (see Fessenden, R. W.)—1466
—— (see Gaven, J. V.)—1188
Weatherly, T. L. (see Beeson, Edward L.)—2926
Weeks, James J. (see Hoffman, John D.)—1723
Weigang, O. E., Jr. Triplet states in optical activity: theoretical considerations—673(L)
——, **and D. D. Wild.** Spectral solvent shift. II. Interactions of variously substituted hydrocarbons with polynuclear aromatic hydrocarbons—1180
Weil, Raoul and A. W. Lawson. On possible low-pressure polymorphism in LiH—2730(L)
Weinberg, I. Shifts of the nuclear spin resonance in cadmium telluride—1571(L)
Weinstock, Bernard (see Hutchison, Clyde A., Jr.)—555
Weir, C. E. (see Piermarini, G. J.)—1887(L)
Weissman, S. I. Relation between absorption and fluorescence spectra of triphenylmethyl—1886(L)
Weissman, Stanley and E. A. Mason. Determination of gaseous-diffusion coefficients from viscosity measurements—1289
—— (see Vanderslice, Joseph T.)—2247
Weissmann, Mariana and Robert M. Mazo. Monte Carlo calculations on the cell-cluster theory of fluids—2930
Weltner, William, Jr., and Patrick N. Walsh. Spectroscopy of carbon vapor condensed in inert matrices at 4° and 20°K—1153(L)
——, **and J. R. W. Warn.** Matrix isolation of high-temperature vapors: boric oxide—292
Wertheim, G. K., W. R. Kingston, and R. H. Herber. Mössbauer effect in iron (III) acetylacetonate and chemical consequences of *K* capture in cobalt (III) acetylacetonate—687
West, W. (see Saunders, V. I.)—1126
Wexler, S. (see Berkowitz, J.)—1476
Wharton, Lennard, L. Peter Gold, and William Klemperer. Preliminary values of some molecular constants of lithium hydride—2149(L)
——, **M. Kaufman, and W. Klemperer.** Electric resonance spectrum and dipole moment of BaO—621
Wheeler, A. (see Chaiken, R. F.)—2311
Whetten, N. R. (see Vanderslice, T. A.)—535
White, B. G. (see Morantz, D. J.)—2041
White, David (see Grenier, George)—1563(L)
—— (see Schoen, L. J.)—1146(L)
Whitmore, D. H. (see Janninck, R. F.)—2750
Widom, B. Relation between the compressibility and the coexistence curve near the critical point—2703
Wieder, Grace M. and David A. Dows. Absolute infrared intensities in crystalline C_2H_4 and C_2D_4—2990
—— **and R. A. Marcus.** Dissociation and isomerization of vibrationally excited species. II. Unimolecular reaction rate theory and its application—1835
Wiederkehr, Robert R. V. Matrix representation of thermodynamic properties of multicomponent systems—1192
Wiggins, T. A. (see Rank, D. H.)—2511
Wild, D. D. (see Weigang, O. E., Jr.)—1180
Willard, John E. (see Collins, Kenneth E.)—1908
Williams, Quitman (see Beeson, Edward L.)—2926
Williams, R. J. P. (see Day, P.)—567
Wilson, David J. (see David, Robert C.)—848
Wilson, E. Bright, Jr. (see Beaudet, Robert A.)—1133
Wilson, M. Kent (see Crawford, Victor A.)—2377
Wims, A. (see McIntyre, D.)—3019(L)
Windwer, Stanley (see Wall, F. T.)—1461
Winterbottom, W. L. and J. P. Hirth. Diffusional contribution to the total flow from a Knudsen cell—784
Wise, Henry (see Sancier, Kenneth M.)—854, 860, 865
Witteman, W. J. Vibrational relaxation in carbon dioxide. II—655
Woessner, D. E. Nuclear spin relaxation in ellipsoids undergoing rotational Brownian motion—647
Wohl, K. (see Ember, G.)—891
Wong, Eugene Y. and I. Richman. Erratum: Absorption and fluorescence spectra of Pr^{3+} in $LaBr_3$—2498(L)
—— (see Richman, Isaac)—2270
Wong, S. C. (see Bayes, K. D.)—1217
Wood, D. L. (see Ferguson, J.)—193(L)
Wood, David E. and Harden M. McConnell. Paramagnetic resonance of cycloheptatrienyl—1150(L)
Wood, Robert H. Madelung constants for the calcium carbide and pyrite crystal structures—598
—— Relationship between certain lattice sums and the Madelung constant—681(L)
Wood, W. W. (see Salsburg, Z. W.)—798
Woodall, George N. C. (see Rousseau, Yves)—2722(L)
Woolley, Harold W. Realistic diatomic potential function—1307
Wray, Kurt L. Shock-tube study of the coupling of the O_2–Ar rates of dissociation and vibrational relaxation—1254
Wright, A. J. C. (see Morantz, D. J.)—2041
Wu, James C. (see Benson, Sidney W.)—1386
Wunderlich, Bernhard. Motion in polyethylene. I. Temperature and crystallinity dependence of the specific heat—1203
—— Motion in polyethylene. II. Vibrations in crystalline polyethylene—1207
—— Motion in polyethylene. III. The amorphous polymer—2429

Wurster, Walter H., Charles E. Treanor, and Herbert M. Thompson. Nitric oxide bands near 1 μ in shock-heated air—2560
Wyatt, Philip J. (see Stull, V. Robert)—1442
Wybourne, B. G. Erratum: Electrostatic energy matrices of the f^5 and f^5 configurations—450(L)
—— Nuclear moments and intermediate coupling—1807

Yager, W. A., Edel Wasserman, and R. M. R. Cramer. ESR observation of $\Delta m = 1$ transitions of triplet states in glasses—1148(L)
Yamaguchi, K. (see Arai, S.)—1885(L)
Yaris, Robert and Bernard Kirtman. Polarizability change in liquids due to many-body interactions—1775
—— **and John R. Sams, Jr.** Quantum treatment of the physical adsorption of isotopic species—571
Yatsiv, Shaul (see Nardi, Eran)—2333
Yeung, K. F. (see Montgomery, D. J.)—1056
Yguerabide, Juan and Milton Burton. Luminescence decay times: concentration effects—1757
Yokozawa, Y. Temperature dependence of magnetic resonance absorption in polycrystalline carbons and graphite—204(L)
Young, T. F. (see Walrafen, G. E.)—662

Zahlan, A., F. W. Heineken, M. Bruin, and F. Bruin. ESR spectrum of 2,2′ dipyridyl-Na complex—683(L)
Zalkin, Allan, Kenneth Lee, and David H. Templeton. Crystal structure of $CsMnF_3$—697
Zauli, C. (see Craig, D. P.)—601, 609
Zeldes, Henry and Ralph Livingston. Paramagnetic resonance study of production of NO_2 and NO_2^- in irradiated KNO_3—3017(L)
Zürcher, R. F. Longitudinal and transverse electron polarizabilities and magnetic susceptibilities of the aliphatic C–C and C–H bonds—2421

Analytic Subject Index to Volume 37

(References with (L) are to **Letters to the Editor**)

Absorption Spectra, Infrared

Absolute infrared intensities in crystalline benzene, J. Leland Hollenberg and David A. Dows—1300

Absolute infrared intensities in crystalline C_2H_4 and C_2D_4, Grace M. Wieder and David A. Dows—2990

Absorption spectra of hydrogen halide–rare gas mixtures, D. H. Rank, B. S. Rao, and T. A. Wiggins—2511

Absorption spectra of type I and type II synthetic diamonds, J. J. Charette—3014(L)

Computation of asymmetric rotator constants from energy moments. IV Vincent A. Genusa and Paul M. Parker—2615

Determination of the equilibrium constant for the gas-phase dissociation of nitrogen tetroxide by infrared absorption techniques, Michael G. Dunn, Kenneth Wark, Jr., and John T. Agnew—2445

Effect of centrifugal distortion on the shape of the hydrogen sulfide fundamental infrared bands, M. T. Emerson and D. F. Eggers, Jr.—251

Erratum: VCl_4 vapor spectrum and Jahn–Teller splitting [J. Chem. Phys. **36**, 366 (1962)], Floyd A. Blankenship and R. Linn Belford—675(L)

High-temperature spectral absorption of the 4.3-micron CO_2 band, Carmine C. Ferriso—1955

Infrared intensities of silane, Ira W. Levin and W. T. King—1375

Infrared spectra of liquid and solid carbon monoxide, George E. Ewing—2250

Infrared spectra of the azide ion in alkali-halide lattices, James I. Bryant and George C. Turrell—1069

Infrared spectra of the methyl halides. II. Methyl bromide near 4450 cm^{-1}, R. G. Brown and T. H. Edwards—1029

Infrared spectra of the methyl halides. III. Methyl iodide near 4400 cm^{-1}, R. G. Brown and T. H. Edwards—1035

Infrared spectroscopic evidence for the rotation of the water molecule in solid argon, Richard L. Redington and Dolphus E. Milligan—2162

Infrared spectroscopic study of the photolysis of HN_3 in solid CO_2, Dolphus E. Milligan, Marilyn E. Jacox, Stuart W. Charles, and George C. Pimentel—2302

Infrared spectrum and structure of germyl cyanide, Theodore D. Goldfarb—642

Infrared spectrum and thermodynamic functions of the NF_2 radical, Marlin D. Harmony and Rollie J. Myers—636

Infrared spectrum of acetylene-d_1, Walter J. Lafferty, Earle K. Plyler, and Eugene D. Tidwell—1981

Infrared spectrum of bromine pentafluoride, Robin S. McDowell and Larned B. Asprey—165

Infrared spectrum of carbon tetrafluoride, A. Maki, E. K. Plyler, and Robert Thibault—1899(L)

Infrared spectrum of methylsilylacetylene, Dean W. Robinson and R. Bruce Reeves—2625

Infrared study of the adsorption of methanol and ethanol on aluminum oxide, Robert G. Greenler—2094

Lattice combination bands in infrared spectra of molecular solids, R. G. Gordon—2586

Line strengths and widths in hydrogen iodide, George Ameer and William Benesch—2697

Matrix isolation of high-temperature vapors: Boric oxide, W. Weltner, Jr., and J. R. W. Warn—292

Molecular parameters of ethane, Walter J. Lafferty and Earle K. Plyler—2686

Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol, Tatsuo Miyazawa, Kunio Fukushima, and Yoshiko Ideguchi—2764

Note on absorption coefficients of hot CO_2 at 4.40μ, Richard H. Tourin and Harold J. Babrov—581

ν_1 band of methylacetylene, R. W. Bayer and W. F. Edgell—2502(L)

On the analysis of spectra in transmission through thin films, D. J. Montgomery and K. F. Yeung—1056

Remark on the infrared spectrum of rhombic sulfur, I. Srb and A. Vaško—1892(L)

Rotation–vibration spectrum of matrix-isolated hydrogen chloride, L. J. Schoen, D. E. Mann, Charles Knobler, and David White—1146(L)

Solid-oxygen absorption at 1550 cm^{-1}, Robert V. St. Louis and Bryce Crawford, Jr.—2156(L)

Sum rules for vibrational-rotational energy levels including centrifugal distortion, Harry C. Allen, Jr., and W. Bruce Olson—212

Theory of torsion vibrations of $(CH_3)_2$ X-type molecules, K. D. Möller and H. G. Andresen—1800

Vibrational spectrum of digermane, Victor A. Crawford, Kee H. Rhee, and M. Kent Wilson—2377

Absorption Spectra, Microwave

Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile, Børge Bak, Daniel Christensen, William B. Dixon, Lise Hansen-Nygaard, and John Rastrup-Andersen—2027

Dipole moment of formic acid, HCOOH and HCOOD, Hyunyong Kim, R. Keller, and William D. Gwinn—2748

Microwave spectrum and barrier to internal rotation of *cis*-1-fluoropropylene, Robert A. Beaudet and E. Bright Wilson, Jr.—1133

Microwave spectrum and dipole moment of monofluoroacetonitrile, Jack D. Graybeal and Donald W. Roe—2503(L)

Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene, Robert A. Beaudet—2398

Microwave spectrum of chlorine dioxide. III. Interpretation of the hyperfine coupling constants obtained in terms of the electronic structure, R. F. Curl, Jr.—779

Microwave spectrum of chlorine dioxide. IV. Determination of centrifugal distortion effects and potential constants, M. G. Krishna Pillai and R. F. Curl, Jr.—2921

Microwave spectrum of chlorine dioxide. V. The Stark and Zeeman effect, W. M. Tolles, James L. Kinsey, R. F. Curl, and R. F. Heidelberg—927

Microwave spectrum of methyldifluoroarsine, Leonard J. Nugent and C. D. Cornwell—523

Microwave spectrum, structure, and dipole moment of carbonyl fluoride, Victor W. Laurie, Dallas T. Pence, and Robert H. Jackson—2995
Microwave studies of butadiene derivatives. I. Spectrum of fluoroprene, David R. Lide, Jr.—2074
Molecular constants of chlorodifluoromethane from microwave spectrum analysis. Edward L. Beeson, T. L. Weatherly, and Quitman Williams—2926
Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride, Eizi Hirota—283
Rotational isomerism and microwave spectroscopy. II. The microwave spectrum of butyronitrile, Eizi Hirota—2918

Absorption Spectra, of Crystals

Absolute infrared intensities in crystalline benzene, J. Leland Hollenberg and David A. Dows—1300
Absolute infrared intensities in crystalline C_2H_4 and C_2D_4, Grace M. Wieder and David A. Dows—2990
Absorption and fluorescence spectra of hexagonal $SmCl_3$ and their Zeeman effects, M. S. Magno and G. H. Dieke—2354
Absorption spectra of type I and type II synthetic diamonds, J. J. Charette—3014(L)
Absorption spectrum of Nd^{+3} in $LaBr_3$, Isaac Richman and Eugene Y. Wong—2270
Absorption spectrum of ytterbium in single crystal of calcium fluoride, W. Low—30
Approximate excited eigenfunctions for Pr^{3+} and Tm^{3+}, Katheryn Rajnak—2440
Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing, J. D. Axe and G. H. Dieke—2364
Crystal spectrum of copper acetylacetone, J. Ferguson, R. Linn Belford, and T. S. Piper—1569(L)
Effect of uniaxial stress on the spectrum of $CaF_2(Sm^{2+})$, W. A. Runciman and C. V. Stager—196(L)
Electronic spectrum of 2,2′-paracyclophane, Arza Ron and O. Schnepp—2540
Erratum: Absorption and fluorescence spectra of Pr^{+3} in $LaBr_3$ [J. Chem. Phys. **36**, 1889 (1961)], E. Y. Wong and I. Richman—2498(L)
Erratum: Effect of next nearest neighbor ions on the crystal field splitting of transition metal ions in crystals [J. Chem. Phys. **35**, 2236 (1961)], J. Ferguson, K. Knox, and D. L. Wood—193(L)
F bands in KBr–KI mixed crystals, Robert A. Reitz, William A. Butler, and John R. Brandenberger—1893(L)
Infrared spectra of liquid and solid carbon monoxide, George E. Ewing—2250
Intensities of crystal spectra of rare-earth ions, G. S. Ofelt—511
Lattice combination bands in infrared spectra of molecular solids, R. G. Gordon—2586
Nature of the visible charge-transfer bands of $K_3Fe(CN)_6$, Gobinda Basu and R. Linn Belford—1933
Optical spectrum of K_3IrCl_6, Keith A. Schroeder—2553
Polarization of triplet→singlet transitions in polyacenes, V. G. Krishna and Lionel Goodman—912(L)
Remark on the infrared spectrum of rhombic sulfur, I. Srb and A. Vaško—1892(L)
Role of ground state in singlet–triplet transition probabilities, L. Goodman and V. G. Krishna—2721(L)

Absorption Spectra, Visible or Ultraviolet

Absorption and fluorescence spectra of hexagonal $SmCl_3$ and their Zeeman effects, M. S. Magno and G. H. Dieke—2354
Absorption, ionization, and ion-fragmentation cross sections of hydrocarbon vapors under vacuum-ultraviolet radiation, Richard I. Schoen—2032
Absorption spectra of gaseous halide ions and halogen electron affinities: chlorine, bromine, and iodine. R. Stephen Berry, Curt W. Reimann, and G. Neil Spokes—2278
Absorption spectra of gaseous species formed at flash-heated solid surfaces, L. S. Nelson and N. A. Kuebler—47
Absorption spectrum and dissociation energy of the SO radical, W. D. McGrath and J. J. McGarvey—1574(L)
Absorption spectrum of carbon vapor in solid argon at 4° and 20°K, R. L. Barger and H. P. Broida—1152(L)
Absorption spectrum of Nd^{3+} in $LaBr_3$, Isaac Richman and Eugene Y. Wong—2270
Absorption spectrum of ytterbium in single crystal of calcium fluoride, W. Low—30
Color centers in a cerium-containing silicate glass, Jackson S. Stroud—836
Crystal spectrum of copper acetylacetone, J. Ferguson, R. Linn Belford, and T. S. Piper—1569(L)
Effect of pressure on cyanine spectra, G. A. Samara, B. M. Riggleman, and H. G. Drickamer—1482
Effect of uniaxial stress on the spectrum of $CaF_2(Sm^{2+})$, W. A. Runciman and C. V. Stager—196(L)
Effect of weak coupling on the absorption spectrum of an aggregate of chromophores, Howard DeVoe—1534
ESR and optical spectrum of potassium perchromate, B. R. McGarvey—2001
Electronic spectrum of 2,2′-paracyclophane, Arza Ron and O. Schnepp—2540
Erratum: Absorption and fluorescence spectra of Pr^{3+} in $LaBr_3$ [J. Chem. Phys. **36**, 1889 (1961)], E. Y. Wong and I. Richman—2498(L)
Erratum: Effect of next nearest neighbor ions on the crystal field splitting of transition metal ions in crystals [J. Chem. Phys. **35**, 2236 (1961)], J. Ferguson, K. Knox, and D. L. Wood—193(L)
Erratum: VCl_4 vapor spectrum and Jahn–Teller splitting [J. Chem. Phys. **36**, 633 (1962)], Floyd A. Blankenship and R. Linn Belford—675(L)
Evaluation of lattice sums in the calculation of crystal spectra, R. M. Hexter—1347
Evidence for electron binding in frozen aqueous solutions, Joshua Jortner and Benjamin Sharf—2506(L)
Experimental investigation of the effect of irradiation intensity on the production of *F* centers in NaCl, Patrick G. Harrison—388
External heavy-atom spin-orbital coupling effect. I. The nature of the interaction, S. P. McGlynn, R. Sunseri, and N. Christodouleas—1818
F bands in KBr–KI mixed crystals, Robert A. Reitz, William A. Butler, and John R. Brandenberger—1893(L)
Location of the lowest triplet level in azulene, William R. Ware—923(L)
Luminescence decay times: Concentration effects, Juan Yguerabide and Milton Burton—1757
Metastable atoms and the auroral afterglow of nitrogen, F. R. Innes and O. Oldenberg—2427
Nature of the visible charge-transfer bands of $K_3Fe(CN)_6$, Gobinda Basu and R. Linn Belford—1933
New electro-optic effect: Color change produced by an electric field, Chester T. O'Konski and Klaus Bergmann—1573(L)
Note on the theory of singlet–triplet transitions, H. F. Hameka—328

Nuclear moments and intermediate coupling, B. G. Wybourne —1807
On the near ultraviolet absorption bands of nitric oxide solutions, S. R. La Paglia—457(L)
Optical spectrum of K_2IrCl_6, Keith A. Schroeder—2553
Photolysis of the phenoxy radical in a nitrogen matrix, John L. Roebber—1974
Polarization of the luminescence of phenanthrene, T. Azumi and S. P. McGlynn—2413
Polarization of triplet→singlet transitions in polyacenes, V. G. Krishna and Lionel Goodman—912(L)
Porphyrin charge-transfer complexes with sym-trinitrobenzene, Martin Gouterman and Philip E. Stevenson—2266
Pressure effects on some charge-transfer and transition metal ion spectra in aqueous solution, W. S. Fyfe—1894(L)
Proposed effect of high pressures on the radiationless processes, M. A. El-Sayed—1568(L)
Relation between absorption and fluorescence spectra of triphenylmethyl, S. I. Weissman—1886(L)
Relationship between absorption intensity and fluorescence lifetime of molecules, S. J. Strickler and Robert A. Berg—814
Relative importance of exciton delocalization and electron delocalization in polyene spectra, J. N. Murrell—1162(L)
Role of ground state in singlet–triplet transition probabilities, L. Goodman and V. G. Krishna—2721(L)
Spectra and photoconduction of phthalocyanine complexes (I), P. Day and R. J. P. Williams—567
Spectral solvent shift. II. Interactions of variously substituted hydrocarbons with polynuclear aromatic hydrocarbons, O. E. Weigang, Jr. and D. D. Wild—1180
Spectrophotometric and partition methods of determining association constants of 1:1 charge-transfer complexes, H. J. G. Hayman—2290
Spectroscopy of carbon vapor condensed in inert matrices at 4° and 20°K, William Weltner, Jr., and Patrick N. Walsh —1153(L)
Symmetry of helical polymers. Electronic states of double-stranded polynucleotides, William Rhodes—2433
Theory of electronic energy relaxation in the solid phase, G. W. Robinson and R. P. Frosch—1962
Theory of paramagnetic excitons in solid free radicals, Ruth M. Lynden-Bell and Harden M. McConnell—794
Triplet states in optical activity: Theoretical considerations, O. E. Weigang, Jr.—673(L)
Use of pressure to investigate local symmetry and compressibility in glass, R. E. Tischer and H. G. Drickamer—1554
Vibration spectrum of trapped S_2, Beat Meyer—1577(L)

Accommodation Coefficients

Reflection and dissociation of H_2 on tungsten, Joe N. Smith, Jr., and Wade L. Fite—898

Adsorption (see Surface Phenomena)

Beams, Atomic and Molecular

Adsorption of potassium beams on surfaces, Forrest S. Baker and Gilbert O. Brink—1012
Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy, Aron Kuppermann and Lionel M. Raff—2497(L)
Disorientation cross sections in optical pumping, Robert J. McNeal—2726(L)
Electric resonance spectrum and dipole moment of BaO, L. Wharton, M. Kaufman, and W. Klemperer—621
Electron affinity of atomic iodine, Bruce Steiner, Michael L. Seman, and Lewis M. Branscomb—1200
Extrema in velocity dependence of total elastic cross sections for atomic beam scattering: Relation to di-atom bound states, Richard B. Bernstein—1880(L)
Low-energy collision cross sections of H^- and OH^- ions in oxygen, C. E. Baker, J. M. McGuire, and E. E. Muschlitz, Jr.—2571
Measurement by cyclotron resonance of molecular cross sections for elastic collisions with 295°K electrons, K. D. Bayes, D. Kivelson, and S. C. Wong—1217
Nuclear moments and intermediate coupling, B. G. Wybourne —1807
Preliminary values of some molecular constants of lithium hydride, Lennard Wharton, L. Peter Gold, and William Klemperer—2149(L)
Scattering of helium and argon from the cleavage plane of lithium fluoride, J. C. Crews—2004
Some new metastable states of molecules, William Lichten—2152(L)
Study of the reaction of K with HBr in crossed molecular beams, D. Beck, E. F. Greene, and J. Ross—2895
Total collision cross sections for scattering of thermal beams of hydrogen, hydrogen atoms, and helium by hydrogen and helium, Halstead Harrison—1164(L)
Total scattering cross sections of H_2O and NH_3, Paul H. Kydd —931
Velocity dependence of the differential cross sections for the scattering of atomic beams of K and Cs by Hg, Fred A. Morse and Richard B. Bernstein—2019
Wide-angle scattering in molecular beams. The rainbow effect, D. Beck—2884

Centrifugation

Sedimentation in chemically reacting systems. I. The isomerization reaction, K. E. Van Holde—1922
Sedimentation in chemically reacting systems. II. Numerical calculations for dimerization, Geneva G. Belford and R. Linn Belford—1926

Chemical Reactions (see Kinetics of Reactions)

Conductance

Conductance of NaI-C_2H_5OH systems in the vicinity of the critical temperature, Peter E. M. Allen, Sidney W. Benson, and Charles S. Copeland—132
Electric conduction in liquid hydrocarbons. I. Benzene, E. O. Forster—1021
Molten salt solutions of electropositive metals: Electronic conductance and metal halide stoichiometry, M. A. Bredig—914(L)

Crystal Growth

Determination of the atomic kinetics of the freezing process. I. Theory, J. J. Kramer and W. A. Tiller—841
Evaporation of naphthalene crystals, G. W. Sears—2155(L)
Growth of crystal whiskers, J. M. Blakely and K. A. Jackson —428
Growth rates of potassium crystal from the vapor phase, R. L. Parker—1600
Nucleation of vapor deposits, D. Walton—2182
Rate of spherulitic crystallization with chain folds in polychlorotrifluoroethylene, John D. Hoffman and James J. Weeks—1723
Vapor-phase growth kinetics of potassium whiskers by field emission, R. L. Parker and S. C. Hardy—1606

Crystalline State

Absence of a linewidth transition for the protons in KH_2PO_4-type crystals, J. L. Bjorkstam, E. D. Jones, H. B. Silsbee, and E. A. Uehling—469
Absorption spectra of type I and type II synthetic diamonds, J. J. Charette—3014(L)
Attractive forces between long saturated chains at short distances, Lionel Salem—2100
Cleavage of alkali halide single crystals in high vacua. Analysis of evolved gases, T. A. Vanderslice and N. R. Whetten—535
Conversion of $C_v[T,V(T)]$ to $C_v[T,V(0°K)]$ with application to Na and Cu, William C. Overton, Jr.—2975
Displacement of photoelectrons and positive holes in sheet crystals of silver bromide as shown by development techniques, V. I. Saunders, T. W. Tyler, and W. West—1126
Electron and nuclear magnetic interaction in triplet states of various organic phosphors, Bernard Smaller—1578(L)
Electron spin resonance in polycrystalline graphite, L. S. Singer and G. Wagoner—1812
Erratum: Effect of next nearest neighbor ions on the crystal field splitting of transition metal ions in crystals [J. Chem. Phys. **35**, 2236 (1961)], J. Ferguson, K. Knox, and D. L. Wood—193(L)
Erratum: Note on Magee–Funabashi's theory of excitation migration [J. Chem. Phys. **36**, 2663 (1962)], Mitio Inokuti —1571(L)
Evaluation of lattice sums in the calculation of crystal spectra, R. M. Hexter—1347
Experimental investigation of the effect of irradiation intensity on the production of *F* centers in NaCl, Patrick G. Harrison—388
Frequency counting in lattice dynamics, Jenn-Lin Hwang and Chen-Show Wang—1655
Frequency distribution of hexamethylenetetramine crystals, L. N. Becka—431
Intensities of crystal spectra of rare-earth ions, G. S. Ofelt—511
Lattice combination bands in infrared spectra of molecular solids, R. G. Gordon—2586
Low-frequency–lattice vibrational spectrum of indium, L. J. Slutsky and G. Jelinek—2727(L)
Magnetic susceptibilities of vanadium-doped corundum crystals, C. Richard Quade, William H. Brumage, and Chun C. Lin—1368(L)
Motion in polyethylene. II. Vibrations in crystalline polyethylene, Bernhard Wunderlich—1207
Motion of *F* centers in KCl and KI, J. C. Gravitt, G. E. Gross, D. K. Benson, and A. B. Scott—2783
Nature of the visible charge-transfer bands of $K_3Fe(CN)_6$, Gobinda Basu and R. Linn Belford—1933
Optical spectrum of K_3IrCl_6, Keith A. Schroeder—§§§§
Paramagnetic resonance of the I_2^- center in KCl doped with KI, Etienne Boesman and Dirk Schoemaker—671(L)
Proton magnetic resonance studies of polycrystalline uranium oxides hydrates. III. $UO_4 2H_2O$, A. L. Porte, H. S. Gutowsky, and J. E. Boggs—2318
Protonic spin-lattice relaxation in barium bromide dihydrate, J. W. McGrath and A. A. Silvidi—194(L)
Rapid triplet excitation migration in organic crystals, G. C. Nieman and G. W. Robinson—2150(L)
Relation between ultrasonically measured properties and the coefficients in the solid equation of state, William C. Overton, Jr.—116
Relationship between certain lattice sums and the Madelung constant, R. H. Wood—681(L)
Relative importance of exciton delocalization and electron delocalization in polyene spectra, J. N. Murrell—1162(L)
Rotation–vibration spectrum of matrix-isolated hydrogen chloride, L. J. Schoen, D. E. Mann, Charles Knobler, and David White—1146(L)
Spin Hamiltonian of chromium (III) in a cubic field, B. R. McGarvey—3020(L)
Theory of electronic energy relaxation in the solid phase, G. W. Robinson and R. P. Frosch—1962
Theory of paramagnetic excitons in solid free radicals, Ruth M. Lynden-Bell and Harden M. McConnell—794
Thermal study of crystal field splittings in erbium ethylsulfate, B. C. Gerstein, C. J. Penney, and F. H. Spedding—2610
Trends in the lattice "combination bands" of zincblende-type semiconductors, Robert W. Keyes—72
Vibration spectrum of copper by Dayal's secular determinant, B. B. Tripathi—1576(L)

Crystal Structure

Chemical bonding in the perchromate ion, J. D. Swalen and James A. Ibers—17
Crystal chemical study of the rare-earth iron garnets, G. P. Espinosa—2344
Crystal structure of copper ammonium oxalate dihydrate, $Cu(NH_4)_2(C_2O_4)_2 \cdot 2H_2O$, M. A. Viswamitra—1408
Crystal structure of $CsMnF_3$, Allan Zalkin, Kenneth Lee, and David H. Templeton—697
Crystal structure of the carbon tetrabromide *p*-xylene complex, Frederick J. Strieter and David H. Templeton—161
Density and expansivity of solid xenon, D. Richard Sears and Harold P. Klug—3002
Madelung constants for the calcium carbide and pyrite crystal structures, Robert Wood—598
Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl, Brian Dickens and William N. Lipscomb—2084
New orthorhombic phase in the Ru–B and Os–B systems, R. B. Roof, Jr. and C. P. Kempter—1473
Polyhedral clathrate hydrates. III. The structure of the tetra *n*-butyl ammonium benzoate hydrate, M. Bonamico, G. A. Jeffrey, and R. K. McMullan—2219
Polyhedral clathrate hydrates, IV. The structure of the tri *n*-butyl sulfonium fluoride hydrate, G. A. Jeffrey and R. K. McMullan—2231
Single crystal x-ray diffraction study of β-nitrogen, William E. Streib, Truman H. Jordan, and William N. Lipscomb—2962
Structure of $Cu_2B_{10}H_{16}$, Robert D. Dobrott and William N. Lipscomb—1779

Detonation (see also Shock Waves)

Deuterium (see Isotopes)

Dielectrics

Dielectric behavior of some bentonites, Sabita Ghosh—199(L)
Dielectric constant of ethanol in the neighborhood of the critical temperature, Peter Newton, Charles S. Copeland, and Sidney W. Benson—339
Dielectric loss in the liquid crystal *p*-azoxyanisole, E. F. Carr —104
Dielectric properties of glycerol–water mixtures, G. E. McDuffie, Jr., R. G. Quinn, and T. A. Litovitz—239

Dielectric relaxation in associated liquids, G. E. McDuffie, Jr. and T. A. Litovitz—1699
Dipole moment of formic acid, HCOOH and HCOOD, Hyunyong Kim, R. Keller, and William D. Gwinn—2748
Dispersion at millimeter wavelengths in methyl and ethyl alcohols, J. A. Saxton, R. A. Bond, G. T. Coats, and R. M. Dickinson—2132
Effect of absorbed water upon the dielectric properties of certain acrylic ester polymers, Donald J. Scheiber and Darwin J. Mead—81
Electric dipole moment of *n*-amylamine and hydrogen bonding in amines, Bal Krishna and Amar Nath Srivastava—1574(L)
Electric resonance spectrum and dipole moment of BaO, L. Wharton, M. Kaufman, and W. Klemperer—621
Generalized form for dispersion interaction, Bruno Linder—963
Infrared intensities of silane, Ira W. Levin and W. T. King—1375
Longitudinal and transverse electron polarizabilities and magnetic susceptibilities of the aliphatic C—C and C—H bonds, R. F. Zürcher—2421
Medium effects in nuclear magnetic resonance. II. Proton resonance of gaseous CHF_3, L. Petrakis and H. J. Bernstein—2731(L)
Microwave spectrum and dipole moment of monofluoroacetonitrile, Jack D. Graybeal and Donald W. Roe—2503(L)
Microwave spectrum of chlorine dioxide. V. The Stark and Zeeman effect, W. M. Tolles, James L. Kinsey, R. F. Curl, and R. F. Heidelberg—927
Microwave spectrum, structure, and dipole moment of carbonyl fluoride, Victor W. Laurie, Dallas T. Pence, and Robert H. Jackson—2995
New electro-optic effect: Color change produced by an electric field, Chester T. O'Konski and Klaus Bergmann—1573(L)
Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies, O. F. Devereux and P. L. de Bruyn—2147
Polarizability change in liquids due to many-body interactions, Robert Yaris and Bernard Kirtman—1775
Polarization of the electret, Bernhard Gross and R. J. De Moraes—710

Diffusion

Aluminum ion diffusion in aluminum oxide, A. E. Paladino and W. D. Kingery—957
Anomalous polymer-penetrant permeation, H. L. Frisch—2408
Determination of gaseous-diffusion coefficients from viscosity measurements, Stanley Weissman and E. A. Mason—1289
Diffusion of krypton-85 in dense gases, Leo Durbin and Riki Kobayashi—1643
Diffusion of water in a sodium carboxymethyl cellulose gel, W. T. Higdon and J. D. Robinson—1161(L)
Diffusional contribution to the total flow from a Knudsen cell, W. L. Winterbottom and J. P. Hirth—784
Effect of an electric field on silicon oxidation, Paul J. Jorgensen—874
Interruption of nuclear spin diffusion, D. A. Jennings and W. H. Tanttila—1874
Linear free-energy relationship in the diffusion of gases through polymer films, T. K. Kwei and William Arnheim—1900(L)
Mechanical basis of diffusion, C. Truesdell—2336
Multiple reaction vapor treatment of solids, R. F. Lever—1078
Multiple reactions and the vapor transport of solids, G. Mandel—1177
NMR relaxation times in solid white phosphorus: Diffusion and rotation, Henry A. Resing—2575
Self-diffusion and impurity-controlled proton relaxation in liquid ethane, J. V. Gaven, W. H. Stockmayer, and J. S. Waugh—1188
Self-diffusion coefficients of carbon dioxide at 1180°–1680°K, G. Ember, J. R. Ferron, and K. Wohl—891
Transport of solid through the gas phase using a single heterogeneous equilibrium, R. F. Lever—1174

Effusion

Diffusional contribution to the total flow from a Knudsen cell, W. L. Winterbottom and J. P. Hirth—784

Electrical Properties

Calculated electron mobility and electrical conductivity in crystals of linear polyenes, Marvin C. Tobin—1156(L)
Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$, W. F. Giauque, D. N. Lyon, E. W. Hornung, and T. E. Hopkins—1446
Effect of halogens on the resistance of single crystals of copper phthalocyanine, James Curry and Eugene P. Cassidy—2154(L)
Effect of pressure on the resistance of fused-ring aromatic compounds, G. A. Samara and H. G. Drickamer—474
Effect of pressure on the resistance of PbS and PbTe, G. A. Samara and H. G. Drickamer—1159(L)
Effect of pressure on the resistance of pyrolytic graphite, G. A. Samara and H. G. Drickamer—471
Effect of pressure on the resistance of three thallous halides, G. A. Samara and H. G. Drickamer—408
Electrical conduction in nonstoichiometric α-Nb_2O_5, R. F. Janninck and D. H. Whitmore—2750
Electrical conductance of solutions of salts in liquid metals. II. Potassium fluoride and bromide in potassium, H. R. Bronstein, A. S. Dworkin, and M. A. Bredig—677(L)
Electrical measurements on polyvinylene and polyphenylene, S. B. Mainthia, P. L. Kronick, and M. M. Labes—2509(L)
Electrical properties of heavily doped niobium pentoxide, R. Valletta—67
Electronic transport in crystalline and liquid pyrene, Oliver H. LeBlanc, Jr.—916(L)
Emissivity and photoconductivity of organic molecular crystals, M. Kleinerman, L. Azarraga, and S. P. McGlynn—1825
On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr, and Xe, H. Ted Davis, Stuart A. Rice, and Lothar Meyer—947
On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, Xe, H. T. Davis, Stuart A. Rice, and Lothar Meyer—2470
Photoconductivity of organic molecular crystals and the triplet state, Marcos Kleinerman and S. P. McGlynn—1369(L)
Some comments on the photoconductivity of organic molecular crystals and the triplet state, Barnett Rosenberg—1371(L)
Temperature coefficient of resistance of iodine and selenium at high pressure, B. M. Riggleman and H. G. Drickamer—446(L)
Temperature dependence of ionic mobilities in gas mixtures, G. E. Courville and Manfred A. Biondi—616
Temperature dependence of photoconductivity of metal-free phthalocyanine, C. Y. Liang, E. G. Scalco, and G. Oneal, Jr.—459(L)

Electrochemistry

Conductance of NaI-C_2H_5OH systems in the vicinity of the critical temperature, Peter E. M. Allen, Sidney W. Benson, and Charles S. Copeland—132

Determination of the solvation number of the magnesium ion in methanol by NMR techniques, J. H. Swinehart and H. Taube—1579(L)

Effect of inert salts on equilibrium and rate constants for ionic reactions, J. W. Gryder—718

Electrical conductance of solutions of salts in liquid metals. II. Potassium fluoride and bromide in potassium, H. R. Bronstein, A. S. Dworkin, and M. A. Bredig—677(L)

Exchange interaction with electrolytically generated benzonitrile negative ion, Peter Ludwig and Ralph N. Adams—828

Kinetic theory of dense fluids. XII, Electronic and ionic motion in liquid He^4I and liquid He^3, H. T. Davis, Stuart A. Rice, and Lothar Meyer—1521

New evidence for tetrahalide complex ions in cadmium halide–alkali metal halide melts, M. A. Bredig—451(L)

On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr, and Xe, H. Ted Davis, Stuart A. Rice, and Lothar Meyer—947

Raman spectral studies of molten potassium bisulfate. II. Vibrational frequencies of S_2O_7 groups, G. E. Walrafen, D. E. Irish, and T. F. Young—662

Electron Affinity

Absorption spectra of gaseous halide ions and halogen electron affinities: chlorine, bromine and iodine, R. Stephen Berry Curt W. Reimann, and G. Neil Spokes—2278

Electron affinity of atomic iodine, Bruce Steiner, Michael L. Seman, and Lewis M. Branscomb—1200

Erratum and addendum: Negative atomic ions II [J. Chem. Phys. **36,** 623 (1962)], J. W. Edie and F. Rohrlich—1151(L)

Electron Diffraction

Absorption of hydrogen on a (110) nickel surface, L. H. Germer and A. U. MacRae—1382

Low-energy electron diffraction study of silicon surface structures, J. J. Lander and J. Morrison—729

Emission Spectra

Angular distribution of intensity and polarization in the triplet–singlet emission of benzene, H. F. Hameka—1085

Charge transfer cross section for electronically excited N_2^+ with O atoms at low energy, Walter Roth—925(L)

Continuum radiation from ionized rare gases in reflected shock waves, Frederick H. Mies—1101

Erratum: Absorption and fluorescence spectra of Pr^{3+} in $LaBr_3$ [J. Chem. Phys. **36,** 1889 (1961)], E. Y. Wong and I. Richman—2498(L)

Erratum: Chemically induced vibrational excitation: Hydroxyl radical emission in the 1–3 micron region produced by the $H+O_3$ atomic flame [J. Chem. Phys. **32,** 880 (1960)], David Garvin, H. P. Broida, and H. J. Kostkowski—193(L)

Evidence for a long-lived metastable state of N_2 at about 8 eV, Carl Kenty—1567(L)

Factors controlling the intensity of emission of Eu^{3+} and Tb^{3+} in scheelites, L. G. Van Uitert—981

Fluorescence spectra and lifetimes of some rare-earth compounds, Foster F. Rieke and Rinda Allison—3011(L)

Luminescence of solids excited by surface recombination of atoms. I. Luminescence spectra, Kenneth M. Sancier, William J. Fredericks, and Henry Wise—854

Luminescence of solids excited by surface recombination of atoms. II. Recombination coefficients, Kenneth M. Sancier, William J. Fredericks, James L. Hatchett, and Henry Wise—860

Luminescence of solids excited by surface recombination of atoms. III. Measurement of absolute energies released as luminescence and heat, Kenneth M. Sancier, William J. Fredericks, and Henry Wise—865

Nitric oxide bands near 1 μ in shock-heated air, Walter H. Wurster, Charles E. Treanor, and Herbert M. Thompson—2560

Phosphorescence and stimulated emission in organic molecules, D. J. Morantz, B. G. White, and A. J. C. Wright—2041

Quenching interactions between rare-earth ions, L. G. Van Uitert and S. Iida—986

Reaction of nitrogen and hydrogen in a low-temperature plasma, Gene G. Mannella—678(L)

Stimulated emission in a photosensitized rigid-glass solution, E. Dolan and A. C. Albrecht—1149(L)

Temperature dependence and decay times of Eu^{3+} emission lines in Eu dibenzoylmethane, Eran Nardi and Shaul Yatsiv—2333

Variation with exciting wavelength of the fluorescence efficiencies of some alkyl benzenes, Shunji Kato, Sanford Lipsky, and Charles L. Braun—190(L)

Energy Transfer

Classical model for vibrational and rotational excitation of diatomic molecules by collision. II. Interaction with arbitrary potential functions, Sidney W. Benson, George C. Berend, and James C. Wu—1386

Dissociation and isomerization of vibrationally excited species. II. Unimolecular reaction rate theory and its application, Grace M. Wieder and R. A. Marcus—1835

Effect of molecular shape on the nuclear magnetic relaxation, Hiroshi Shimizu—765

Effects of electronic exchange on the efficiency of vibrational excitation by molecular collisions. I. Interaction potential, I. Korobkin and Z. I. Slawsky—226

Electron magnetic resonance of triplet states and the detection of energy transfer in crystals, R. W. Brandon, Roger E. Gerkin, and Clyde A. Hutchison, Jr.—447(L)

Energy-transfer phenomena and dissociation processes in electronically excited molecules, J. C. Lorquet, S. G. ElKomoss, and John L. Magee—1991

Improved rate expression in the quasi-equilibrium theory of mass spectra, Marvin Vestal, Austin L. Wahrhaftig, and William H. Johnston—1276

Nuclear spin relaxation in ellipsoids undergoing rotational Brownian motion, D. E. Woessner—647

On the theory of vibrational energy exchange, Joseph T. Vanderslice and Stanley Weissman—2247

Pressure dependence of fluorescence spectra. IV. Effects of vibrational energy transfer between fluorescing molecules, Robert C. Davis and David J. Wilson—848

Quantum-mechanical calculation of harmonic oscillator transition probabilities. II. Three-dimensional impulsive collisions, Frederick H. Mies and Kurt E. Shuler—177

Quenching and energy transfer by the same substance, Milton Furst and Hartmut P. Kallmann—2159

Rubidium spin relaxation induced by hydrogen, R. G. Brewer —2504(L)
Shock-tube study of the coupling of the O_2–Ar rates of dissociation and vibrational relaxation, Kurt L. Wray—1254
Stimulated emission in a photosensitized rigid-glass solution, E. Dolan and A. C. Albrecht—1149(L)
Temperature dependence of relaxation time in nitrogen, T. L. Cottrell and A. W. Read—2733(L)
Theory of electronic energy relaxation in the solid phase, G. W. Robinson and R. P. Frosch—1962
Vibrational relaxation in carbon dioxide. II, W. J. Witteman—655

Equation of State

Equation of state of classical hard spheres at high density, Z. W. Salsburg and W. W. Wood—798
4-fluorotoluene: Chemical thermodynamic properties, vibrational assignment, and internal rotation, D. W. Scott, J. F. Messerly, S. S. Todd, I. A. Hossenlopp, D. R. Douslin, and J. P. McCullough—867
On the critical properties of dimethyl oxalate, Peter F. Linde and Jarue S. Manning—1372(L)

Errata

Critical comment and erratum: Long-range nuclear magnetic shielding in molecules [J. Chem. Phys. **35,** 1159 (1961)], Jermey I. Musher—192(L)
Erratum: Absorption and fluorescence spectra of Pr^{3+} in $LaBr_3$ [J. Chem. Phys. **36,** 1889 (1961)], E. Y. Wong and I. Richman—2498(L)
Erratum and addendum: Negative atomic ions. II [J. Chem. Phys. **36,** 623 (1962)], J. W. Edie and F. Rohrlich—1151(L)
Erratum and further comments: Radiation damage in organic crystals. III. Long polyene radicals [J. Chem. Phys. **37,** 361 (1962)], Melvin W. Hanna and Harden M. McConnell—3008(L)
Erratum: Chemically induced vibrational excitation: Hydroxyl radical emission in the 1–3 micron region produced by the $H+O_3$ atomic flame [J. Chem. Phys. **32,** 880 (1960)], David Garvin, H. P. Broida, and H. J. Kostkowski—193(L)
Erratum: Effect of next nearest neighbor ions on the crystal field splitting of transition metal ions in crystals [J. Chem. Phys. **35,** 2236 (1961)], J. Ferguson, K. Knox, and D. L. Wood—193(L)
Erratum: EPR spectrum of an azulene free-radical anion [J. Chem. Phys. **36,** 2809 (1962)], Harmon W. Brown and Robert C. Jones—1571(L)
Erratum: Electrostatic energy matrices of the f^5 and f^6 configurations [J. Chem. Phys. **35,** 340 (1961)], B. G. Wybourne —450(L)
Erratum: Electrostatic energy matrices of the f^7 configuration [J. Chem. Phys. **36,** 1481 (1962)], W. A. Runciman—914(L)
Erratum: Heat of formation of deuterated diborane [J. Chem. Phys. **36,** 1118 (1962)], Stuart R. Gunn and LeRoy G. Green—2724(L)
Erratum: Note on Magee–Funabashi's theory of excitation migration [J. Chem. Phys. **36,** 2663 (1962)], Mitio Inokuti—1571(L)
Erratum: Nuclear relaxation processes of a nonequivalent two-spin system [J. Chem. Phys. **34,** 1501 (1961)], Hiroshi Shimizu and Shizuo Fujiwara—675(L)
Erratum: Optical spectra of transition-metal ions in corundum [J. Chem. Phys. **36,** 2757 (1962)], Donald S. McClure—1571(L)
Erratum: Paramagnetic resonance of nickel ions in double-nitrate crystals [J. Chem. Phys. **36,** 2720 (1962)], J. W. Culvahouse—2724(L)
Erratum: Photoionization of nitric oxide [J. Chem. Phys. **36,** 669 (1962)], John P. Doering and Bruce H. Mahan—2724(L)
Erratum: VCl_4 vapor spectrum and Jahn–Teller splitting [J. Chem. Phys. **36,** 366 (1962)], Floyd A. Blankenship and R. Linn Belford—675(L)

Faraday Effect

Theory of singlet–triplet transitions in magnetic rotation spectra, H. F. Hameka—2209

Field Emission Microscopy

Chemisorption of oxygen on ordered tungsten surfaces, T. H. George and P. M. Stier—1935
Field absorption of barium from tungsten, H. Utsugi and R. Gomer—1706
Field desorption of cesium from tungsten, H. Utsugi and R. Gomer—1720
Occurrence of H_3^+ in the field ionization of hydrogen, T. C. Clements and E. W. Müller—2682
Vapor-phase growth kinetics of potassium whiskers by field emission, R. L. Parker and S. C. Hardy—1606

Films (see Surface Phenomena)

Flames

Crystallization-phase transformation rates and flame propagation in cryogenic solids, A. L. Berlad—2157(L)
Recombination of ions in flames, I. R. King—74

Fluorescence

Absorption and fluorescence spectra of hexagonal $SmCl_3$ and their Zeeman effects, M. S. Magno and G. H. Dieke—2354
Effect of added quenchers in organic scintillator solutions: Aromatic halides, John L. Kropp and Milton Burton—1742
Effect of added quenchers in organic scintillator solutions: Organometallics, John L. Kropp and Milton Burton—1752
Emissivity and photoconductivity of organic molecular crystals, M. Kleinerman, L. Azarraga, and S. P. McGlynn—1825
Factors controlling the intensity of emission of Eu^{3+} and Tb^{3+} in scheelites, L. G. Van Uitert—981
Fluorescence polarization of some porphyrins, Martin Gouterman and Lubert Stryer—2260
Fluorescence quenching of a scintillation solution by oxygen, I. B. Berlman and T. A. Walter—1888(L)
Fluorescence spectra and lifetimes of some rare-earth compounds, Foster F. Rieke and Rinda Allison—3011(L)
Luminescence decay times: Concentration effects, Juan Yguerabide and Milton Burton—1757
Polarization of the luminescence of phenanthrene, T. Azumi and S. P. McGlynn—2413
Pressure dependence of fluorescence spectra. IV. Effects of vibrational energy transfer between fluorescing molecules, Robert C. Davis and David J. Wilson—848
Quenching and energy transfer by the same substance, Milton Furst and Hartmut P. Kallmann—2159
Quenching interactions between rare-earth ions, L. G. Van Uitert and S. Iida—986
Rapid triplet excitation migration in organic crystals, G. C. Nieman and G. W. Robinson—2150(L)
Relation between absorption and fluorescence spectra of triphenylmethyl, S. I. Weissman—1886(L)

Relationship between absorption intensity and fluorescence lifetime of molecules, S. J. Strickler and Robert A. Berg—814
Temperature dependence and decay times of Eu^{3+} emission lines in Eu dibenzoylmethane, Eran Nardi and Shaul Yatsiv —2333
Variation with exciting wavelength of the fluorescence efficiencies of some alkyl benzenes, Shunji Kato, Sanford Lipsky, and Charles L. Braun—190(L)

Free Radicals

Crystallization-phase transformation rates and flame propagation in cryogenic solids, A. L. Berlad—2157(L)
Decomposition of the *t*-butoxy radical; evidence for pressure dependence, Harold Hershenson and Sidney W. Benson—1889(L)
Effect of lifetime of free radicals in chemical reactions on ESR relaxation, Junkichi Sohma—2151(L)
Electron magnetic resonance of an oriented allyl-type radical, C. Heller and T. Cole—243
EPR study of tetracene positive ion, James S. Hyde and Harmon W. Brown—368
ESR investigation of some thiazine and oxazine dye radicals, F. W. Heineken, M. Bruin, and F. Bruin—1479
Electron spin resonance of a γ-irradiated single crystal of *N*-acetyl methionine, Ernesto Cipollini and Walter Gordy—13
Electron spin resonance of an irradiated single crystal of *N*-carbamyl glycine, D. V. G. L. Narasimha Rao and Mikio Katayama—382
Electron spin resonance of azulene anion radicals, Ivan Bernal, Phillip H. Rieger, and George K. Fraenkel—1489
Electron spin resonance of gamma-irradiated single crystal of acetyl-*L*-glutamic acid, Mikio Katayama—2143
Electron spin resonance of the thioxanthone *S,S*-dioxide mononegative ion. Conjugation in sulfones, Gershon Vincow—2484
ESR signals observed in ultraviolet irradiated glasses of organic solutions, E. Dolan—2508(L)
Electron spin resonance spectra of carbonyl anion radicals Philip H. Rieger and George K. Fraenkel—2811
ESR spectrum and spin densities for the biquaternary bipyridyl radical cation, C. S. Johnson, Jr., R. E. Visco, H. S. Gutowsky, and A. M. Hartley—1580(L)
ESR spectrum of 2,2′ dipyridyl-Na complex, A. Zahlan, F. W. Heineken, M. Bruin, and F. Bruin—683(L)
ESR studies of free radical decay in irradiated polyethylene, Francis Cracco, A. J. Arvia, and Malcom Dole—2449
ESR study of free radicals produced by irradiation in benzene and its derivatives, Shun-ichi Ohnishi, Tadayoshi Tanei, and Isamu Nitta—2402
ESR study of the triphenylphosphine anion, Melvin W. Hanna —685(L)
ESR study of thio-indigo and related free radicals, M. Bruin, F. Bruin, and F. W. Heineken—135
Erratum and further comments: Radiation damage in organic crystals. III. Long polyene radicals [J. Chem. Phys. **37,** 361 (1962)], Melvin W. Hanna and Harden M. McConnell—3008(L)
Erratum: Chemically induced vibrational excitation: Hydroxyl radical emission in the 1–3 micron region produced by the $H+O_3$ atomic flame [J. Chem. Phys. **32,** 880 (1960)], David Garvin, H. P. Broida, and H. J. Kostkowski—193(L)
Erratum: EPR spectrum of an azulene free-radical anion [J. Chem. Phys. **36,** 2809 (1962)], Harmon W. Brown and Robert C. Jones—1571(L)
HCl-catalyzed decomposition of di-tertiary butyl peroxide in the gas phase, Michael Flowers, Leslie Batt, and Sidney W. Benson—2662
Kinetics of disappearance of radic trapped in irradiated polyethylene, W. V. Smith and B. L. Jacobs—141
Narrow ESR hyperfine structure lines for a free radical dissolved in water, F. Bruin, F. W. Heineken, and M. Bruin—682(L)
Paramagnetic resonance in oriented ground-state triplet molecules, Roy W. Brandon, Gerhard L. Closs, and Clyde A. Hutchison, Jr.—1878(L)
Radiation damage in organic crystals. III. Long polyene radicals, M. W. Hanna, A. D. McLachlan, H. H. Dearman, and H. M. McConnell—361
Radiation-induced free radicals in sulfur compounds. ESR studies in the polycrystalline state, Thormod Henriksen—2189
Reaction of methyl-d_3 radicals with isobutane, isobutane-2-*d*, and propane, W. M. Jackson, J. R. McNesby, and B. deB. Darwent—1610
Second-order splittings in the ESR spectra of organic radicals, Richard W. Fessenden—747
Spin densities in the cyclohexadienyl free radical, Hanns Fischer—1094
Spin distribution in ketyl radicals, Noboru Hirota—1884(L)
Thermal reactions of isobutyl radicals, W. M. Jackson, J. R. McNesby, and B. deB. Darwent—2256
Unimolecular decomposition of chemically activated *sec*-butyl and *sec*-butyl-d_1 radicals. The reaction of H and D atoms with *trans*-butene-2 and butene-1, R. F. Kubin, B. S. Rabinovitch, and R. E. Harrington—937

Free Rotation (see **Rotation**)

Gases

Absorption spectra of hydrogen halide-rare gas mixtures, D. H. Rank, B. S. Rao, and T. A. Wiggins—2511
Auto-detachment of electrons in sulfur hexafluoride, D. Edelson, J. E. Griffiths, and K. B. McAfee, Jr.—917(L)
Cleavage of alkali halide single crystals in high vacua. Analysis of evolved gases, T. A. Vanderslice and N. R. Whetten—535
Determination of virial coefficients from the potential of mean force, William G. Hoover and Jacques C. Poirier—1041
Diffusion of krypton-85 in dense gases, Leo Durbin and Riki Kobayashi—1643
Fourth virial coefficient for a square-mound-potential gas, G. H. A. Cole—1631
Mass spectrometry of ions in glow discharges. III. Nitrogen and its mixtures with hydrogen and oxygen, P. F. Knewstubb and A. W. Tickner—2941
Molecular friction in dilute gases. III. Rotational relaxation in polyatomic fluids, Norman F. Sather and John S. Dahler—1947
Recombination of ions in flames, I. R. King—74
Solubility of naphthalene in compressed gases, A. D. King, Jr., and W. W. Robertson—1453
Temperature dependence of ionic mobilities in gas mixtures, G. E. Courville and Manfred A. Biondi—616
Total scattering cross sections of H_2O and NH_3, Paul H. Kydd —931

Glasses

Color centers in a cerium-containing silicate glass, Jackson S. Stroud—836

ESR observation of $\Delta m = 1$ transitions of triplet states in glasses, W. A. Yager, Edel Wasserman, and R. M. R. Cramer —1148(L)

ESR signals observed in ultraviolet irradiated glasses of organic solutions, E. Dolan—2508(L)

On a general relation involving the glass temperature and coefficients of expansion of polymers, Robert Simha and R. F. Boyer—1003

Paramagnetic resonance of glassy $Mn(H_2O)_6^{2+}$, Fahd G. Wakim and A. W. Nolle—3000

Use of pressure to investigate local symmetry and compressibility in glass, R. E. Tischer and H. G. Drickamer—1554

Heat Capacity (see **Thermodynamic Properties**)

High Pressures

Effect of pressure on cyanine spectra, G. A. Samara, B. M. Riggleman and H. G. Drickamer—1482

Effect of pressure on the resistance of fused-ring aromatic compounds, G. A. Samara and H. G. Drickamer—474

Effect of pressure on the resistance of PbS and PbTe, G. A. Samara and H. G. Drickamer—1159(L)

Effect of pressure on the resistance of pyrolytic graphite, G. A. Samara and H. G. Drickamer—471

Effect of pressure on the resistance of three thallous halides, G. A. Samara and H. G. Drickamer—408

High-pressure phase transition in metallic tin, R. A. Stager, A. S. Balchan, and H. G. Drickamer—1154(L)

High-pressure transition in RbF, G. J. Piermarini and C. E. Weir—1887(L)

Melting curves of five metals under high pressure, Marvin L. McDaniel, Stanley E. Babb, Jr., and Gene J. Scott—822

Melting curves of tin and selenium to 10 000 bars, Stanley E. Babb, Jr.—922(L)

On possible low-pressure polymorphism in LiH, Raoul Weil and A. W. Lawson—2730(L)

Pressure effects on some charge-transfer and transition metal ion spectra in aqueous solution, W. S. Fyfe—1894(L)

Proposed effect of high pressures on the radiationless processes, M. A. El-Sayed—1568(L)

Temperature coefficient of resistance of iodine and selenium at high pressure, B. M. Riggleman and H. G. Drickamer—446(L)

Use of pressure to investigate local symmetry and compressibility in glass, R. E. Tischer and H. G. Drickamer—1554

Hindered Rotation (see **Rotation**)

Infrared Spectra (see **Absorption Spectra**)

Isotope Effects

Benzene ring distortion by one substituent. Microwave determination of the complete structure of benzonitrile, Børge Bak, Daniel Christensen, William B. Dixon, Lise Hansen-Nygaard, and John Rastrup-Anderson—2027

Carbon and oxygen isotope exchange between CO and $Ni(CO)_4$, E. U. Monse and W. Spindel—2393

Effect of liquid-solid phase transition upon the yield of hydrogen from biphenyl, biphenyl-d_{10}, and mixtures of these two substances, J. M. Scarborough and J. G. Burr—1890(L)

Equilibrium constant for boron isotope exchange between BF_3 and $BF_3 \cdot O(CH_3)_2$, A. A. Palko, G. M. Begun, and L. Landau —552

High-resolution nuclear magnetic double resonance by modulation through the spin coupling, Weston A. Andreson—1373(L)

Hydrogen–deuterium kinetic isotope effect, and experimental and theoretical study over a wide range of temperature, Terry E. Sharp and Harold S. Johnston—1541

Infrared spectrum of acetylene-d_1, Walter J. Lafferty, Earle K. Plyler, and Eugene D. Tidwell—1981

Isotope effect in phase equilibria, G. Boato, G. Casanova, and A. Levi—201(L)

Isotopic hydrogen-ion–molecule reactions, B. G. Reuben and L. Friedman—1636

λ anomaly in the heat capacity of para-enriched solid deuterium, George Grenier and David White—1563(L)

Large deuterium isotope effect in the reaction of propane with Hg $6(^3P_1)$ atoms, Yves Rousseau, George N. C. Woodall, and Harry E. Gunning—2722(L)

Oxygen-17 hyperfine structure in electron paramagnetic resonance, James C. Baird—1879(L)

Paramagnetic resonance in oriented ground-state triplet molecules, Roy W. Brandon, Gerhard L. Closs, and Clyde A. Hutchison, Jr.—1878(L)

Paramagnetic term of the susceptibility and its shift with isotope in LiF, Allan M. Russell—214

Quantum treatment of the physical adsorption of isotopic species, Robert Yaris and John R. Sams, Jr.—571

Thermal reactions of isobutyl radicals, W. M. Jackson, J. R. McNesby, and B. deB. Darwent—2256

Kinetics of Reaction

Carbon monoxide–oxygen atom reaction, Bruce H. Mahan and Richard B. Solo— 2669

Charge transfer cross section for electronically excited N_2^+ with O atoms at low energy, Walter Roth—925(L)

Classical model for vibrational and rotational excitation of diatomic molecules by collision. II. Interaction with arbitrary potential functions, Sidney W. Benson, George C. Berend, and James C. Wu—1386

Computation of statistical complexions as applied to unimolecular reactions, E. W. Schlag and R. A. Sandsmark—168

Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions, Joshua Jortner, Michael Ottolenghi, Joseph Rabani, and Gabriel Stein—2488

Decomposition of the *t*-butoxy radical; evidence for pressure dependence, Harold Hershenson and Sidney W. Benson—1889(L)

Determination of the atomic kinetics of the freezing process. I. Theory, J. J. Kramer and W. A. Tiller—841

Dissociation and isomerization of vibrationally excited species. II. Unimolecular reaction rate theory and its application, Grace M. Wieder and R. A. Marcus—1835

Dissociation of gaseous diatomic molecules. II. Effect of anharmonicities, John C. Light and Rodolphe Arnstein—2240

Effect of added quenchers in organic scintillator solutions: Aromatic halides, John L. Kropp and Milton Burton—1742

Effect of added quenchers in organic scintillator solutions: Organometallics, John L. Kropp and Milton Burton—1752

Effect of an electric field on silicon oxidation, Paul J. Jorgensen —874

Effect of inert salts on equilibrium and rate constants for ionic reactions, J. W. Gryder—718

Effect of liquid–solid phase transition upon the yield of hydrogen from biphenyl, biphenyl-d_{10}, and mixtures of these two substances, J. M. Scarborough and J. G. Burr—1890(L)

Energy-transfer phenomena and dissociation processes in electronically excited molecules, J. C. Lorquet, S. G. ElKomoss, and John L. Magee—1991

Flash photolysis of azoethane, B. C. Roquitte and J. H. Futrell —378

Free electrons in active nitrogen, W. B. Kunkel and A. L. Gardner—1785

HCl-catalyzed decomposition of ditertiary butyl peroxide in the gas phase, Michael Flowers, Leslie Batt, and Sidney W. Benson—2662

High-pressure mass spectrometric study of reactions of rare gases with N_2 and CO, M. S. B. Munson, F. H. Field, and J. L. Franklin—1790

Hydrogen–deuterium kinetic isotope effect, and experimental and theoretical study over a wide range of temperature, Terry E. Sharp and Harold S. Johnson—1541

Ionization accompanying the acetylene–oxygen reaction in shock waves, Clifford W. Hand and G. B. Kistiakowsky—1239

Isotopic hydrogen-ion–molecule reactions, B. G. Reuben and L. Friedman—1636

Kinetics of Cs^+ desorption from tungsten, Milton D. Scheer and Joseph Fine—107

Kinetics of disappearance of radicals trapped in irradiated polyethylene, W. V. Smith and B. E. Jacobs—141

Kinetics of disappearance of the CN radical formed from C_2N_2, D. E. Paul and F. W. Dalby—592

Kinetics of the gas-phase addition of HI to C_2H_4 and the pyrolysis of ethyl iodide, Sidney W. Benson and A. N. Bose —2935

Kinetics of the reaction between iodide and HI and the heat of formation of the acetyl radical, H. Edward O'Neal and Sidney W. Benson—540

Kinetics of the reaction of HI with propylene, A. N. Bose and Sidney W. Benson—1081

Large deuterium isotope effect in the reaction of propane with Hg $6(^3P_1)$ atoms, Yves Rousseau, George N. C. Woodall, and Harry E. Gunning—2722(L)

Luminescence of solids excited by surface recombination of atoms. II. Recombination coefficients, Kenneth M. Sancier, William J. Fredericks, James L. Hatchett, and Henry Wise —860

Mass spectrometric studies of atomic reactions. III. The reactions of hydrogen atoms with nitrogen dioxide and with ozone, L. F. Phillips and H. I. Schiff—1233

Mechanism for the chloride-catalyzed thermal decomposition of ammonium nitrate, A. G. Keenan and B. Dimitriades—1583

Molecular rearrangement in the mercury-photosensitized reaction of butene-1, R. J. Cvetanovič and L. C. Doyle—543

Monte Carlo calculation of triatomic dissociation rates. I. N_2O and O_3, Don L. Bunker—393

Monte Carlo calculations. II. The reactions of alkali atoms with methyl iodide, Normand C. Blais and Don. L. Bunker —2713

Multiple reactions and the vapor transport of solids, G. Mandel —1177

NMR-relaxation mechanisms of O^{17} in aqueous solutions of paramagnetic cations and the lifetime of water molecules in the first coordination sphere, T. J. Swift and Robert E. Connick—307

Photolysis of diborane at 1849 Å, W. C. Kreye and R. A. Marcus—419

Quantum-mechanical transition-complex theory of rearrangement collisions, Walter R. Thorson—433

Rare-gas sensitized radiolysis of propane, Jean H. Futrell and Thomas O. Tiernan—1694

Rate of dissociation of N_2O_4 by ultrasonic absorption measurements, Mark Cher—2564

Rate of spherulitic crystallization with chain folds in polychlorotrifluoroethylene, John D. Hoffman and James J. Weeks—1723

Rate of sublimation of ammonium halides, R. F. Chaiken, D. J. Sibbett, J. E. Sutherland, D. K. Van de Mark, and A. Wheeler—2311

Reaction kinetics of a long chain molecule, Joseph B. Keller—2584

Reaction of methyl-d_3 radicals with isobutane, isobutane-2-d, and propane, W. M. Jackson, J. R. McNesby, and B. deB. Darwent—1610

Reaction of nitrogen and hydrogen in a low-temperature plasma, Gene G. Mannella—678(L)

Reaction of $O(^1D)$ with nitrogen, W. DeMore and O. F. Raper —2048

Reaction of hydrogen atoms with hydrazine, ammonia, and nitrous oxide, M. Schiavello and G. G. Volpi—1510

Recombination of ions in flames, I. R. King—74

Shock-tube study of the coupling of the O_2–Ar rates of dissociation and vibrational relaxation, Kurt L. Wray—1254

Studies of metastable ion transitions with a 180° mass spectrometer, Norman D. Coggeshall—2167

Study of the reaction of K with HBr in crossed molecular beams, D. Beck, E. F. Greene, and J. Ross—2895

Surface recombination of nitrogen atoms upon quartz, Thomas Marshall—2501(L)

Theoretical interpretation of reactions occurring in photochlorination, Harold S. Johnston and Paul Goldfinger—700

Thermal reactions of isobutyl radicals, W. M. Jackson, J. R. McNesby, and B. deB. Darwent—2256

Transport of solid through the gas phase using a single heterogeneous equilibrium, R. F. Lever—1174

Unimolecular decomposition of chemically activated *sec*-butyl and *sec*-butyl-d_1 radicals. The reaction of H and D atoms with *trans*-butene-2 and butene-1, R. F. Kubin, B. S. Rabinovitch, and R. E. Harrington—937

Vacuum ultraviolet photolysis of methane, Bruce H. Mahan and Robert Mandel—207

Vapor-phase radiolysis of propane-d_8 in the presence of other hydrocarbons, Sharon G. Lias and P. Ausloos—877

Vibrationally excited O_2 molecules from the reactions of O atoms with NO_2 and with O_3, L. F. Phillips and H. I. Schiff —924(L)

Large Molecules (see Polymers)

Light Scattering

Critical opalescence of polystyrene solutions, D. McIntyre, A. Wims, and M. S. Green—3019(L)

Liquids

Comparison of radial distribution functions from integral equations and Monte Carlo, A. A. Broyles, S. U. Chung, and H. L. Sahlin—2464

Compressibility of liquid sodium–potassium alloys, G. Abowitz and R. B. Gordon—125

Electric conduction in liquid hydrocarbons. I. Benzene, E. O. Forster—1021

Equilibrium statistical mechanics of inhomogeneous fluids, Frank H. Stillinger and Frank P. Buff—1

Hole theory of liquids and dense gases. I. Equation of state, Douglas Henderson—631

"Improved" free volume theory of liquids. III. Approximate theory of molecular correlations in liquids, Harold S. Chung and John S. Dahler—1620

Kinetic theory of dense fluids. XII. Electronic and ionic motion in liquid He^4I and liquid He^3, H. T. Davis, Stuart A. Rice, and Lothar Meyer—1521

Linear form of the Antoine vapor-pressure equation, Oscar C. Bridgeman and Elizabeth W. Aldrich—195(L)

Monte Carlo calculations on the cell-cluster theory of fluids, Mariana Weissmann and Robert M. Mazo—2930

On the critical properties of dimethyl oxalate, Peter F. Linde and Jarue S. Manning—1372(L)

On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, Xe, H. T. Davis, Stuart A. Rice, and Lothar Meyer—2470

Raman spectral studies of molten selenious acid, G. E. Walrafen—1468

Relation between the compressibility and the coexistence curve near the critical point, B. Widom—2703

Solubility of helium in liquid hydrogen, Leonard O. Roellig and Clayton Giese—114

Structure of simple fluids: Tunnel model, J. A. Barker—1061

Magnetic Resonance

Absence of a linewidth transition for the protons in KH_2PO_4-type crystals, J. L. Bjorkstam, E. D. Jones, H. B. Silsbee, and E. A. Uehling—469

Alternating linewidths in the ESR spectra of dinitrobenzene anion radicals, Jack H. Freed, Philip H. Rieger, and George K. Fraenkel—1881(L)

Analysis of complex NMR spectra. An iterative method, J. D. Swalen and C. A. Reilly—21

Analysis of the NMR and double resonance spectra of the isomers of N_2F_2, Joseph H. Noggle, John D. Baldeschwieler, and Charles B. Colburn—182

Anomalous alternating linewidths in ESR spectra, Jack H. Freed and George K. Fraenkel—1156(L)

Anomalous chemical shifts in the proton magnetic resonance spectra of the dimethylcyclohexanes and related hydrocarbons, Norbert Muller and William C. Tosch—1167

Comment on "The molecular structure of diphenylethers," Hiroshi Shimizu, Shizuo Fujiwara, and Yonezo Morino—1565(L)

Critical comment and erratum: Long-range nuclear magnetic shielding in molecules [J. Chem. Phys. **35**, 1159 (1961)], Jermey I. Musher—192(L)

Determination of the solvation number of the magnesium ion in methanol by NMR techniques, J. H. Swinehart and H. Taube—1579(L)

Diffusion of water in a sodium carboxymethyl cellulose gel, W. T. Higdon and J. D. Robinson—1161(L)

Double resonance and proton relaxation in asphalt solutions, Edward H. Poindexter—463

Effect of lifetime of free radicals in chemical reactions to ESR relaxation, Junkichi Sohma—2151(L)

Effect of molecular shape on the nuclear magnetic relaxation, Hiroshi Shimizu—765

Effect of the solvent on the ESR spectrum of a free radical, F. W. Heineken, M. Bruin, and F. Bruin—452(L)

Electron and nuclear magnetic interaction in triplet states of various organic phosphors, Bernard Smaller—1578(L)

Electron coupling of nuclear spins. VI. Relative signs of J_{gem}^{HH}, J_{v}^{HH}, and J_{t}^{HH} in (2.2)metacyclophane, H. S. Gutowsky and Cynthia Juan—120

Electron magnetic resonance of an oriented allyl-type radical, C. Heller and T. Cole—243

Electron magnetic resonance of triplet states and the detection of energy transfer in crystals, R. W. Brandon, Roger E. Gerkin, and Clyde A. Hutchison, Jr.—447(L)

Electron paramagnetic resonance studies of the ZnS-*A* and -*B* centers, Paul H. Kasai and Yoshiro Otomo—1263

EPR study of tetracene positive ion, James S. Hyde and Harmon W. Brown—368

ESR and optical spectrum of potassium perchromate, B. R. McGarvey—2001

Electron spin resonance in copper (II) malonate, R. Rajan—460(L)

Electron spin resonance in ethylene diamine copper (II) nitrate, R. Rajan—1901(L)

Electron spin resonance in polycrystalline graphite, L. S. Singer and G. Wagoner—1812

ESR investigation of some thiazine and oxazine dye radicals, F. W. Heineken, M. Bruin, and F. Bruin—1479

ESR observation of $\Delta m = 1$ transitions of triplet states in glasses, W. A. Yager, Edel Wasserman, and R. M. R. Cramer—1148(L)

Electron spin resonance of a γ-irradiated single crystal of *N*-acetyl methionine, Ernesto Cipollini and Walter Gordy—13

Electron spin resonance of a γ-irradiated single crystal of trifluoroacetamide, Robert J. Lontz and Walter Gordy—1357

Electron spin resonance of an irradiated single crystal of *N*-carbamyl glycine, D. V. G. L. Narasimha Rao and Mikio Katayama—382

Electron spin resonance of azulene anion radicals, Ivan Bernal, Phillip H. Rieger, and George K. Fraenkel—1489

Electron spin resonance of gamma-irradiated single crystal of acetyl-*L*-glutamic acid, Mikio Katayama—2143

Electron spin resonance of the thioxanthone S,S-dioxide mononegative ion. Conjugation in sulfones, Gershon Vincow—2484

ESR signals observed in ultraviolet irradiated glasses of organic solutions, E. Dolan—2508(L)

Electron spin resonance spectra of carbonyl anion radicals Philip H. Rieger and George K. Fraenkel—2811

ESR spectrum and spin densities for the biquaternary bipyridyl radical cation, C. S. Johnson, Jr., R. E. Visco, H. S. Gutowsky, and A. M. Hartley—1580(L)

ESR spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical, S. Arai, S. Shida, K. Yamaguchi, and Z. Kuri—1885(L)

ESR spectrum of 2,2′ dipyridyl-Na complex, A. Zahlan, F. W. Heineken, M. Bruin, and F. Bruin—683(L)

ESR studies of free-radical decay in irradiated polyethylene, Francis Cracco, A. J. Arvia, and Malcolm Dole—2449

ESR studies of γ-irradiated *n*-octadecyl disulfide, Frank K. Truby, Crawford MacCallum, and James E. Hesse—2777

ESR study of free radicals produced by irradiation in benzene and its derivatives, Shun-ichi Ohnishi, Tadayoshi Tanei, and Isamu Nitta—2402

ESR study of the triphenylphosphine anion, Melvin W. Hanna —685(L)

ESR study of thio-indigo and related free radicals, M. Bruin, F. Bruin, and F. W. Heineken—135

Energy moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines, V. Frank—148

Erratum and further comments: Radiation damage in organic crystals. III. Long polyene radicals [J. Chem. Phys. **37,** 361 (1962)], Melvin W. Hanna and Harden M. McConnell—3008(L)

Erratum: EPR spectrum of an azulene free-radical anion [J. Chem. Phys. **36,** 2809 (1962)], Harmon W. Brown and Robert C. Jones—1571(L)

Erratum: Nuclear relaxation processes of a nonequivalent two-spin system [J. Chem. Phys. **34,** 1501 (1961)], Hiroshi Shimizu and Shizuo Fujiwara—675(L)

Erratum: Paramagnetic resonance of nickel ions in double-nitrate crystals [J. Chem. Phys. **36,** 2720 (1962)], J. W. Culvahouse—2724(L)

Evaluation of the spin–spin interaction in benzene, R. M. Pitzer and H. F. Hameka—2725(L)

Exchange interaction with electrolytically generated benzonitrile negative ion, Peter Ludwig and Ralph N. Adams—828

Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange, S. Alexander—967

Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange, S. Alexander—974

Free electrons in active nitrogen, W. B. Kunkel and A. L. Gardner—1785

High-resolution nuclear magnetic double resonance by modulation through the spin coupling, Weston A. Anderson—1373(L)

Hindered internal rotation and ESR spectroscopy, Ellery W. Stone and August H. Maki—1326

Influence of a second radiofrequency field on high-resolution nuclear magnetic resonance spectra, W. A. Anderson and R. Freeman—85

Interruption of nuclear spin diffusion, D. A. Jennings and W. H. Tanttila—1874

Isotope effects and the mechanism of atom production in gamma-irradiated ice at 4.2°K, Henry S. Judeikis, John M. Flournoy, and Seymour Siegel—2272

Linear variation of proton magnetic shielding with electric field, Jeremy I. Musher—34

Long-range coupling in the NMR spectra of aldehydic protons in aromatic compounds, Dora G. de Kowalewski and Valdemar J. Kowalewski—1009

Magnetic-resonance studies of lithium vanadium bronze, Julien Gendell, R. M. Cotts, and M. J. Sienko—220

Magnetic shielding in some diatomic molecules, C. William Kern and William N. Lipscomb—260

Measurement by cyclotron resonance of molecular cross sections for elastic collisions with 295°K electrons, K. D. Bayes, D. Kivelson, and S. C. Wong—1217

Medium effects in nuclear magnetic resonance. II. Proton resonance of gaseous CHF_3, L. Petrakis and H. J. Bernstein—2731(L)

Method for determining magnetic susceptibilities by NMR, K. Frei and H. J. Bernstein—1891(L)

Narrow ESR hyperfine structure lines for a free radical dissolved in water, F. Bruin, F. W. Heineken, and M. Bruin—682(L)

^{19}F chemical shift of nitrosyl fluoride, John R. Holmes, Burch B. Stewart, and James S. MacKenzie—2728(L)

Nonbonded C^{13}–H spin–spin couplings in substituted ethylenes, Norbert Muller2729—(L)

Nuclear magnetic double resonance spectra of three spin systems, B. D. Nageswara Rao and John D. Baldeschwieler—2473

NMR and double resonance spectra of CH_2F_2 and CH_3CHF_2 in the gas phase, George W. Flynn and John D. Baldeschwieler—2907

Nuclear magnetic resonance of Cl^{35} in paramagnetic $FeCl_2$, R. G. Barnes and S. L. Segel—1895(L)

NMR parameters in *cis* and *trans* 2-fluoro-3-chloropropene-2, C. A. Reilly—456(L)

NMR-relaxation mechanisms of O^{17} in aqueous solutions of paramagnetic cations and the lifetime of water molecules in the first coordination sphere, T. J. Swift and Robert E. Connick—307

NMR relaxation times in solid white phosphorus: Diffusion and rotation, Henry A. Resing—2575

NMR splittings due to molecular asymmetry, H. S. Gutowsky —2196

NQR and ESR in $AlCl_3 \cdot 6H_2O$, Gerald Burns—1165(L)

Nuclear spin relaxation in ellipsoids undergoing rotational Brownian motion, D. E. Woessner—647

Oxygen-17 hyperfine structure in electron paramagnetic resonance, James C. Baird—1879(L)

Paramagnetic resonance in oriented ground-state triplet molecules, Roy W. Brandon, Gerhard L. Closs, and Clyde A. Hutchison, Jr.—1878(L)

Paramagnetic resonance of cycloheptatrienyl, David E. Wood and Harden M. McConnell—1150(L)

Paramagnetic resonance of glassy $Mn(H_2O)_6^{2+}$, Fred G. Wakim and A. W. Nolle—3000

Paramagnetic resonance of the I_2^- center in KCl doped with KI, Etienne Boesman and Dirk Schoemaker—671(L)

Paramagnetic resonance spectrum of Fe^{3+} in guanidinium aluminum sulfate hexahydrate, E. G. Brock, D. Stirpe, and and E. I. Hormats—2735

Paramagnetic resonance study of production of NO_2 and NO_2^- in irradiated KNO_3, Henry Zeldes and Ralph Livingston—3017(L)

Potential energy as a function of internal rotation in CFClBr–CFClBr by NMR measurements, Douglas S. Thompson, Richard A. Newmark, and Charles H. Sederholm—411

Proton chemical shift in $HCo(CO)_4$, Richard M. Stevens, C. William Kern, and William N. Lipscomb—279

Proton chemical shifts and pi-electron distributions in the hydroxy-benzenes, John C. Schug and Joseph C. Deck—2618

Proton magnetic resonance spectra of tetravinylsilicon, methyl- and ethylvinylketone, S. Castellano and J. S. Waugh—1951

Proton magnetic resonance spectra of 2-pyridines. The strong coupled $AA'KL$ system, Valdemar J. Kowalewski and Dora G. de Kowalewski—2603

Proton magnetic resonance spectrum of HDO, John R. Holmes, Daniel Kivelson, and William C. Drinkard—150

Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. III. $UO_4 2H_2O$, A. L. Porte, H. S. Gutowsky, and J. E. Boggs—2310

Proton NMR spectra of disubstituted benzenes, J. Martin and B. P. Dailey—2594
Proton NMR spectroscopy. XIII. Molecular structure of diphenylethers: An erroneous conclusion, G. V. D. Tiers, F. A. Bovey, and B. L. Shapiro—1564(L)
Proton shielding in diborane, C. William Kern and William N. Lipscomb—275
Protonic spin-lattice relaxation in barium bromide dihydrate, J. W. McGrath and A. A. Silvidi—194(L)
Radiation damage in organic crystals. III. Long polyene radicals, M. W. Hanna, A. D. McLachlan, H. H. Dearman, and H. M. McConnell—361
Radiation-induced free radicals in sulfur compounds. ESR studies in the polycrystalline state, Thormod Henriksen—2189
Relative signs of geminal and vicinal coupling constants in 1,1,4,4-tetramethylcycohexyl-*cis*-2,6-diacetate, B. D. Nageswara Rao, John D. Baldeschwieler, and J. I. Musher—2480
Relative signs of proton spin–spin coupling constants, Ernest Lustig—2725(L)
Rubidium spin relaxation induced by hydrogen, R. G. Brewer—2504(L)
Second-order splittings in the ESR spectra of organic radicals, Richard W. Fessenden—747
Self-diffusion and impurity-controlled proton relaxation in liquid ethane, J. V. Gaven, W. H. Stockmayer, and J. S. Waugh—1188
Shifts of the nuclear spin resonance in cadmium telluride, I. Weinberg—1571(L)
Sign of geminal HH coupling constants in methanes and the effect of substitution, H. J. Bernstein and N. Sheppard—3012(L)
Simple evaluation of the paramagnetic part of the proton magnetic shielding constant, Sunney I. Chan and T. P. Das—1527
Solvent effects in electron spin resonance spectra, Julien Gendell, Jack H. Freed, and George K. Fraenkel—2832
Spin densities in the cyclohexadienyl free radical, Hanns Fischer—1094
Spin-density distribution on nitrile anion radicals, Philip H. Rieger and George K. Fraenkel—2795
Spin-density distributions in conjugated ligands of paramagnetic chelates from NMR contact interaction shifts, D. R. Eaton, A. D. Josey, W. D. Phillips, and R. E. Benson—347
Spin distribution in ketyl radicals, Noboru Hirota—1884(L)
Spin Hamiltonian of chromium (III) in a cubic field, B. R. McGarvey—3020(L)
Spin resonance spectra of substituted aromatic ions; superposition model, John C. Schug, Thomas H. Brown, and Martin Karplus—330
Study of vinyl polymerization by proton magnetic relaxation, G. Bonera, P. De Stefano, and A. Rigamonti—1226
Surface recombination of nitrogen atoms upon quartz, Thomas Marshall—2501(L)
Temperature dependence of ESR spectra of irradiated polytetrafluoroethylene, Naoyuki Tamura—479
Temperature dependence of magnetic resonance absorption in polycrystalline carbons and graphite, Y. Yokozawa—204(L)
Temperature dependence of spin–spin splitting in the hindered rotator $CHCl_2$–CF_2Cl, R. W. Fessenden and J. S. Waugh—1466
Temperature dependence of the ESR spectrum of irradiated oriented polyethylene, Shun-ichi Ohnishi, Shun-ichi Sugimoto, and Isamu Nitta—1283
Theory of paramagnetic excitons in solid free radicals, Ruth M. Lynden-Bell and Harden M. McConnell—794
Two synthesizer nuclear spin decoupling; INDOR spectra of $C^{13}F_3COOH$ and $CF_2C^{13}OOH$, $N^{14}H_4^+$, and $(CH_3)_4Si^{29}$, Edward B. Baker—911(L)
Use of spin inversion operators to describe properties of nuclear magnetic double-resonance spectra, Jay Martin Anderson and John D. Baldeschwieler—39
Use of weak perturbing radio-frequency fields in nuclear magnetic double resonance, R. Freeman and W. A. Anderson—2053
Valence-bond studies of the dependence upon substituents of C^{13}–H and Si^{29}–H coupling, Cynthia Juan and H. S. Gutowsky—2198
X-irradiation damage of sucrose single crystal, Howard Shields and Phillip Hamrick—202(L)

Magnetic Susceptibilities

Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$, W. F. Giauque, D. N. Lyon, E. W. Hornung, and T. E. Hopkins—1446
Chemisorption of hydrogen on cobalt, Carlos R. Abeledo and P. W. Selwood—2709
Computation of asymmetric rotator constants from energy moments. IV. Vincent A. Genusa and Paul M. Parker—2832
Longitudinal and transverse electron polarizabilities and magnetic susceptibilities of the aliphatic C–C and C–H bonds, R. F. Zürcher—2421
Magnetic susceptibilities of some first-row atoms and ions, T. W. Sidwell and R. P. Hurst—203(L)
Magnetic susceptibilities of vanadium-doped corundum crystals, C. Richard Quade, William H. Brumage, and Chun C. Lin—1368(L)
Magnetic susceptibility of neptunium hexafluoride in uranium hexafluoride, Clyde A. Hutchison, Jr., Tung Tsang, and Bernard Weinstock—555
Magnetic susceptibility of ruthenium–yttrium oxide ($Ru_2O_4 \cdot Y_2O_3$) powder, J. Rosset and D. K. Ray—1017
Measurement of magnetic induction in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$, W. F. Giauque, E. W. Hornung, R. A. Fisher, and G. E. Brodale—2952
Method for determining magnetic susceptibilities by NMR, K. Frei and H. J. Bernstein—1891(L)
Microscopic basis of macroscopic magnetostatic energy, Allan N. Kaufman and Toshio Soda—1988
Molecular orbital theory of diamagnetism. I. An approximate LCAO scheme, J. A. Pople—53
Molecular orbital theory of diamagnetism. II. Calculation of Pascal constants for some noncyclic molecules, J. A. Pople—60
On Pople's molecular orbital theory of diamagnetism, H. F. Hameka—3008(L)
Paramagnetic term of the susceptibility and its shift with isotope in LiF, Allan M. Russell—214
Reply to letter by H. F. Hameka, J. A. Pople—3009(L)
Simple evaluation of the paramagnetic part of the proton magnetic shielding constant, Sunney I. Chan and T. P. Das—1527
Theory of paramagnetic excitons in solid free radicals, Ruth M. Lynden-Bell and Harden M. McConnell—794
Thermal and magnetic study of crystal field splittings in thulium ethylsulfate, B. C. Gerstein, L. D. Jennings, and F. H. Spedding—1496

Mass Spectra

Auto-detachment of electrons in sulfur hexafluoride, D. Edelson, J. E. Griffiths, and K. B. McAfee, Jr.—917(L)
Detection of H_3^+ in the hydrogen glow discharge, P. H. Dawson and A. W. Tickner—672(L)
Determination of ionization potentials by photo-electron energy measurement, D. W. Turner and M. I. Al Jobory—3007(L)
Effect of oxygen on the vapor pressure of uranium, R. J. Ackermann, E. G. Rauh, and R. J. Thorn—2691
High-pressure mass spectrometric study of reactions of rare gases with N_2 and CO, M. S. B. Munson, F. H. Field, and J. L. Franklin—1790
Improved rate expression in the quasi-equilibrium theory of mass spectra, Marvin Vestal, Austin L. Wahrhaftig, and William H. Johnston—1276
Ionization and excitation processes in argon, krypton, and the C_2 hydrocarbons produced by various means, Charles E. Melton—562
Ionization of the methane molecule by electron impact, Mitio Inokuti—2387
Isotopic hydrogen-ion–molecule reactions, B. G. Reuben and L. Friedman—1636
Mass spectra resulting from high-energy electron impact on some hydrocarbon molecules, J. E. Monahan and H. E. Stanton—2654
Mass spectrometric determination of the heat of sublimation of boron and of the dissociation energy of B_2, G. Verhaegen and J. Drowart—1367(L)
Mass spectrometric studies of atomic reactions. III. The reactions of hydrogen atoms with nitrogen dioxide and with ozone, L. F. Phillips and H. I. Schiff—1233
Mass spectrometric studies of metastable nitrogen atoms and molecules in active nitrogen, S. N. Foner and R. L. Hudson—1662
Mass spectrometric study of the magnesium halides, J. Berkowitz and J. R. Marquart—1853
Mass spectrometry of ions in glow discharges. III. Nitrogen and its mixtures with hydrogen and oxygen, P. F. Knewstubb and A. W. Tickner—2941
Multiply charged organic ions in mass spectra, Seymour Meyerson and R. W. Vander Haar—2458
On the ionization potential of the CH_2 radical, J. Berkowitz and S. Wexler—1476
Reactions of excited butane molecules, D. Beck and A. Niehaus—2705
Reactions of hydrogen atoms with hydrazine, ammonia, and nitrous oxide, M. Schiavello and G. G. Volpi—1510
Stabilities of gaseous boroxine and its fluoro derivatives, Richard F. Porter and William P. Sholette—198(L)
Studies of metastable ion transitions with a 180° mass spectrometer, Norman D. Coggeshall—2167
Thermodynamic study of tin sulfide and lead sulfide using a mass spectrometer, R. Colin and H. Drowart—1120

Mechanics, Classical

Microscopic basis of macroscopic magnetostatic energy, Allan N. Kaufman and Toshio Soda—1988
Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies, O. F. Devereux and P. L. de Bruyn—2147

Mechanics, Quantum

Analysis of complex NMR spectra. An iterative method, J. D. Swalen and C. A. Reilly—21
Analytical method for determining the eigenvalues and eigenfunctions in the statistical theory of atom, T. Tietz—453(L)
Angular distribution of intensity and polarization in the triplet-singlet emission of benzene, H. F. Hameka—1085
Application of configuration interaction to the 2^3S state of helium, H. L. Davis—1508
Approximate excited eigenfunctions for Pr^{3+} and Tm^{3+}, Katheryn Rajnak—2440
Approximating two-electron atomic energies using scaled eigenfunctions: Semiempirical Coulomb-repulsion integrals, Frank O. Ellison—1414
Atomic electric field gradients of five-electron ions, Oscar R. Platas—2755
Attractive forces between long saturated chains at short distances, Lionel Salem—2100
Bond character in XY_M-type molecules: Chlorine-oxygen compounds, E. L. Wagner—751
Bonds and intramolecular forces, Oktay Sinanoğlu—191(L)
Boron hydrides: LCAO–MO and resonance studies, Roald Hoffmann and William N. Lipscomb—2872
Calculation of crystal-field splittings of Sm^{3+} and Dy^{3+} levels in $LaCl_3$ with inclusion of J mixing, J. D. Axe and G. H. Dieke—2364
Charge exchange between gaseous ions and atoms, Donald Rapp and W. E. Francis—2631
Classical and continuum contributions to polarizability and force constants, W. Byers Brown and Erich Steiner—461(L)
Classification of rotational energy levels for symmetric-top molecules, Jon T. Hougen—1433
Comment on "Hellmann–Feynman wave functions," C. A. Coulson and A. C. Hurley—448(L)
Correlation splitting in the hydrogen molecule, Ernest R. Davidson and Leon L. Jones—1918
d-orbitals in compounds of second-row elements. I. SF_6, D. P. Craig and C. Zauli—601
d-orbitals in compounds of second-row elements. II. Comparison of H, C, F, and Cl as ligands, D. P. Craig and C. Zauli—609
Direct-product representation of wavefunctions, Ernest R. Davidson and Leon L. Jones—1616
Distortion of atomic orbitals in molecular orbitals. II. Charge shift and charge deformation of the hydrogen atom in H_2, Robert L. Miller and Peter G. Lykos—993
Effects of electronic exchange on the efficiency of vibrational excitation by molecular collisions. I. Interaction potential, I. Korobkin and Z. I. Slawsky—226
Electronic calculation on NH_3. Harmonic force constants, infrared and ultraviolet spectra, S. Bratož and M. Allavena—2138
Electronic energy of HF as a power series in the internuclear distance, Charles E. Reid—914(L)
Energy-moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines, V. Frank—148
Erratum and addendum: Negative atomic ions. II [J. Chem. Phys. **36**, 623 (1962)], J. W. Edie and F. Rohrlich—1151(L)
Erratum: Electrostatic energy matrices of the f^5 and f^6 configurations [J. Chem. Phys. **35**, 340 (1961)], B. G. Wybourne—450(L)

Erratum: Electrostatic energy matrices of the f^7 configuration [J. Chem. Phys. **36,** 1481 (1962)], W. A. Runciman—914(L)
Erratum: Note on Magee–Funabashi's theory of excitation migration [J. Chem. Phys. **36,** 2663 (1962)], Mitio Inokuti —1571(L)
Erratum: Nuclear relaxation processes of a nonequivalent two-spin system [J. Chem. Phys. **34,** 1501 (1961)], Hiroshi Shimizu and Shizuo Fujiwara—675(L)
Evaluation of molecular integrals by solid spherical harmonic expansions, Russell M. Pitzer, C. William Kern, and William N. Lipscomb—267
Evaluation of the spin–spin interaction in benzene, R. M. Pitzer and H. F. Hameka—2725(L)
External heavy-atom spin-orbital coupling effect. I. The nature of the interaction, S. P. McGlynn, R. Sunseri, and N. Christodouleas—1818
Fermi resonance in linear triatomic molecules in II-electronic states, Jon T. Hougen—403
Frequency counting in lattice dynamics, Jenn-Lin Hwang and Chen-Show Wang—1655
Gaussian orbitals for many-electron molecular wavefunctions, Leland C. Allen—200(L)
Helium atom: A fifth-order wavefunction, Robert E. Knight and Charles W. Scherr—2503(L)
Influence of a second radio-frequency field on high-resolution nuclear magnetic resonance spectra, W. A. Anderson and R. Freeman–85
Influence of vibrations on molecular structure determinations. I. General formulation of vibration–rotation interactions, Dudley R. Herschbach and Victor W. Laurie—1668
Influence of vibrations on molecular structure determinations. II. Average structures derived from spectroscopic data, Victor W. Laurie and Dudley R. Herschbach—1687
Integrals of products of associated Legendre functions, Hubert W. Joy—3018(L)
Interaction of degenerate configurations, Dave Pandres, Jr., and F. A. Matsen—1008
Interactions between ordinary vibrations and hindered internal rotation. I. Rotational energies, Bernard Kirtman—2516
Intramolecular resonance interaction between fundamental vibrations in polyatomic molecules, M. A. El-Sayed—680(L)
Ionization of the methane molecule by electron impact, Mitio Inokuti—2387
Linear variation of proton magnetic shielding with electric field, Jeremy I. Musher—34
Low energy $^5\Sigma_g^+$ states of the nitrogen molecule, Robert S. Mulliken—809
Magnetic shielding in some diatomic molecules, C. William Kern and William N. Lipscomb—260
Magnetic susceptibilities of some first row atoms and ions, T. W. Sidwell and R. P. Hurst—203(L)
Modification of the Rydberg–Klein–Rees method for obtaining potential curves for doublet states intermediate between Hund's cases (a) and (b), Joseph T. Vanderslice—384
Molecular orbital theory of diamagnetism. I. An approximate LCAO scheme, J. A. Pople—53
Molecular orbital theory of diamagnetism. II. Calculation of Pascal constants for some noncyclic molecules, J. A. Pople—60
Molecular orbitals in $B_{10}H_{14}$, Emmett B. Moore, Jr.—675(L)
Natural expansions of exact wavefunctions. I. Method, Ernest R. Davidson—577
Natural expansion of exact wavefunctions. II. The hydrogen-molecule ground state, Ernest R. Davidson and Leon L. Jones—2966
Neutron magnetic form factors and x-ray atomic scattering factors for rare-earth ions, M. Blume, A. J. Freeman, and R. E. Watson—1245
Note on the theory of singlet–triplet transitions, H. F. Hameka —328
Nuclear magnetic double resonance spectra of three spin systems, B. D. Nageswara Rao and John D. Baldeschwieler —2473
NMR splittings due to molecular asymmetry, H. S. Gutowsky —2196
Nuclear moments and intermediate coupling, B. G. Wybourne —1807
On Pople's molecular orbital theory of diamagnetism, H. F. Hameka—3008(L)
On the theory of spin-orbit and hyperfine interactions in molecules. Application to the hydrogen molecule-ion, E. M. Roberts, M. R. Foster, and F. F. Selig—485
On the theory of vibrational energy exchange, Joseph T. Vanderslice and Stanley Weissman—2247
One-center expansion self-consistent-field molecular orbital electronic wave functions for XH_n molecules, Roberto Moccia—910(L)
One-center integrals of extraordinary functions, Lawrence C. Snyder—2986
Optical spectrum of K_2IrCl_6, Keith A. Schroeder—2553
Orbital theories of electronic structure, William H. Adams—2009
Origin of the cotton effect of helical polypeptides, John A. Schellman and Patrick Oriel—2114
Perturbation analysis of two- to four-electron variational wavefunctions, Charles W. Scherr and Jeremiah N. Silverman —1154(L)
Photo- and spectroscopic ionization potentials in the ω-technique framework, S. Ehrenson—455(L)
Polarizability change in liquids due to many-body interactions, Robert Yaris and Bernard Kirtman—1775
Potential curves for BeH^+ and CH^+, Shirley M. Read, Joseph T. Vanderslice, and František Jenč—205(L)
Power series solutions for energy eigenvalues, Don Secrest, K. Cashion, and Joseph O. Hirschfelder—830
Proton chemical shift in $HCo(CO)_4$, Richard M. Stevens, C. William Kern, and William N. Lipscomb—279
Proton shielding in diborane, C. William Kern and William N. Lipscomb—275
Quantum-mechanical calculation of harmonic oscillator transition probabilities. II. Three-dimensional impulsive collisions, Frederick H. Mies and Kurt E. Shuler—177
Quantum-mechanical transition-complex theory of rearrangement collisions, Walter R. Thorson—433
Quantum treatment of the physical adsorption of isotopic species, Robert Yaris and John R. Sams, Jr.—571
Rapid triplet excitation migration in organic crystals, G. C. Nieman and G. W. Robinson—2150(L)
Reply to letter by H. F. Hameka, J. A. Pople—3009(L)
Role of ground state in singlet–triplet transition probabilities, L. Goodman and V. G. Krishna—2721(L)
Semiclassical model of atomic interactions, Oleg Jefimenko—2125

Sequential substitution reactions on $B_{10}H_{10}^{2-}$ and $B_{12}H_{12}^{2-}$, Roald Hoffmann and William N. Lipscomb—520
Shifts of the nuclear spin resonance in cadmium telluride, I. Weinberg—1571
Single-center single-determinant calculation of the relative energies of CH_3^+, CH_3, CH_4, and CH_5^+. The proton affinity of methane, J. R. Hoyland and F. W. Lampe—1066
Single substitution configurations, Levente Szász—193(L)
Solvent effects in electron spin resonance spectra, Julien Gendell, Jack H. Freed, and George K. Fraenkel—2832
Some theoretical aspects of bonding in N—F compounds, Joyce J. Kaufman—759
Spin densities in the cyclohexadienyl free radical, Hanns Fischer—1094
Spin-density distribution on nitrile anion radicals, Philip H. Rieger and George K. Fraenkel—2795
Spin-orbit matrices of the d^6 configuration, Keith A. Schroeder—1587
Spin resonance spectra of substituted aromatic ions; superposition model, John C. Schug, Thomas H. Brown, and Martin Karplus—330
Stark effect in hydrogen, E. Steiner—454(L)
Structure of the ground state of HCN, A. D. McLean—627
Studies in molecular structure. VIII. He_2^{++} in the single- and many-configuration LCAO MO SCF approximation, Serafin Fraga and Bernard J. Ransil—1112
Studies on the alternant molecular orbital method. III. A many-parameter energy expression for systems with closed-shell structure, J. de Heer—2080
Studies on the alternant molecular orbital method. IV. Generalization of the method to states with different multiplicities, Ruben Pauncz—2739
Study of the electron density distribution in the simpler hydrocarbons, Monique Roux, Marguerite Cornille, and Louis Burnelle—933
Sum rules for vibrational-rotational energy levels including centrifugal distortion, Harry C. Allen, Jr., and W. Bruce Olson—212
Symmetry of helical polymers. Electronic states of double-stranded polynucleotides, William Rhodes—2433
Symmetry properties of the asymmetric rotator centrifugal distortion constants, Paul M. Parker—1596
Table of reduced energies for asymmetric top molecules, J. Warren Blaker, Miriam Sidran, and Arthur Kaercher—684(L)
Theoretical vibrational energy levels of H_2 associated with various combinations of molecular-orbital configurations, Gerard M. Leies—1418
Theory of singlet–triplet transitions in magnetic rotation spectra, H. F. Hameka—2209
Theory of torsion vibrations of $(CH_3)_2$ X-type molecules, K. D. Möller and H. G. Andresen—1800
Three-dimensional effective electron-density function, Arthur A. Frost—1147(L)
Use of electrostatic variation principles in molecular energy calculations, David M. Schrader and Stephen Prager—1456
Use of weak perturbing radiofrequency fields in nuclear magnetic double resonance, R. Freeman and W. A. Anderson—2053
Variation–perturbation approach to the interaction of radiation with matter, M. Karplus—2723(L)
Varying orbital exponents in molecular orbital theory, James T. Dehn—2549
Vibrational constants for the ground state of H_2, Mohammad Shafi and Charles L. Beckel—2732(L)
Useful integral for one-center calculations, Antony F. Saturno—921(L)
Virial theorem for polyatomic molecules, A. C. Hurley—449(L)
Wavefunctions for anharmonic oscillators by perturbation methods, A. M. Shorb, R. Schroeder, and E. R. Lippincott—1043

Mechanics, Statistical

Computation of statistical complexions as applied to unimolecular reactions, E. W. Schlag and R. A. Sandsmark—168
Contribution of octopole–octopole interactions to the excess properties of mixtures of tetrahedral molecules, N. G. Parsonage and R. L. Scott—304
Determination of gaseous-diffusion coefficients from viscosity measurements, Stanley Weissman and E. A. Mason—1289
Determination of virial coefficients from the potential of mean force, William G. Hoover and Jacques C. Poirier—1041
Dissociation of gaseous diatomic molecules. II. Effect of anharmonicities, John C. Light and Rodolphe Arnstein—2240
Effect of partial draining on the intrinsic viscosity of flexible macromolecules, John E. Hearst—2547
Equation of state of classical hard spheres at high density, Z. W. Salsburg and W. W. Wood—798
Equilibrium statistical mechanics of inhomogeneous fluids, Frank H. Stillinger and Frank P. Buff—1
Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange, S. Alexander—967
Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange, S. Alexander—974
Fourth virial coefficient for a square-mound-potential gas, G. H. A. Cole—1631
Hartree–Fock perturbation method, William H. Adams—2507(L)
Hole theory of liquids and dense gases. I. Equation of state, Douglas Henderson—631
"Improved" free volume theory of liquids. III. Approximate theory of molecular correlations in liquids, Harold S. Chung and John S. Dahler—1620
Isotope effect in phase equilibria, G. Boato, G. Casanova, and A. Levi—201(L)
Kinetic theory of dense fluids. XII. Electronic and ionic motion in liquid He^4I and liquid He^3, H. T. Davis, Stuart A. Rice, and Lothar Meyer—1521
Lennard-Jones pseudo single-component potential for binary fluid mixtures, Charles E. Hecht—679(L)
Mechanical basis of diffusion, C. Truesdell—2328
Molecular friction in dilute gases. III. Rotational relaxation in polyatomic fluids, Norman F. Sather and John S. Dahler—1947
Monte Carlo calculation of triatomic dissociation rates. I. N_2O and O_3, Don L. Bunker—393
Monte-Carlo calculations on the cell-cluster theory of fluids, Mariana Weissmann and Robert M. Mazo—2930
Monte Carlo calculations. II. The reactions of alkali atoms with methyl iodide, Normand C. Blais and Don L. Bunker—2713
Monte Carlo procedures for generation of nonintersecting chains, F. T. Wall, Stanley Windwer, and Paul J. Gans—1461
Nucleation of vapor deposits, D. Walton—2182

On small-angle critical scattering, H. L. Frisch and G. W. Brady—1514

On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr, and Xe, H. Ted Davis, Stuart A. Rice, and Lothar Meyer—947

On the kinetic theory of dense fluids. XIII. The mobility of negative ions in liquid Ar, Kr, Xe, H. T. Davis, Stuart A. Rice, and Lothar Meyer—2470

Order–disorder theory for linear colloids, Warner L. Peticolas—2323

Pair distribution in the rigid-sphere system by the method of particle scaling, Eugene Helfand and Frank H. Stillinger, Jr.—2646

Phase transitions in one-dimensional order–disorder systems: Application to helix-random coil transition in polymers, M. E. Baur and L. H. Nosanow—153

Physics of semicrystalline polymers, Arthur V. Tobolsky—1139

Relation between the compressibility and the coexistence curve near the critical point, B. Widom—2703

Sedimentation constants of broken chains and wormlike coils, John E. Hearst and Walter H. Stockmayer—1425

Sequential filling of a line by intervals placed at random and its application to linear adsorption, J. K. Mackenzie—723

Statistical thermodynamics of polymer solutions. III. The second virial coefficient for branched star molecules, Edward F. Casassa—2176

Structure of simple fluids: Tunnel model, J. A. Barker—1061

Thermodynamic stability of polymer crystals. II. Torsional vibrations of chain molecules, Anton Peterlin, E. W. Fischer, and Chr. Reinhold—1403

Thermogravitational thermal diffusion in liquids. I. The formal theory, Frederick H. Horne and Richard J. Bearman—2842

Metals

High-pressure phase transition in metallic tin, R. A. Stager, A. S. Balchan, and H. G. Drickamer—1154(L)

Magnetic-resonance studies of lithium vanadium bronze, Julien Gendell, R. M. Cotts, and M. J. Sienko—220

Temperature coefficient of resistance of iodine and selenium at high pressure, B. M. Riggleman and H. G. Drickamer—446(L)

Microwave Spectra (see Absorption Spectra

Molecular Films (see Surface Phenomena)

Molecular Spectra (see Absorption Spectra, Emission Spectra, Fluorescence and Raman Spectra)

Molecular Structure and Constants (see also Absorption Spectra, Fluorescence, Raman Spectra, Electron & X-Ray Diffraction)

Analysis of the NMR and double resonance spectra of the isomers of N_2F_2, Joseph H. Noggle, John D. Baldeschwieler, and Charles B. Colburn—182

Benzene ring distortion by one substituent microwave determination of the complete structure of benzonitrile, Børge Bak, Daniel Christensen, William B. Dixon, Lise Hansen-Nygaard, and John Rastrup-Andersen—2027

Boron hydrides: LCAO–MO and resonance studies, Roald Hoffmann and William N. Lipscomb—2872

Classical and continuum contributions to polarizability and force constants, W. Byers Brown and Erich Steiner—461(L)

Comment on a letter by Kenty "Evidence for a long-lived metastable state of N_2 at about 8 eV," A. Bruce King and Carole Gatz—1566(L)

Comments on "Potential energy function for diatomic molecules," N. R. Tawde and M. R. Katti—674(L)

Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey–Bradley analysis, L. S. Bartell and Kozo Kuchitsu—691

Detection of H_5^+ in the hydrogen glow discharge, P. H. Dawson and A. W. Tickner—672(L)

Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy, Aron Kuppermann and Lionel M. Raff—2497(L)

Effect of centrifugal distortion on the shape of the hydrogen sulfide fundamental infrared bands, M. T. Emerson and D. F. Eggers, Jr.—251

Electric resonance spectrum and dipole moment of BaO, L. Wharton, M. Kaufman, and W. Klemperer—621

Electron coupling of nuclear spins. VI. Relative signs of J_{gem}^{HH}, J_g^{HH} and J_t^{HH} in (2.2)metacyclophane, H. S. Gutowsky and Cynthia Juan—120

Electronic calculation on NH_3. Harmonic force constants, infrared and ultraviolet spectra, S. Bratož and M. Allavena—2138

Extrema in velocity dependence of total elastic cross sections for atomic beam scattering: Relation to diatom bound states, Richard B. Bernstein—1880(L)

Fermi resonance in linear triatomic molecules in Π-electronic states, Jon T. Hougen—403

Gaussian orbitals for many-electron molecular wave functions, Leland C. Allen—200(L)

Influence of vibrations on molecular structure determinations. I. General formulation of vibration–rotation interactions, Dudley R. Herschbach and Victor W. Laurie—1668

Influence of vibrations on molecular structure determinations. II. Average structures derived from spectroscopic data, Victor W. Laurie and Dudley R. Herschbach—1687

Infrared spectrum and structure of germyl cyanide, Theodore D. Goldfarb—642

Infrared spectrum of acetylene-d_1, Walter J. Lafferty, Earle K. Plyler, and Eugene D. Tidwell—1981

Infrared spectrum of bromine pentafluoride, Robin S. McDowell and Larned B. Asprey—165

Infrared spectrum of carbon tetrafluoride, A. Maki, E. K. Plyler, and Robert Thibault—1899(L)

Infrared spectrum of methylsilylacetylene, Dean W. Robinson and R. Bruce Reeves—2625

Intramolecular resonance interaction between fundamental vibrations in polyatomic molecules, M. A. El-Sayed—680(L)

Low-energy $^5\Sigma_g^+$ states of the nitrogen molecule, Robert S. Mulliken—809

Microwave spectrum and dipole moment of monofluoroacetonitrile, Jack D. Graybeal and Donald W. Roe—2503(L)

Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene, Robert A. Beaudet—2398

Microwave spectrum of chlorine dioxide. III. Interpretation of the hyperfine coupling constants obtained in terms of the electronic structure, R. F. Curl, Jr.—779

Microwave spectrum of chlorine dioxide. IV. Determination of centrifugal distortion effects and potential constants, M. G. Krishna Pillai and R. F. Curl, Jr.—2921

Microwave spectrum of methyldifluoroarsine, Leonard J. Nugent and C. D. Cornwell—523
Microwave spectrum, structure, and dipole moment of carbonyl fluoride, Victor W. Laurie, Dallas T. Pence, and Robert H. Jackson—2995
Microwave studies of butadiene derivatives. I. Spectrum of fluoroprene, David R. Lide, Jr.—2074
Modification of the Rydberg–Klein–Rees method for obtaining potential curves for doublet states intermediate between Hund's cases (a) and (b), Joseph T. Vanderslice—384
Molecular constants of chlorodifluoromethane from microwave spectrum analysis, Edward L. Beeson, T. L. Weatherly, and Quitman Williams—2926
Molecular-orbital study of the geometry of HO_2, Marjorie E. Boyd—1317
Molecular parameters of ethane, Walter J. Lafferty and Earle K. Plyler—2686
Note on the $^3\Sigma_g^+$ state of N_2, P. K. Carroll—805
NMR parameters in *cis* and *trans* 2-fluoro-chloropropene-2, C. A. Reilly—456(L)
One-center expansion self-consistent-field molecular orbital electronic wavefunctions for XH_n molecules, Roberto Moccia 910(L)
Orbital theories of electronic structure, William H. Adams—2009
Oxygen-17 hyperfine structure in electron paramagnetic resonance, James C. Baird—1879(L)
Paramagnetic resonance in oriented ground-state triplet molecules, Roy W. Brandon, Gerhard L. Closs, and Clyde A. Hutchison, Jr.—1878(L)
Paramagnetic term of the susceptibility and its shift with isotope in LiF, Allan M. Russell—214
Photo- and spectroscopic ionization potentials in the ω-technique framework, S. Ehrenson—455(L)
Potential curves and rotational perturbations of CN, Robert J. Fallon, Joseph T. Vanderslice, and Robert D. Cloney—1097
Potential curves for BeH^+ and CH^+, Shirley M. Read, Joseph T. Vanderslice, and František Jenč—205(L)
Potential energy as a function of internal rotation in CFClBr–CFClBr by NMR measurements, Douglas S. Thompson, Richard A. Newmark, and Charles H. Sederholm—411
Potential energy constants, rotational distortion constants, and thermodynamic properties of methyl acetylenes, P. N. Daykin, S. Sundaram, and Forrest F. Cleveland—1087
Preliminary values of some molecular constants of lithium hydride, Lennard Wharton, L. Peter Gold, and William Klemperer—2149(L)
Realistic diatomic potential function, Harold W. Woolley—1307
Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride, Eizi Hirota —283
Rotational isomerism and microwave spectroscopy. II. The microwave spectrum of butyronitrile, Eizi Hirota—2918
Sequential substitution reactions on $B_{10}H_{10}^{2-}$ and $B_{12}H_{12}^{2-}$, Roald Hoffmann and William N. Lipscomb—520
Single-center single-determinant calculation of the relative energies of CH_3^+, CH_3, CH_4, and CH_5^+. The proton affinity of methane, J. R. Hoyland and F. W. Lampe—1066
Structure of sulphur tetrafluoride and related molecules, R. J. Gillespie—2498(L)
Structure of the ground state of HCN, A. D. McLean—627
Studies in molecular structure. VIII. He_2^{++} in the single- and many-configuration LCAO MO SCF approximation, Serafin Fraga and Bernard J. Ransil—1112
Studies on the alternant molecular orbital method. III. A many-parameter energy expression for systems with closed-shell structure, J. de Heer—2080
Study of the electron density distribution in the simpler hydrocarbons, Monique Roux, Marguerite Cornille, and Louis Burnelle—933
Symmetry properties of the asymmetric rotator centrifugal-distortion constants, Paul M. Parker—1596
Table of reduced energies for asymmetric top molecules, J. Warren Blaker, Miriam Sidran, and Arthur Kaercher—684(L)
Theoretical vibrational energy levels of H_2 associated with various combinations of molecular-orbital configurations, Gerard M. Leies—1418
Vibrational constants for the ground state of H_2, Mohammad Shafi and Charles L. Beckel—2732(L)
Vibrational energies of the CO_2 molecule, V. Robert Stull, Philip J. Wyatt, and Gilbert N. Plass—1442
Vibrational spectrum of digermane, Victor A. Crawford, Kee H. Rhee, and M. Kent Wilson—2377

Neutron Diffraction

Frequency distribution of hexamethylenetetramine crystals, L. N. Becka—431
Neutron magnetic form factors and x-ray atomic scattering factors for rare-earth ions, M. Blume, A. J. Freeman, and R. E. Watson—1245
Rotational freedom of ammonium ions and methyl groups by cross-section measurements with slow neutrons, J. J. Rush, T. I. Taylor, and W. W. Havens, Jr.—234

Nuclear Quadrupole Resonance

Effects of intramolecular electric fields in molecules: EQR coupling constants, J. I. Musher—2372
Energy moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines, V. Frank—148
Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene, Robert A. Beaudet—2398
Nuclear moments and intermediate coupling, B. G. Wybourne —1807
NQR and ESR in $AlCl_3 \cdot 6H_2O$, Gerald Burns—1165(L)

Nuclear Resonance (see Magnetic Resonance)

Nucleation

Pure quadrupole resonance in 1,2-dichloroethane-d_4, E. P. Marram and J. L. Ragle—3015(L)
Kinetics of crystal nucleation in polyethylene, R. L. Cormia, F. P. Price, and D. Turnbull—1333
Nucleation of vapor deposits, D. Walton—2182

Optical Activity

Origin of the cotton effect of helical polypeptides, John A. Schellman and Patrick Oriel—2114
Triplet states in optical activity: Theoretical considerations, O. E. Weigang, Jr.—673(L)

Phase Transitions

Evaporation of naphthalene crystals, G. W. Sears—2155(L)
4-fluorotoluene: Chemical thermodynamic properties, vibrational assignment, and internal rotation, D. W. Scott, J. F. Messerly, S. S. Todd, I. A. Hossenlopp, D. R. Douslin, and J. P. McCullough—867

High-pressure transition in RbF, G. J. Piermarini and C. E. Weir—1887(L)
Melting curves of five metals under high pressure, Marvin L. McDaniel, Stanley E. Babb, Jr., and Gene J. Scott—822
Melting curves of tin and selenium to 10 000 bars, Stanley E. Babb, Jr.—922(L)
Miscibility of liquid ozone with fluorine and oxygen, C. S. Stokes and A. G. Streng—920(L)
On possible low-pressure polymorphism in LiH, Raoul Weil and A. W. Lawson—2730(L)
Phase studies of the group IV—A tellurides, R. Mazelsky, M. S. Lubell, and W. E. Kramer—45
Phase transition in one-dimensional order-disorder systems: Application to helix-random coil transition in polymers, M. E. Baur and L. H. Nosanow—153
Rate of sublimation of ammonium halides, R. F. Chaiken, D. J. Sibbett, J. E. Sutherland, D. K. Van de Mark, and A. Wheeler—2311
Relation between the compressibility and the coexistence curve near the critical point, B. Widom—2703
Theory of relaxation phenomena near the second-order phase-transition point, Tomoyasu Tanaka, Paul H. E. Meijer, and Jeremiah H. Barry—1397

Phosphors

Electron paramagnetic resonance studies of the ZnS-*A*, and -*B* centers, Paul H. Kasai and Yoshiro Otomo—1263
Evidence for a long-lived metastable state of N_2 at about 8 eV Carl Kenty—1567(L)
Phosphorescence and stimulated emission in organic molecules, D. J. Morantz, B. G. White, and A. J. C. Wright—2041
Polarization of the luminescence of phenanthrene, T. Azumi and S. P. McGlynn—2413

Photochemistry

Absorption, ionization, and ion-fragmentation cross sections of hydrocarbon vapors under vacuum-ultraviolet radiation, Richard I. Schoen—2032
Absorption spectra of gaseous species formed at flash-heated solid surfaces, L. S. Nelson and N. A. Kuebler—47
Carbon monoxide–oxygen atom reaction, Bruce H. Mahan and Richard B. Solo—2669
Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions, Joshua Jortner, Michael Ottolenghi, Joseph Rabani, and Gabriel Stein—2488
Determination of ionization potentials by photo-electron energy measurement, D. W. Turner and M. I. A. Jobory—3007(L)
Displacement of photoelectrons and positive holes in sheet crystals of silver bromide as shown by development techniques, V. I. Saunders, T. W. Tyler, and W. West—1126
Erratum: Photo-ionization of nitric oxide [J. Chem. Phys. **36**, 669 (1962)], John P. Doering and Bruce H. Mahan—2724(L)
Flash photolysis of azoethane, B. C. Roquitte and J. H. Futrell—378
Flash-photolysis studies of α- and γ-(2,4-dinitrobenzyl)pyridine, Harry S. Mosher, E. R. Hardwick, and David Ben Hur—904
Infrared spectroscopic study of the photolysis of HN_3 in solid CO_2, Dolphus E. Milligan, Marilyn E. Jacox, Stuart W. Charles, and George C. Pimentel—2302
Intramolecular rearrangements in the solid phase photolysis of 4-methyl-2-hexanone and sec-butyl acetate, R. E. Rebbert and P. Ausloos—1158(L)
Kinetics of disappearance of the CN radical formed from C_2N_2, D. R. Paul and F. W. Dalby—592
Molecular rearrangement in the mercury-photosensitized reaction of butene-1, R. J. Cvetanovic and L. C. Doyle—543
Photo- and spectroscopic ionization potentials in the ω-technique framework, S. Ehrenson—455(L)
Photochemistry in the photo-ionization region. I. Apparatus and techniques, R. A. Back and D. C. Walker—2348
Photolysis of aqueous azide solutions, Kenichi Shinohara, Tadamasa Shida, and Nobufusa Saito—2791
Photolysis of diborane at 1849 Å, W. C. Kreye and R. A. Marcus—419
Photolysis of the phenoxy radical in a nitrogen matrix, John L. Roebber—1974
Photosensitization by benzene vapor: Biacetyl. The triplet state of benzene, H. Ishikawa and W. Albert Noyes, Jr.—583
Reaction of $O(^1D)$ with nitrogen, W. DeMore and O. F. Raper—2048
Stimulated emission in a photosensitized rigid-glass solution, E. Dolan and A. C. Albrecht—1149(L)
Theoretical interpretation of reactions occurring in photochlorination, Harold S. Johnston and Paul Goldfinger—700
Vacuum ultraviolet photochemistry. IV. Photolysis of propane, H. Okabe and J. R. McNesby—1340
Vacuum ultraviolet photolysis of methane, Bruce H. Mahan and Robert Mandel—207
Vibrationally excited O_2 molecules from the reactions of O atoms with NO_2 and with O_3, L. F. Phillips and H. I. Schiff 924(L)

Photoconductivity

Emissivity and photoconductivity of organic molecular crystals, M. Kleinerman, L. Azarraga, and S. P. McGlynn—1825
Photoconductivity in cubic cadmium sulfide, Edward L. Lind and Richard H. Bube—2499(L)
Sign of the charge carrier in ionic photoconductive dyes, N. Petruzzella and R. C. Nelson—3010(L)
Spectra and photoconduction of phthalocyanine complexes (I), P. Day and R. J. P. Williams—567
Temperature-dependence of photoconductivity of metal-free phthalocyanine, C. Y. Liang, E. G. Scalco, and G. Oneal, Jr.—459(L)

Photo-Ionization

Electrostatic determination of photo-ionization potentials of solids and liquids, Martin Pope—1001

Polymers

Anomalous polymer-penetrant permeation, H. L. Frisch—2048
Critical opalescence of polystyrene solutions, D. McIntyre, A. Wims, and M. S. Green—3019(L)
Effect of absorbed water upon the dielectric properties of certain acrylic ester polymers, Donald J. Scheiber and Darwin J. Mead—81
Effect of partial draining on the intrinsic viscosity of flexible macromolecules, John E. Hearst—2547
ESR studies of free-radical decay in irradiated polyethylene, Francis Cracco, A. J. Arvia, and Malcolm Dole—2449
Empirical relations of thermodynamic "constants" to the activation parameters of polymer relaxations, R. K. Eby—2785
Kinetics of crystal nucleation in polyethylene, R. L. Cormia, F. P. Price, and D. Turnbull—1333
Kinetics of disappearance of radicals trapped in irradiated polyethylene, W. V. Smith and B. E. Jacobs—141

Local steric hindrances and conformations of linear polymer molecules in solutions. II. Generalization, Kazuo Nagai—490

Local steric hindrances and conformations of linear polymer molecules in solutions. III. Polyethylene, Kazuo Nagai and Toshihide Ishikawa—496

Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol, Tatsuo Miyazawa, Kunio Fukushima, and Yoshiko Ideguchi—2764

Monte Carlo precedures for generation of nonintersecting chains, F. T. Wall, Stanley Windwer, and Pau. J. Gans—1461

Motion in polyethylene. I. Temperature and crystallinity dependence of the specific heat, Bernhard Wunderlich—1203

Motion in polyethylene. II. Vibrations in crystalline polyethylene, Bernhard Wunderlich—1207

Motion in polyethylene. III. The amorphous polymer, Bernhard Wunderlich—2429

On a general relation involving the glass temperature and coefficients of expansion of polymers, Robert Simha and R. F. Boyer—1003

Order–disorder theory for linear colloids, Warner L. Peticolas —2315

Origin of the cotton effect of helical polypeptides, John A. Schellman and Patrick Oriel—2114

Phase transitions in one-dimensional order–disorder systems: Application to helix–random-coil transition in polymers, M. E. Baur and L. H. Nosanow—153

Physics of semicrystalline polymers, Arthur V. Tobolsky—1139

Rate of spherulitic crystallization with chain folds in polychlorotrifluoroethylene, John D. Hoffman and James J. Weeks—1723

Reaction kinetics of a long chain molecule, Joseph B. Keller—2584

Relaxation times and normal mode distribution, Arthur V. Tobolsky—1575(L)

Sedimentation constants of broken chains and wormlike coils, John E. Hearst and Walter H. Stockmayer—1425

Statistical thermodynamics of polymer solutions. III. The second virial coefficient for branched-star molecules, Edward F. Casassa—2176

Study of vinyl polymerization by proton magnetic relaxation, G. Bonera, P. De Stefano, and A. Rigamonti—1226

Symmetry of helical polymers. Electronic states of double-stranded polynucleotides, William Rhodes—2433

Temperature dependence of the ESR spectrum of irradiated oriented polyethylene, Shun-ichi Ohnishi, Shun-ichi Sugimoto, and Isamu Nitta—1283

Thermodynamic stability of polymer crystals. II. Torsional vibrations of chain molecules, Anton Peterlin, E. W. Fischer, and Chr. Reinhold—1403

Quadrupole Resonance (see Nuclear Quadrupole Resonance)

Quantum Mechanics, (see Mechanics, Quantum)

Radiation Chemistry

Chemistry of positive ions. II. Ion-molecule reactions in radiolysis of *n*-hexane at low temperatures, Larry Kevan and W. F. Libby—2496

Color centers in a cerium-containing silicate glass, Jackson S. Stroud—836

Conversion of solvated electrons into hydrogen atoms in the photo- and radiation chemistry of aqueous solutions, Joshua Jortner, Michael Ottolenghi, Joseph Rabani, and Gabriel Stein—2488

Effect of added quenchers in organic scintillator solutions: Aromatic halides, John L. Kropp and Milton Burton—1742

Effect of added quenchers in organic scintillator solutions: Organometallics, John L. Kropp and Milton Burton—1752

Effect of liquid–solid phase transition upon the yield of hydrogen from biphenyl, biphenyl-d_{10}, and mixtures of these two substances, J. M. Scarborough and J. G. Burr—1890(L)

Electron magnetic resonance of an oriented allyl-type radical, C. Heller and T. Cole—243

Electron spin resonance of a γ-irradiated single crystal of *N*-acetyl methionine, Ernesto Cipollini and Walter Gordy —13

Electron spin resonance of a γ-irradiated single crystal of trifluoroacetamide, Robert J. Lontz and Walter Gordy—1357

Electron spin resonance of an irradiated single crystal of *N*-carbamyl glycine, D. V. G. L. Narasimha Rao and Mikio Katayama—382

ESR spectrum of electron irradiated cycloheptatriene. Cycloheptatrienyl radical, S. Arai, S. Shida, K. Yamaguchik, and Z. Kuri—1885(L)

ESR studies of free-radical decay in irradiated polyethylene, Francis Cracco, A. J. Arvia, and Malcom Dole—2449

ESR studies of γ-irradiated *n*-octadecyl disulfide, Frank K. Truby, Crawford MacCallum, and James E. Hesse—2777

ESR study of free radicals produced by irradiation in benzene and its derivatives, Shun-ichi Ohnishi, Tadayoshi Tanei, and Isamu Nitta—2402

Erratum and further comments: Radiation damage in organic crystals. III. Long polyene radicals [J. Chem. Phys. **37**, 361 (1962)], Melvin W. Hanna and Harden M. McConnell—3008(L)

Evidence for electron binding in frozen aqueous solutions, Joshua Jortner and Benjamin Sharf—2506(L)

Experimental investigation of the effect of irradiation intensity on the production of *F* centers in NaCl, Patrick G. Harrison —388

Formation of F^{18}-labeled fluoro-organic compounds by the $F^{19}(n,2n)$ reaction, M. Anbar and P. Neta—2757

Isotope effects and the mechanism of atom production in gamma-irradiated ice at 4.2°K, Henry S. Judeikis, John M. Flournoy, and Seymour Siegel—2272

Kinetics of disappearance of radicals trapped in irradiated polyethylene, W. V. Smith and B. E. Jacobs—141

Mössbauer effect in iron (III) acetylacetonate and chemical consequences of *K* capture in cobalt (III) acetylacetonate, G. K. Wertheim, W. R. Kingston, and R. H. Herber—687

Paramagnetic resonance of cycloheptatrienyl, David E. Wood and Harden M. McConnell—1150(L)

Paramagnetic resonance of the I_2^- center in KCl doped with KI, Etienne Boesman and Dirk Schoemaker—671(L)

Paramagnetic resonance study of production of NO_2 and NO_2^- in irradiated KNO_3, Henry Zeldes and Ralph Livingston—3017(L)

Radiation damage in organic crystals. III. Long polyene radicals, M. W. Hanna, A. D. McLachlan, H. H. Dearman, and H. M. McConnell—361

Radiation decomposition of aqueous azide solution, Kenichi Shinohara, Tadamasa Shida, and Nobufusa Saito—173

Radiation-induced free radicals in sulfur compounds. ESR studies in the polycrystalline state, Thormod Henriksen —2189
Rare-gas sensitized radiolysis of propane, Jean H. Futrell and Thomas O. Tiernan—1694
Retention of F^{18} produced by the $F^{19}(n,2n)$ reaction in fluoro-organic compounds, M. Anbar and P. Neta—1877(L)
Szilard–Chalmers chemistry and radiation chemistry of solid hexabromoethane. Thermal annealing and radiation annealing effects, Kenneth E. Collins and John E. Willard—1908
Temperature dependence of ESR spectra of irradiated polytetrafluoroethylene, Naoyuki Tamura—479
Vapor-phase radiolysis of propane-d_8 in the presence of other hydrocarbons, Sharon G. Lias and P. Ausloos—877
X-irradiation damage of sucrose single crystal, Howard Shields and Phillip Hamrick—202(L)
Yield and reactivity of electrons and H atoms in irradiated aqueous solutions, Joseph Rabani and Gabriel Stein—1865

Radiochemistry

Mössbauer effect in iron (III) acetylacetonate and chemical consequences of *K* capture in cobalt (III) acetylacetonate, G. K. Wertheim, W. R. Kingston, and R. H. Herber—687
Positron annihilation in solid cyclohexane as a function of temperature, H. C. Clarke and B. G. Hogg—1898

Raman Spectra

New evidence for tetrahalide complex ions in cadmium halide–alkali metal halide melts, M. A. Bredig—451(L)
Raman spectral studies of molten potassium bisulfate. II. Vibrational frequencies of S_2O_7 groups, G. E. Walrafen, D. E. Irish, and T. F. Young—662
Raman spectral studies of molten selenious acid, G. E. Walrafen—1468
Vibrational spectrum of digermane, Victor A. Crawford, Kee H. Rhee, and M. Kent Wilson—2377

Reaction Rates (see Kinetics of Reaction)

Rotation

Classification of rotational energy levels for symmetric-top molecules, Jon T. Hougen—1433
4-fluorotoluene: Chemical thermodynamic properties, vibrational assignment, and internal rotation, D. W. Scott, J. F. Messerly, S. S. Todd, I. A. Hossenlopp, D. R. Douslin, and J. P. McCullough—867
Hindered internal rotation and ESR spectroscopy, Ellery W. Stone and August H. Maki—1326
Infrared spectroscopic evidence for the rotation of the water molecule in solid argon, Richard L. Redington and Dolphus E. Milligan—2162
Microwave spectrum and barrier to internal rotation of *cis*-1-fluoropropylene, Robert A. Beaudet and E. Bright Wilson, Jr.—1133
Microwave spectrum, barrier to internal rotation, and quadrupole coupling constants of *trans*-1-chloropropylene, Robert A. Beaudet—2398
Molecular vibrations and structure of high polymers. III. Polarized infrared spectra, normal vibrations, and helical conformation of polyethylene glycol, Tatsuo Miyazawa, Kunio Fukushima, and Yoshiko Ideguchi—2764
NMR relaxation times in solid white phosphorus: Diffusion and rotation, Henry A. Resing—2575
Potential energy as a function of internal rotation in CFClBr–CFClBr by NMR measurements, Douglas S. Thompson, Richard A. Newmark, and Charles H. Sederholm—411
Rotational freedom of ammonium ions and methyl groups by cross-section measurements with slow neutrons, J. J. Rush, T. I. Taylor, and W. W. Havens, Jr.—234
Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride, Eizi Hirota —283
Rotational isomerism and microwave spectroscopy. II. The microwave spectrum of butyronitrile, Eizi Hirota—2918
Symmetry properties of the asymmetric rotator centrifugal-distortion constants, Paul M. Parker—1596
Temperature dependence of spin–spin splitting in the hindered rotator $CHCl_2$–CF_2Cl, R. W. Fessenden and J. S. Waugh—1466
Theory of torsion vibrations of $(CH_3)_2X$-type molecules, K. D. Möller and H. G. Andresen—1800

Scattering

Charge exchange between gaseous ions and atoms, Donald Rapp and W. E. Francis—2631
Determination of electronic energy levels of molecules by low-energy electron impact spectroscopy, Aron Kuppermann and Lionel M. Raff—2497(L)
Disorientation cross sections in optical pumping, Robert J. McNeal—2726(L)
Extrema in velocity dependence of total elastic cross sections for atomic beam scattering: Relation to diatom bound states, Richard B. Bernstein—1880(L)
Ionization of the methane molecule by electron impact, Mitio Inokuti—2387
Low-energy collision cross sections of H^- and OH^- ions in oxygen, C. E. Baker, J. M. McGuire, and E. E. Muschlitz, Jr.—2571
On small-angle critical scattering, H. L. Frisch and G. W. Brady—1514
Reactions of excited butane molecules, D. Beck and A. Niehaus —2705
Total collision cross sections for scattering of thermal beams of hydrogen, hydrogen atoms, and helium by hydrogen and helium, Halstead Harrison—1164(L)
Velocity dependence of the differential cross sections for the scattering of atomic beams of K and Cs by Hg, Fred A. Morse and Richard B. Bernstein—2019
Wide-angle scattering in molecular beams. The rainbow effect, D. Beck—2884

Semiconductors

Calculated electron mobility and electrical conductivity in crystals of linear polyenes, Marvin C. Tobin—1156(L)
Effect of halogens on the resistance of single crystals of copper phthalocyanine, James Curry and Eugene P. Cassidy—2154 (L)
Electrical conduction in nonstoichiometric α-Nb_2O_5, R. F. Janninck and D. H. Whitmore—2750
Electrical measurements on polyvinylene and ployphenylene, S. B. Mainthia, P. L. Kronick, and M. M. Labes—2509(L)
Electrical properties of heavily doped niobium pentoxide, R. Valletta—67

Electronic transport in crystalline and liquid pyrene, Oliver H. LeBlanc, Jr.—916(L)
Photoconductivity of organic molecular crystals and the triplet state, Marcos Kleinerman and S. P. McGlynn—1369(L)
Some comments on the photoconductivity of organic molecular crystals and the triplet state, Barnett Rosenberg—1371(L)
Thermoelectric study of liquid semiconductor solutions of tellurium and selenium, M. Cutler and C. E. Mallon—2675
Trends in the lattice "combination bands" of zincblende-type semiconductors, Robert W. Keyes—72

Shock Waves (see also Detonation)

Charge transfer cross section for electronically excited N_2^+ with O atoms at low energy, Walter Roth—925(L)
Continuum radiation from ionized rare gases in reflected shock waves, Frederick H. Mies—1101
Ionization accompanying the acetylene–oxygen reaction in shock waves, Clifford W. Hand and G. B. Kistiakowsky—1239
Nitric oxide bands near 1 μ in shock-heated air, Walter H. Wurster, Charles E. Treanor, and Herbert M. Thompson—2560
Note on absorption coefficients of hot CO_2 at 4.40-μ, Richard H. Tourin and Harold J. Babrov—581
Shock-tube study of the coupling of the O_2–Ar rates of dissociation and vibrational relaxation, Kurt L. Wray—1254
Vibrational relaxation in carbon dioxide. II, W. J. Witteman—655

Solutions (see also Liquids)

Comment on a letter by Kenty: "Evidence for a long-lived metastable state of N_2 at about 8 eV," A. Bruce King and Carole Gatz—1566(L)
Compressibility of liquid sodium–potassium alloys, G. Abowitz and R. B. Gordon—125
Contribution of octopole–octopole interactions to the excess properties of mixtures of tetrahedral molecules, N. G. Parsonage and R. L. Scott—304
Determination of the solvation number of the magnesium ion in methanol by NMR techniques, J. H. Swinehart and H. Taube—1579(L)
Dielectric properties of glycerol–water mixtures, G. E. McDuffie, Jr., R. G. Quinn, and T. A. Litovitz—239
Effect of the solvent on the ESR spectrum of a free radical, F. W. Heineken, M. Bruin, and F. Bruin—452(L)
Electrical conductance of solutions of salts in liquid metals. II Potassium fluoride and bromide in potassium, H. R. Bronstein, A. S. Dworkin, and M. A. Bredig—677(L)
Erratum: Heat of formation of deuterated diborane [J. Chem. Phys. **36**, 1118 (1962)], Stuart R. Gunn and LeRoy G. Green—2724(L)
Excess free energies and heats of mixing in certain molten salt mixtures, Milton Blander—172
Lennard-Jones pseudo single component potential for binary fluid mixtures, Charles E. Hecht—679(L)
Local steric hindrances and conformations of linear polymer molecules in solutions. II. Generalization, Kazuo Nagai—490
Local steric hindrances and conformations of linear polymer molecules in solutions. III. Polyethylene, Kazuo Nagai and Toshihide Ishikawa—496
Miscibility of liquid ozone with fluorine and oxygen, C. S. Stokes and A. G. Streng—920(L)
Molten salt solutions of electropositive metals: Electronic conductance and metal halide stoichiometry, M. A. Bredig—914(L)
New evidence for tetrahalide complex ions in cadmium halide–alkali metal halide melts, M. A. Bredig—451(L)
NMR-relaxation mechanisms of O^{17} in aqueous solutions of paramagnetic cations and the lifetime of water molecules in the first coordination sphere, T. J. Swift and Robert E. Connick—307
Sedimentation constants of broken chains and worm-like coils, John E. Hearst and Walter H. Stockmayer—1425
Solubility of naphthalene in compressed gases, A. D. King, Jr. and W. W. Robertson—1453
Spectral solvent shift. II. Interactions of variously substituted hydrocarbons with polynuclear aromatic hydrocarbons, O. E. Weigang, Jr., and D. D. Wild—1180
Spectrophotometric and partition methods of determining association constants of 1:1 charge-transfer complexes, H. J. G. Hayman—2290
Thermoelectric study of liquid semiconductor solutions of tellurium and selenium, M. Cutler and C. E. Mallon—2675

Spectra, (see Absorption Spectra, Emission Spectra, Fluorescence, Raman Spectra)

Statistical Mechanics (see Mechanics, Statistical)

Surface Phenomena

Adsorption isotherms of neon, argon, krypton, xenon, hydrogen, deuterium, methane, and tetradeuteromethane and the highly graphitized carbon black P33 (2700°), G. Constabaris, J. R. Sams, Jr., and G. D. Halsey, Jr.—915(L)
Absorption of hydrogen on a (110) nickel surface, L. H. Germer and A. U. MacRae—1382
Absorption of potassium beams on surfaces, Forrest S. Baker and Gilbert O. Brink—1012
Chemisorption of hydrogen on cobalt, Carlos R. Abeledo and P. W. Selwood—2709
Chemisorption of oxygen on ordered tungsten surfaces, T. H. George and P. M. Stier—1935
Field desorption of barium from tungsten, H. Utsugi and R. Gomer—1706
Field desorption of cesium from tungsten, H. Utsugi and R. Gomer—1720
Infrared study of the adsorption of methanol and ethanol on aluminum oxide, Robert G. Greenler—2094
Kinetics of Cs^+ desorption from tungsten, Milton D. Scheer and Joseph Fine—107
Low-energy electron diffraction study of silicon surface structures, J. J. Lander and J. Morrison—729
Model for the (100) surfaces of silicon and germanium, Mino Green and Ruth Seiwatz—458(L)
Numerical evaluation of the van der Waals forces of interaction between two macroscopic bodies, O. F. Devereux and P. L. de Bruyn—2147
Occurrence of H_3^+ in the field ionization of hydrogen, T. C. Clements and E. W. Müller—2682
Quantum treatment of the physical adsorption of isotopic species, Robert Yaris and John R. Sams, Jr.—571
Reflection and dissociation of H_2 on tungsten, Joe N. Smith Jr., and Wade L. Fite—898
Sequential filling of a line by intervals placed at random and its application to linear adsorption, J. K. Mackenzie—723
Theory of surface specific heats of solids, R. Stratton—2972
Third-order interaction of xenon with graphitic carbon, John R. Sams, Jr.—1883(L)
Work function changes produced by chemisorption on surfaces with different types of adsorption sites, A. D. Crowell and A. L. Norberg, Jr.—714

Thermal Conductivity

Heat transfer in intensively outgassed powders, R. C. Little, F. G. Carpenter, and V. R. Deitz—1896(L)

Thermal Diffusion

Thermal diffusion measurements by Trennschaukel, S. C. Saxena and R. K. Joshi—1160(L)

Thermogravitational thermal diffusion in liquids. I. The formal theory, Frederick H. Horne and Richard J. Bearman—2842

Thermogravitational thermal diffusion in liquids. II. Experimental thermal diffusion factors for carbon tetrachloride-cyclohexane at 25°C, Frederick H. Horne and Richard J. Bearman—2857

Thermodynamic Properties

Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$, W. F. Giauque, D. N. Lyon, E. W. Hornung, and T. E. Hopkins—1446

Contribution of octopole–octopole interactions to the excess properties of mixtures of tetrahedral molecules, N. G. Parsonage and R. L. Scott—304

Conversion of $C_v[T, V(T)]$ to $C_v[T, V(0°K)]$ with application to Na and Cu, William C. Overton, Jr.—2975

Density and expansivity of solid xenon, D. Richard Sears and Harold P. Klug—3002

Determination of the equilibrium constant for the gas-phase dissociation of nitrogen tetroxide by infrared absorption techniques, Michael G. Dunn, Kenneth Wark, Jr., and John T. Agnew—2445

Effect of inert salts on equilibrium and rate constants for ionic reactions, J. W. Gryder—718

Effect of oxygen on the vapor pressure of uranium, R. J. Ackermann, E. G. Rauh, and R. J. Thorn—2691

Electrical properties of heavily doped niobium pentoxide, R. Valletta—67

Empirical relations of thermodynamic "constants" to the activation parameters of polymer relaxations, R. K. Eby—2785

Equilibrium constant for boron isotope exchange between BF_3 and $BF_3 \cdot O(CH_3)_2$, A. A. Palko, G. M. Begun, and L. Landau —552

Erratum: Heat of formation of deuterated diborane [J. Chem. Phys. **36,** 1118 (1962)], Stuart R. Gunn and LeRoy G. Green—2724(L)

Excess free energies and heats of mixing in certain molten salt mixtures, Milton Blander—172

4-fluorotoluene: Chemical thermodynamic properties, vibrational assignment, and internal rotation, D. W. Scott, J. F. Messerly, S. S. Todd, I. A. Hossenlopp, D. R. Douslin, and J. P. McCullough—867

Heats of combustion and formation of seven organic compounds containing oxygen, George S. Parks and Helene P. Mosher —919(L)

Infrared spectrum and thermodynamic functions of the NF_2 radical, Marlin D. Harmony and Rollie J. Myers—636

Infrared spectrum of bromine pentafluoride, Robin S. McDowell and Larned B. Asprey—165

Kinetics of the reaction between iodide and HI and the heat of formation of the acetyl radical, H. Edward O'Neal and Sidney W. Benson—540

λ anomaly in the heat capacity of para-enriched solid deuterium, George Grenier and David White—1563(L)

Linear form of the Antoine vapor-pressure equation, Oscar C. Bridgeman and Elizabeth W. Aldrich—195(L)

Low-frequency–lattice vibrational spectrum of indium, L. J. Slutsky and G. Jelinek—2727(L)

Luminescence of solids excited by surface recombination of atoms. III. Measurement of absolute energies released as luminescence and heat, Kenneth M. Sancier, William J. Fredericks, and Henry Wise—865

Mass spectrometric determination of the heat of sublimation of boron and of the dissociation energy of B_2, G. Verhaegen and J. Drowart—1367(L)

Mass spectrometric study of the magnesium halides, J. Berkowitz and J. R. Marquart—1853

Matrix isolation of high-temperature vapors: Boric oxide, W. Weltner, Jr. and J. R. W. Warn—292

Matrix representation of thermodynamic properties of multicomponent systems, Robert R. V. Wiederkehr—1192

Measurement of magnetic induction in high magnetic fields at low temperatures. $CoSO_4 \cdot 7H_2O$, W. F. Giauque, E. W. Hornung, R. A. Fisher, and G. E. Brodale—2952

Motion in polyethylene. I. Temperature and crystallinity dependence of the specific heat, Bernhard Wunderlich—1203

Motion in polyethylene. III. The amorphous polymer, Bernhard Wunderlich—2429

New evidence for tetrahalide complex ions in cadmium halide–alkali metal halide melts, M. A. Bredig—451(L)

Phase studies of the group IV—A tellurides, R. Mazelsky, M. S. Lubell, and W. E. Kramer—45

Potential energy constants, rotational distortion constants, and thermodynamic properties of methyl acetylenes, P. N. Daykin, S. Sundaram, and Forrest F. Cleveland—1087

Purification of ammonium alum, G. Dillon and A. Armington —1163(L)

Solubility of helium in liquid hydrogen, Leonard O. Roellig and Clayton Giese—114

Stabilities of gaseous boroxine and its fluoro derivatives, Richard F. Porter and William P. Sholette—198(L)

Theory of surface specific heats of solids, R. Stratton—2972

Thermal and magnetic study of crystal field splittings in thulium ethylsulfate, B. C. Gerstein, L. D. Jennings, and F. H. Spedding—1496

Thermal study of crystal field splittings in erbium ethylsulfate, B. C. Gerstein, C. J. Penney, and F. H. Spedding—2610

Thermodynamic properties of tertiary iodides, Sidney W, Benson and Akira Amano—197(L)

Thermodynamic study of tin sulfide and lead sulfide using a mass spectrometer, R. Colin and J. Drowart—1120

Thermoelectric study of liquid semiconductor solutions of tellurium and selenium, M. Cutler and C. E. Mallon—2675

Vaporization behavior of niobium carbide, R. J. Fries—320

Vaporization of ruthenium and osmium, Morton B. Panish and Liane Reif—128

Thermodynamics

Derivation of second-order Jacobians for three-dimensional systems, Robert Hoch and Francis S. Manning—1903

Linear free-energy relationship in the diffusion of gases through polymer films, T. K. Kwei and William Arnheim—1900(L)

Matrix representation of thermodynamic properties of multicomponent systems, Robert R. V. Wiederkehr—1192

Relation between ultrasonically measured properties and the coefficients in the solid equation of state, William C. Overton, Jr.—116

Sedimentation in chemically reacting systems. I. The isomerization reaction, K. E. Van Holde—1922

Sedimentation in chemically reacting systems. II. Numerical calculations for dimerization, Geneva G. Belford and R. Linn Belford—1926
Stable steady state and the thermokinetic potential, J. C. M. Li—1592
Statistical thermodynamics of polymer solutions. III. The second virial coefficient for branched-star molecules, Edward F. Casassa—2176
Theory of relaxation phenomena near the second-order phase transition point, Tomoyasu Tanaka, Paul H. E. Meijer, and Jeremiah H. Barry—1397

Transport Phenomena

Heat transfer in intensively outgassed powders, R. C. Little, F. G. Carpenter, and V. R. Deitz—1896(L)
Multiple reaction vapor transport of solids, R. F. Lever—1078
Multiple reactions and the vapor transport of solids, G. Mandel—1177
On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr, and Xe, H. Ted Davis, Stuart A. Rice, and Lothar Meyer—947
Transport of solid through the gas phase using a single heterogeneous equilibrium, R. F. Lever—1174

Ultrasonics

Rate of dissociation of N_2O_4 by ultrasonic absorption measurements, Mark Cher—2564
Relation between ultrasonically measured properties and the coefficients in the solid equation of state, William C. Overton, Jr.—116
Resonance absorption in solid cyclohexane, S. K. Joshi—2725(L)
Temperature dependence of relaxation time in nitrogen, T. L. Cottrell and A. W. Read—2733(L)

Valence and Chemical Bond

Bond character in XY_M-type molecules: Chlorine–oxygen compounds, E. L. Wagner—751
Bonds and intramolecular forces, Oktay Sinanoğlu—191(L)
Boron hydrides: LCAO—MO and resonance studies, Roald Hoffmann and William N. Lipscomb—2872
Chemical bonding in the perchromate ion, J. D. Swalen and James A. Ibers—17
d-orbitals in compounds of second-row elements. I. SF_6, D. P. Craig and C. Zauli—601
d-orbitals in compounds of second-row elements. II. Comparison of H, C, F, and Cl as ligands, D. P. Craig and C. Zauli—609
Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey–Bradley analysis, L. S. Bartell and Kozo Kuchitsu—691
Effects of intramolecular electric fields in molecules: EQR coupling constants, J. I. Musher—2372
Longitudinal and transverse electron polarizabilities and magnetic susceptibilities of the aliphatic C—C and C—H bonds, R. F. Zürcher—2421
Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl, Brian Dickens and William N. Lipscomb—2084
Molecular orbitals in $B_{10}H_{14}$, Emmett B. Moore, Jr.—675(L)
Proton chemical shifts and pi-electron distributions in the hydroxy-benzenes, John C. Schug and Joseph C. Deck—2618
Sequential substitution reactions on $B_{10}H_{10}^{2-}$ and $B_{12}H_{12}^{2-}$, Roald Hoffmann and William N. Lipscomb—520
Some theoretical aspects of bonding in N—F compounds, Joyce J. Kaufman—759
Spin-density distributions in conjugated ligands of paramagnetic chelates from NMR contact interaction shifts, D. R. Eaton, A. D. Josey, W. D. Phillips, and R. E. Benson—347
Structure of $Cu_2B_{10}H_{10}$, Robert D. Dobrott and William N. Lipscomb—1779
Structure of sulphur tetrafluoride and related molecules, R. J. Gillespie—2498(L)
Thermodynamic properties of tertiary iodides, Sidney W. Benson and Akira Amano—197(L)
Valence-bond structures and matrix elements for any multiplicity, R. E. Kellogg—2950

Viscosity

Determination of gaseous-diffusion coefficients from viscosity measurements, Stanley Weissman and E. A. Mason—1289
Effect of partial draining on the intrinsic viscosity of flexible macromolecules, John E. Hearst—2547
High-temperature gas viscosities. III. NO–N_2O mixtures, W. A. Hawksworth, H. H. E. Nourse, and C. J. G. Raw—918(L)

X-Ray Diffraction

Crystal chemical study of the rare-earth iron garnets, G. P. Espinosa—2337
Crystal structure of copper ammonium oxalate dihydrate, $Cu(NH_4)_2(C_2O_4)_2 \cdot 2H_2O$, M. A. Viswamitra—1408
Crystal structure of $CsMnF_3$, Allan Zalkin, Kenneth Lee, and David H. Templeton—697
Crystal structure of the carbon tetrabromide *p*-xylene complex, Frederick J. Strieter and David H. Templeton—161
Density and expansivity of solid xenon, D. Richard Sears and Harold P. Klug—3002
Molecular and valence structures of complexes of cyclo-octatetraene with iron tricarbonyl, Brian Dickens and William N. Lipscomb—2084
Neutron magnetic form factors and x-ray atomic scattering factors for rare-earth ions, M. Blume, A. J. Freeman, and R. E. Watson—1245
New orthorhombic phase in the Ru–B and Os–B systems, R. B. Roof, Jr. and C. P. Kempter—1473
Phase studies of the group IV-A tellurides, R. Mazelsky, M. S. Lubell, and W. E. Kramer—45
Polyhedral clathrate hydrates. III. The structure of the tetra *n*-butyl ammonium benzoate hydrate, M. Bonamico, G. A. Jeffrey, and R. K. McMullan—2219
Polyhedral clathrate hydrates. IV. The structure of the tri *n*-butyl sulfonium fluoride hydrate, G. A. Jeffrey and R. K. McMullan—2231
Single crystal x-ray diffraction study of β-nitrogen, William E. Streib, Truman H. Jordan, and William N. Lipscomb—2962
Small angle x-ray scattering from montmorillonite clay suspensions. II, R. Hight, Jr., W. T. Higdon, H. C. H. Darley, and P. W. Schmidt—502
Structure of $Cu_2B_{10}H_{10}$, Robert D. Dobrott and William N. Lipscomb—1779
X-ray *K*-absorption edges of three-planar nickel compounds, George R. Mitchell—216
X-ray study of pyrolytic graphites, O. J. Guentert—884